



ProfHolod Ltd.

Reg. no. 7705671650
 Agrohim territory, bld. 5B, Schelkovo, Moscow region, Russia, 141100
 info@profholod.com www.profholod.com tel./fax +7 (495) 745-0137

ProfHolod Cold Rooms with Fireproof PIR Premier updated on 29.12.2020
 with insulated door and shaped elements for assembly
 Retail Price List in Euro, VAT not included

PIR Insulated Panels for Cold Rooms. Panels' thickness 60 mm
 Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1305	2,6	660	2,9	680	3,1	705	3,4	730	3,6	755
	2490	5,3	840	5,8	873	6,3	908	6,8	943	7,3	978
	3675	7,9	1 027	8,6	1 070	9,4	1 115	10,1	1 161	10,9	1 206
	4860	10,5	1 209	11,5	1 262	12,5	1 318	13,5	1 374	14,5	1 429
	6045	13,1	1 395	14,4	1 459	15,6	1 525	16,9	1 591	18,2	1 657
	7230	15,8	1 578	17,3	1 651	18,8	1 728	20,3	1 804	21,8	1 881
	8415	18,4	1 760	20,1	1 844	21,9	1 931	23,7	2 018	25,4	2 103
2370	1305	5,5	846	6,1	879	6,6	914	7,1	949	7,7	984
	2490	11,1	1 092	12,2	1 135	13,2	1 180	14,3	1 226	15,4	1 271
	3675	16,6	1 334	18,2	1 387	19,8	1 443	21,4	1 499	23,0	1 555
	4860	22,2	1 580	24,3	1 643	26,4	1 709	28,6	1 775	30,7	1 842
	6045	27,7	1 822	30,4	1 895	33,1	1 972	35,7	2 048	38,4	2 125
	7230	33,3	2 063	36,5	2 147	39,7	2 234	42,9	2 321	46,1	2 407
	8415	38,8	2 309	42,6	2 404	46,3	2 501	50,0	2 598	53,8	2 694
3555	1305	8,5	1 039	9,3	1 082	10,1	1 127	10,9	1 173	11,7	1 218
	2490	16,9	1 340	18,6	1 393	20,2	1 449	21,8	1 505	23,4	1 561
	3675	25,4	1 646	27,8	1 710	30,3	1 776	32,7	1 842	35,2	1 908
	4860	33,9	1 947	37,1	2 021	40,4	2 098	43,6	2 174	46,9	2 251
	6045	42,3	2 249	46,4	2 333	50,5	2 420	54,5	2 507	58,6	2 593
	7230	50,8	2 555	55,7	2 649	60,6	2 746	65,5	2 843	70,3	2 939
	8415	59,3	2 857	65,0	2 961	70,7	3 069	76,4	3 176	82,1	3 283
4740	1305	11,4	1 227	12,5	1 280	13,6	1 336	14,7	1 392	15,8	1 448
	2490	22,8	1 592	25,0	1 655	27,2	1 721	29,3	1 788	31,5	1 854
	3675	34,2	1 954	37,4	2 027	40,7	2 104	44,0	2 180	47,3	2 257
	4860	45,5	2 314	49,9	2 398	54,3	2 485	58,7	2 572	63,1	2 657
	6045	56,9	2 680	62,4	2 774	67,9	2 871	73,4	2 969	78,8	3 065
	7230	68,3	3 041	74,9	3 145	81,5	3 253	88,0	3 360	94,6	3 467
	8415	79,7	3 406	87,4	3 521	95,0	3 639	102,7	3 756	110,4	3 874
5925	1305	14,3	1 420	15,7	1 483	17,1	1 549	18,4	1 615	19,8	1 681
	2490	28,6	1 840	31,4	1 914	34,1	1 990	36,9	2 067	39,6	2 143
	3675	42,9	2 262	47,1	2 346	51,2	2 432	55,3	2 519	59,4	2 605
	4860	57,2	2 686	62,7	2 780	68,2	2 878	73,7	2 975	79,2	3 071
	6045	71,5	3 108	78,4	3 212	85,3	3 320	92,2	3 427	99,1	3 534
	7230	85,8	3 532	94,1	3 647	102,4	3 765	110,6	3 882	118,9	3 999
	8415	100,2	3 954	109,8	4 079	119,4	4 207	129,0	4 334	138,7	4 462
7110	1305	17,2	1 608	18,9	1 681	20,5	1 758	22,2	1 834	23,9	1 911
	2490	34,5	2 088	37,8	2 172	41,1	2 258	44,4	2 345	47,7	2 431
	3675	51,7	2 573	56,7	2 667	61,6	2 764	66,6	2 862	71,6	2 958
	4860	68,9	3 053	75,5	3 157	82,2	3 265	88,8	3 372	95,4	3 479
	6045	86,1	3 538	94,4	3 653	102,7	3 771	111,0	3 887	119,3	4 005
	7230	103,4	4 018	113,3	4 143	123,3	4 271	133,2	4 398	143,1	4 527
	8415	120,6	4 503	132,2	4 639	143,8	4 777	155,4	4 915	167,0	5 053
8295	1305	20,1	1 796	22,1	1 880	24,0	1 967	26,0	2 054	27,9	2 139
	2490	40,3	2 340	44,2	2 434	48,0	2 531	51,9	2 629	55,8	2 724
	3675	60,4	2 881	66,3	2 986	72,1	3 093	77,9	3 201	83,7	3 307
	4860	80,6	3 424	88,3	3 539	96,1	3 657	103,8	3 774	111,6	3 892
	6045	100,7	3 966	110,4	4 091	120,1	4 219	129,8	4 346	139,5	4 474
	7230	120,9	4 509	132,5	4 645	144,1	4 783	155,8	4 921	167,4	5 059
	8415	141,0	5 050	154,6	5 196	168,2	5 344	181,7	5 493	195,3	5 642

You can order a cold room in custom size according to your specific needs

PIR Insulated Panels for Cold Rooms. Panels' thickness: 80 mm
Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1345	2,5	689	2,7	713	3,0	740	3,2	767	3,4	794
	2530	5,0	884	5,4	919	5,9	957	6,4	996	6,9	1 033
	3715	7,4	1 085	8,2	1 131	8,9	1 180	9,6	1 230	10,3	1 278
	4900	9,9	1 280	10,9	1 337	11,9	1 398	12,8	1 459	13,8	1 518
	6085	12,4	1 480	13,6	1 549	14,8	1 621	16,0	1 692	17,2	1 764
	7270	14,9	1 676	16,3	1 756	17,8	1 839	19,2	1 921	20,7	2 004
	8455	17,3	1 876	19,0	1 967	20,7	2 060	22,4	2 155	24,1	2 249
2370	1345	5,3	893	5,9	928	6,4	966	6,9	1 005	7,4	1 042
	2530	10,7	1 158	11,7	1 204	12,8	1 253	13,8	1 303	14,9	1 351
	3715	16,0	1 418	17,6	1 476	19,2	1 537	20,7	1 597	22,3	1 657
	4900	21,4	1 683	23,5	1 752	25,6	1 824	27,7	1 895	29,8	1 967
	6085	26,7	1 944	29,3	2 024	31,9	2 107	34,6	2 189	37,2	2 272
	7270	32,1	2 208	35,2	2 300	38,3	2 393	41,5	2 487	44,6	2 582
	8455	37,4	2 469	41,1	2 571	44,7	2 676	48,4	2 782	52,1	2 887
3555	1345	8,2	1 102	9,0	1 148	9,8	1 198	10,6	1 247	11,4	1 296
	2530	16,4	1 427	18,0	1 485	19,6	1 545	21,2	1 606	22,9	1 666
	3715	24,6	1 758	27,0	1 826	29,4	1 898	31,9	1 969	34,3	2 041
	4900	32,8	2 083	36,0	2 163	39,3	2 246	42,5	2 328	45,7	2 411
	6085	41,0	2 413	45,1	2 504	49,1	2 597	53,1	2 692	57,1	2 786
	7270	49,2	2 738	54,1	2 841	58,9	2 945	63,7	3 051	68,6	3 156
	8455	57,4	3 069	63,1	3 182	68,7	3 298	74,3	3 415	80,0	3 532
4740	1345	11,1	1 306	12,2	1 364	13,2	1 424	14,3	1 485	15,4	1 545
	2530	22,1	1 701	24,3	1 769	26,5	1 841	28,7	1 912	30,8	1 984
	3715	33,2	2 091	36,5	2 171	39,7	2 254	43,0	2 336	46,2	2 420
	4900	44,3	2 486	48,6	2 577	53,0	2 670	57,3	2 765	61,7	2 859
	6085	55,4	2 877	60,8	2 979	66,2	3 083	71,6	3 189	77,1	3 295
	7270	66,4	3 271	72,9	3 384	79,5	3 500	86,0	3 617	92,5	3 734
	8455	77,5	3 662	85,1	3 785	92,7	3 913	100,3	4 042	107,9	4 170
5925	1345	13,9	1 515	15,3	1 584	16,7	1 656	18,0	1 727	19,4	1 799
	2530	27,9	1 970	30,6	2 050	33,3	2 133	36,1	2 215	38,8	2 298
	3715	41,8	2 431	45,9	2 522	50,0	2 615	54,1	2 709	58,2	2 804
	4900	55,7	2 885	61,2	2 988	66,7	3 092	72,1	3 198	77,6	3 304
	6085	69,7	3 346	76,5	3 460	83,3	3 575	90,2	3 692	97,0	3 809
	7270	83,6	3 801	91,8	3 924	100,0	4 052	108,2	4 180	116,4	4 309
	8455	97,6	4 257	107,1	4 391	116,7	4 531	126,2	4 670	135,8	4 810
7110	1345	16,8	1 720	18,4	1 799	20,1	1 883	21,7	1 965	23,4	2 048
	2530	33,6	2 244	36,9	2 335	40,2	2 428	43,5	2 522	46,8	2 617
	3715	50,4	2 764	55,3	2 867	60,3	2 971	65,2	3 077	70,2	3 183
	4900	67,2	3 289	73,8	3 402	80,4	3 518	87,0	3 635	93,6	3 752
	6085	84,0	3 809	92,2	3 933	100,5	4 061	108,7	4 189	116,9	4 318
	7270	100,8	4 329	110,7	4 464	120,6	4 603	130,5	4 742	140,3	4 882
	8455	117,6	4 854	129,1	5 000	140,7	5 151	152,2	5 302	163,7	5 452
8295	1345	19,7	1 929	21,6	2 020	23,5	2 113	25,4	2 208	27,4	2 302
	2530	39,3	2 513	43,2	2 615	47,0	2 720	50,9	2 825	54,8	2 931
	3715	59,0	3 104	64,8	3 217	70,6	3 333	76,3	3 450	82,1	3 567
	4900	78,7	3 688	86,4	3 812	94,1	3 940	101,8	4 068	109,5	4 196
	6085	98,3	4 274	108,0	4 409	117,6	4 548	127,2	4 688	136,9	4 827
	7270	118,0	4 863	129,6	5 009	141,1	5 160	152,7	5 310	164,3	5 461
	8455	137,7	5 448	151,2	5 607	164,7	5 768	178,1	5 930	191,6	6 092

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PIR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm
Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1385	2,3	736	2,6	762	2,8	791	3,0	819	3,3	849
	2570	4,7	945	5,1	983	5,6	1 023	6,1	1 065	6,5	1 106
	3755	7,0	1 159	7,7	1 209	8,4	1 262	9,1	1 315	9,8	1 369
	4940	9,3	1 368	10,3	1 430	11,2	1 495	12,1	1 561	13,1	1 627
	6125	11,7	1 582	12,8	1 655	14,0	1 733	15,2	1 811	16,3	1 889
	7310	14,0	1 791	15,4	1 876	16,8	1 966	18,2	2 057	19,6	2 147
	8495	16,3	2 004	18,0	2 103	19,6	2 205	21,2	2 307	22,9	2 410
2370	1385	5,1	957	5,7	995	6,2	1 035	6,7	1 077	7,2	1 118
	2570	10,3	1 241	11,3	1 291	12,3	1 343	13,4	1 397	14,4	1 451
	3755	15,4	1 520	17,0	1 583	18,5	1 647	20,1	1 713	21,6	1 779
	4940	20,6	1 805	22,6	1 877	24,7	1 955	26,7	2 033	28,8	2 112
	6125	25,7	2 084	28,3	2 169	30,9	2 259	33,4	2 349	36,0	2 440
	7310	30,9	2 367	33,9	2 465	37,0	2 568	40,1	2 670	43,2	2 772
	8495	36,0	2 646	39,6	2 757	43,2	2 871	46,8	2 986	50,4	3 100
3555	1385	8,0	1 183	8,7	1 233	9,5	1 285	10,3	1 339	11,1	1 393
	2570	15,9	1 532	17,5	1 594	19,1	1 659	20,7	1 725	22,3	1 791
	3755	23,9	1 888	26,2	1 961	28,6	2 039	31,0	2 117	33,4	2 195
	4940	31,8	2 237	35,0	2 322	38,2	2 412	41,3	2 502	44,5	2 593
	6125	39,8	2 591	43,7	2 690	47,7	2 792	51,7	2 894	55,7	2 997
	7310	47,7	2 940	52,5	3 051	57,2	3 165	62,0	3 280	66,8	3 394
	8495	55,7	3 296	61,2	3 419	66,8	3 545	72,4	3 672	77,9	3 798
4740	1385	10,8	1 404	11,8	1 466	12,9	1 530	14,0	1 596	15,1	1 662
	2570	21,5	1 828	23,7	1 901	25,8	1 979	28,0	2 057	30,1	2 135
	3755	32,3	2 249	35,5	2 334	38,7	2 424	42,0	2 514	45,2	2 604
	4940	43,0	2 672	47,3	2 771	51,6	2 873	56,0	2 975	60,3	3 078
	6125	53,8	3 093	59,2	3 203	64,6	3 318	69,9	3 432	75,3	3 547
	7310	64,6	3 517	71,0	3 640	77,5	3 767	83,9	3 893	90,4	4 020
	8495	75,3	3 938	82,9	4 073	90,4	4 211	97,9	4 350	105,4	4 489
5925	1385	13,6	1 630	14,9	1 703	16,3	1 781	17,6	1 859	19,0	1 937
	2570	27,1	2 120	29,9	2 205	32,6	2 295	35,3	2 385	38,0	2 475
	3755	40,7	2 615	44,8	2 713	48,8	2 816	52,9	2 918	57,0	3 020
	4940	54,3	3 105	59,7	3 215	65,1	3 330	70,6	3 444	76,0	3 559
	6125	67,8	3 601	74,6	3 724	81,4	3 850	88,2	3 977	95,0	4 104
	7310	81,4	4 091	89,6	4 226	97,7	4 364	105,8	4 503	114,0	4 642
	8495	95,0	4 587	104,5	4 734	114,0	4 885	123,5	5 036	133,0	5 187
7110	1385	16,4	1 851	18,0	1 936	19,7	2 026	21,3	2 116	22,9	2 206
	2570	32,8	2 414	36,0	2 513	39,3	2 615	42,6	2 717	45,9	2 820
	3755	49,1	2 976	54,0	3 087	59,0	3 201	63,9	3 316	68,8	3 430
	4940	65,5	3 541	72,1	3 664	78,6	3 790	85,2	3 917	91,7	4 044
	6125	81,9	4 103	90,1	4 237	98,3	4 376	106,4	4 515	114,6	4 654
	7310	98,3	4 667	108,1	4 814	117,9	4 965	127,7	5 116	137,6	5 267
	8495	114,6	5 229	126,1	5 388	137,6	5 551	149,0	5 714	160,5	5 877
8295	1385	19,2	2 076	21,1	2 174	23,0	2 276	24,9	2 379	26,9	2 481
	2570	38,4	2 706	42,2	2 816	46,0	2 931	49,9	3 045	53,7	3 160
	3755	57,6	3 343	63,3	3 466	69,1	3 593	74,8	3 719	80,6	3 846
	4940	76,7	3 973	84,4	4 108	92,1	4 247	99,8	4 386	107,4	4 525
	6125	95,9	4 611	105,5	4 758	115,1	4 909	124,7	5 060	134,3	5 211
	7310	115,1	5 241	126,6	5 400	138,1	5 563	149,6	5 726	161,2	5 889
	8495	134,3	5 873	147,7	6 045	161,2	6 220	174,6	6 395	188,0	6 569

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PIR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm
Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1425	2,4	874	2,6	906	2,9	937	3,1	969
	2610	4,8	1 108	5,3	1 153	5,7	1 198	6,2	1 243
	3795	7,3	1 349	7,9	1 406	8,6	1 464	9,3	1 522
	4980	9,7	1 583	10,6	1 654	11,5	1 725	12,4	1 796
	6165	12,1	1 823	13,2	1 907	14,3	1 991	15,5	2 075
	7350	14,5	2 058	15,9	2 155	17,2	2 252	18,5	2 349
	8535	16,9	2 298	18,5	2 408	20,1	2 518	21,6	2 627
2370	1425	5,5	1 124	6,0	1 168	6,5	1 213	7,0	1 258
	2610	10,9	1 439	11,9	1 497	12,9	1 555	13,9	1 612
	3795	16,4	1 749	17,9	1 820	19,4	1 891	20,9	1 962
	4980	21,8	2 065	23,8	2 148	25,8	2 232	27,9	2 316
	6165	27,3	2 375	29,8	2 472	32,3	2 569	34,8	2 666
	7350	32,7	2 690	35,7	2 800	38,8	2 910	41,8	3 019
	8535	38,2	3 001	41,7	3 124	45,2	3 247	48,8	3 368
3555	1425	8,5	1 375	9,3	1 433	10,1	1 491	10,8	1 549
	2610	17,0	1 765	18,5	1 835	20,1	1 906	21,7	1 977
	3795	25,5	2 157	27,8	2 240	30,2	2 324	32,5	2 408
	4980	33,9	2 542	37,1	2 639	40,2	2 736	43,4	2 832
	6165	42,4	2 934	46,4	3 044	50,3	3 154	54,2	3 262
	7350	50,9	3 319	55,6	3 442	60,3	3 578	65,1	3 700
	8535	59,4	3 724	64,9	3 860	70,4	3 996	75,9	4 131
4740	1425	11,5	1 629	12,6	1 700	13,7	1 771	14,7	1 842
	2610	23,0	2 095	25,2	2 179	27,3	2 263	29,4	2 347
	3795	34,6	2 557	37,8	2 654	41,0	2 751	44,2	2 848
	4980	46,1	3 023	50,3	3 133	54,6	3 243	58,9	3 365
	6165	57,6	3 498	62,9	3 621	68,3	3 744	73,6	3 866
	7350	69,1	3 965	75,5	4 101	81,9	4 237	88,3	4 371
	8535	80,6	4 427	88,1	4 576	95,6	4 723	103,0	4 872
5925	1425	14,6	1 885	15,9	1 969	17,2	2 052	18,6	2 136
	2610	29,1	2 421	31,8	2 518	34,5	2 615	37,2	2 712
	3795	43,7	2 964	47,7	3 074	51,7	3 184	55,8	3 293
	4980	58,2	3 514	63,6	3 637	69,0	3 760	74,4	3 881
	6165	72,8	4 057	79,5	4 193	86,2	4 329	93,0	4 464
	7350	87,3	4 593	95,4	4 742	103,5	4 890	111,6	5 039
	8535	101,9	5 137	111,3	5 299	120,7	5 473	130,2	5 635
7110	1425	17,6	2 135	19,2	2 231	20,8	2 328	22,5	2 425
	2610	35,2	2 752	38,4	2 862	41,7	2 971	44,9	3 080
	3795	52,8	3 365	57,6	3 501	62,5	3 624	67,4	3 746
	4980	70,3	3 995	76,9	4 131	83,4	4 267	89,9	4 402
	6165	87,9	4 609	96,1	4 758	104,2	4 905	112,3	5 054
	7350	105,5	5 226	115,3	5 388	125,0	5 562	134,8	5 724
	8535	123,1	5 852	134,5	6 027	145,9	6 201	157,3	6 376
8295	1425	20,6	2 390	22,5	2 500	24,4	2 610	26,3	2 719
	2610	41,2	3 077	45,1	3 200	48,9	3 323	52,7	3 445
	3795	61,9	3 785	67,6	3 921	73,3	4 057	79,0	4 192
	4980	82,5	4 472	90,1	4 621	97,7	4 769	105,4	4 918
	6165	103,1	5 167	112,6	5 329	122,2	5 503	131,7	5 665
	7350	123,7	5 868	135,2	6 043	146,6	6 216	158,1	6 392
	8535	144,3	6 563	157,7	6 749	171,0	6 938	184,4	7 139

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141101, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en



ProfHoloD Cold Rooms solution includes

- **Wall insulated panels:**
 - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
 - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m³;
 - Core thermal conductivity coefficient k=0,022 W/(m*K).
- **Ceiling panels:**
 - External surface: galvanized steel;
 - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
 - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

Extras:

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

How to choose polyurethane insulated panel thickness depending on inside and outside temperature

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,3	13,5	12,6	11,7	10,8	9
95° C	49,9	39,9	33,3	24,7	19,9	16,2	14,3	13,3	12,4	11,4	9,5



Agrohim territory, bld. 58, Schelkovo,
Moscow region, 141100, Russia

+7 (495) 745-01-37
+7 (800) 700-01-37

www.profholod.ru/en