



ProfHoloD Ltd.

Reg. no. 7705671650  
 Agrohim territory, bld. 5B, Schelkovo, Moscow region, Russia. 141100  
 info@profholod.com www.profholod.com tel/fax +7 (495) 745-0137

**ProfHoloD Cold Rooms with PUR Classic Insulation updated on 28.09.2023**  
 with insulated door and shaped elements for assembly  
 Retail Price List in Euro, VAT not included

PUR Insulated Panels for Cold Rooms. Panels' thickness 60 mm  
 Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
		2200		2400		2600		2800		3000	
Length, mm	Width, mm	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1310	2,6	760	2,9	784	3,2	812	3,4	840	3,7	868
	2500	5,3	969	5,8	1 005	6,3	1 045	6,8	1 085	7,3	1 126
	3690	7,9	1 180	8,7	1 230	9,5	1 282	10,2	1 335	11,0	1 387
	4880	10,6	1 389	11,6	1 451	12,6	1 515	13,6	1 580	14,7	1 644
	6070	13,2	1 602	14,5	1 676	15,8	1 753	17,1	1 829	18,3	1 906
	7260	15,9	1 811	17,4	1 897	18,9	1 986	20,5	2 074	22,0	2 163
	8450	18,5	2 024	20,3	2 122	22,1	2 223	23,9	2 324	25,7	2 424
2330	1310	5,6	975	6,1	1 012	6,7	1 052	7,2	1 092	7,7	1 133
	2500	11,2	1 256	12,3	1 305	13,3	1 358	14,4	1 410	15,5	1 463
	3690	16,8	1 534	18,4	1 595	20,0	1 660	21,6	1 724	23,2	1 789
	4880	22,4	1 815	24,5	1 889	26,7	1 966	28,8	2 042	31,0	2 119
	6070	28,0	2 093	30,7	2 179	33,3	2 267	36,0	2 356	38,7	2 445
	7260	33,6	2 375	36,8	2 473	40,0	2 573	43,2	2 674	46,5	2 775
	8450	39,2	2 652	42,9	2 762	46,7	2 875	50,5	2 988	54,2	3 101
3570	1310	8,5	1 194	9,4	1 244	10,2	1 296	11,0	1 348	11,8	1 401
	2500	17,1	1 541	18,7	1 602	20,4	1 667	22,0	1 731	23,6	1 796
	3690	25,6	1 891	28,1	1 965	30,5	2 041	33,0	2 118	35,5	2 194
	4880	34,2	2 237	37,4	2 323	40,7	2 412	44,0	2 500	47,3	2 589
	6070	42,7	2 588	46,8	2 686	50,9	2 786	55,0	2 887	59,1	2 988
	7260	51,2	2 934	56,2	3 044	61,1	3 157	66,0	3 270	70,9	3 382
	8450	59,8	3 285	65,5	3 407	71,3	3 532	77,0	3 656	82,8	3 781
4760	1310	11,5	1 410	12,6	1 472	13,7	1 536	14,8	1 601	15,9	1 665
	2500	23,0	1 829	25,2	1 903	27,4	1 979	29,6	2 056	31,8	2 133
	3690	34,5	2 244	37,8	2 330	41,1	2 419	44,4	2 507	47,7	2 596
	4880	45,9	2 663	50,4	2 761	54,8	2 862	59,2	2 963	63,6	3 063
	6070	57,4	3 079	62,9	3 189	68,5	3 301	74,0	3 414	79,5	3 527
	7260	68,9	3 498	75,5	3 620	82,2	3 745	88,8	3 869	95,4	3 994
	8450	80,4	3 913	88,1	4 047	95,9	4 184	103,6	4 321	111,3	4 458
5950	1310	14,4	1 630	15,8	1 704	17,2	1 780	18,6	1 857	20,0	1 933
	2500	28,9	2 114	31,6	2 200	34,4	2 288	37,2	2 377	40,0	2 465
	3690	43,3	2 602	47,5	2 700	51,6	2 800	55,8	2 901	59,9	3 002
	4880	57,7	3 085	63,3	3 195	68,8	3 308	74,4	3 421	79,9	3 534
	6070	72,2	3 573	79,1	3 695	86,0	3 820	93,0	3 945	99,9	4 070
	7260	86,6	4 057	94,9	4 191	103,2	4 328	111,6	4 465	119,9	4 602
	8450	101,0	4 541	110,7	4 687	120,4	4 836	130,2	4 985	139,9	5 133
7140	1310	17,4	1 846	19,0	1 932	20,7	2 020	22,4	2 109	24,1	2 198
	2500	34,8	2 402	38,1	2 500	41,4	2 601	44,8	2 702	48,1	2 802
	3690	52,1	2 955	57,1	3 065	62,2	3 178	67,2	3 290	72,2	3 403
	4880	69,5	3 512	76,2	3 634	82,9	3 758	89,6	3 883	96,2	4 008
	6070	86,9	4 064	95,2	4 198	103,6	4 335	111,9	4 472	120,3	4 609
	7260	104,3	4 616	114,3	4 763	124,3	4 912	134,3	5 061	144,4	5 208
	8450	121,6	5 173	133,3	5 331	145,0	5 493	156,7	5 654	168,4	5 813
8330	1310	20,3	2 066	22,3	2 164	24,2	2 264	26,2	2 365	28,1	2 466
	2500	40,6	2 687	44,6	2 797	48,5	2 910	52,4	3 023	56,3	3 135
	3690	61,0	3 312	66,8	3 434	72,7	3 559	78,5	3 684	84,4	3 809
	4880	81,3	3 934	89,1	4 068	96,9	4 205	104,7	4 341	112,5	4 478
	6070	101,6	4 555	111,4	4 701	121,1	4 850	130,9	4 999	140,7	5 147
	7260	121,9	5 180	133,7	5 338	145,4	5 499	157,1	5 660	168,8	5 820
	8450	142,2	5 801	155,9	5 972	169,6	6 145	183,3	6 318	197,0	6 490

You can order a cold room in custom size according to your specific needs

**PUR Insulated Panels for Cold Rooms. Panels' thickness 80 mm**  
**Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800**

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1350	2,5	797	2,7	825	3,0	856	3,2	887	3,5	918
	2540	5,0	1 024	5,5	1 065	6,0	1 110	6,5	1 154	7,0	1 199
	3730	7,5	1 256	8,2	1 310	9,0	1 368	9,7	1 426	10,4	1 482
	4920	10,0	1 483	11,0	1 551	12,0	1 622	12,9	1 693	13,9	1 763
	6110	12,5	1 715	13,7	1 796	15,0	1 880	16,2	1 965	17,4	2 048
	7300	15,0	1 942	16,5	2 037	17,9	2 134	19,4	2 232	20,9	2 328
	8490	17,5	2 174	19,2	2 282	20,9	2 393	22,7	2 502	24,4	2 613
2380	1350	5,4	1 034	5,9	1 076	6,4	1 120	7,0	1 164	7,5	1 209
	2540	10,8	1 342	11,8	1 397	12,9	1 454	13,9	1 512	15,0	1 568
	3730	16,2	1 645	17,8	1 713	19,3	1 784	20,9	1 855	22,5	1 925
	4920	21,6	1 953	23,7	2 034	25,8	2 118	27,9	2 203	30,0	2 286
	6110	26,9	2 256	29,6	2 351	32,2	2 448	34,9	2 546	37,5	2 642
	7300	32,3	2 564	35,5	2 672	38,7	2 782	41,8	2 892	45,0	3 003
	8490	37,7	2 867	41,4	2 988	45,1	3 112	48,8	3 235	52,5	3 359
3570	1350	8,3	1 276	9,1	1 331	9,9	1 389	10,7	1 446	11,5	1 503
	2540	16,6	1 656	18,2	1 723	19,8	1 794	21,4	1 865	23,0	1 935
	3730	24,8	2 039	27,3	2 120	29,7	2 204	32,1	2 289	34,6	2 372
	4920	33,1	2 418	36,4	2 513	39,6	2 610	42,9	2 708	46,1	2 804
	6110	41,4	2 802	45,4	2 910	49,5	3 020	53,6	3 130	57,6	3 241
	7300	49,7	3 181	54,5	3 302	59,4	3 426	64,3	3 549	69,1	3 673
	8490	57,9	3 565	63,6	3 699	69,3	3 836	75,0	3 973	80,7	4 110
4760	1350	11,2	1 514	12,3	1 582	13,4	1 653	14,5	1 724	15,5	1 793
	2540	22,3	1 973	24,5	2 054	26,7	2 139	28,9	2 223	31,1	2 306
	3730	33,5	2 428	36,8	2 523	40,1	2 620	43,4	2 718	46,6	2 814
	4920	44,7	2 888	49,0	2 996	53,4	3 107	57,8	3 216	62,2	3 327
	6110	55,8	3 343	61,3	3 464	66,8	3 588	72,3	3 711	77,7	3 835
	7300	67,0	3 803	73,6	3 937	80,1	4 074	86,7	4 211	93,3	4 348
	8490	78,2	4 258	85,8	4 405	93,5	4 556	101,2	4 705	108,8	4 856
5950	1350	14,1	1 756	15,4	1 837	16,8	1 921	18,2	2 006	19,6	2 089
	2540	28,1	2 287	30,9	2 381	33,6	2 479	36,4	2 576	39,1	2 673
	3730	42,2	2 822	46,3	2 930	50,4	3 041	54,6	3 150	58,7	3 261
	4920	56,2	3 353	61,7	3 474	67,2	3 598	72,8	3 721	78,3	3 845
	6110	70,3	3 889	77,2	4 023	84,1	4 160	90,9	4 297	97,8	4 434
	7300	84,3	4 420	92,6	4 567	100,9	4 718	109,1	4 867	117,4	5 018
	8490	98,4	4 955	108,0	5 116	117,7	5 279	127,3	5 443	137,0	5 607
7140	1350	16,9	1 993	18,6	2 088	20,3	2 185	21,9	2 283	23,6	2 379
	2540	33,9	2 605	37,2	2 712	40,5	2 823	43,9	2 933	47,2	3 044
	3730	50,8	3 212	55,8	3 333	60,8	3 457	65,8	3 580	70,8	3 704
	4920	67,8	3 823	74,4	3 957	81,1	4 095	87,7	4 231	94,4	4 368
	6110	84,7	4 430	93,0	4 577	101,3	4 728	109,6	4 878	117,9	5 028
	7300	101,7	5 041	111,6	5 202	121,6	5 365	131,6	5 529	141,5	5 693
	8490	118,6	5 648	130,2	5 822	141,9	5 998	153,5	6 176	165,1	6 353
8330	1350	19,8	2 235	21,8	2 343	23,7	2 454	25,7	2 564	27,6	2 674
	2540	39,7	2 918	43,6	3 039	47,4	3 163	51,3	3 286	55,2	3 410
	3730	59,5	3 606	65,3	3 740	71,2	3 877	77,0	4 013	82,8	4 151
	4920	79,3	4 288	87,1	4 436	94,9	4 587	102,7	4 736	110,4	4 887
	6110	99,2	4 976	108,9	5 136	118,6	5 299	128,3	5 463	138,1	5 627
	7300	119,0	5 658	130,7	5 833	142,3	6 009	154,0	6 186	165,7	6 363
	8490	138,8	6 346	152,4	6 533	166,1	6 723	179,7	6 913	193,3	7 104

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,  
 Moscow region, 141100, Russia

+7 (495) 745-01-37  
 +7 (800) 700-01-37

[www.profholiday.ru/en](http://www.profholiday.ru/en)

**PUR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm**  
**Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800**

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1390	2,4	862	2,6	892	2,8	927	3,1	960	3,3	994
	2580	4,7	1 108	5,2	1 153	5,7	1 202	6,1	1 249	6,6	1 298
	3770	7,1	1 359	7,8	1 419	8,5	1 481	9,2	1 544	9,9	1 608
	4960	9,4	1 606	10,4	1 680	11,3	1 756	12,3	1 834	13,2	1 912
	6150	11,8	1 857	13,0	1 946	14,1	2 037	15,3	2 129	16,5	2 222
	7340	14,1	2 103	15,6	2 206	17,0	2 312	18,4	2 419	19,8	2 526
	8530	16,5	2 354	18,1	2 471	19,8	2 593	21,4	2 714	23,1	2 836
2370	1390	5,2	1 122	5,7	1 167	6,2	1 216	6,7	1 264	7,3	1 312
	2580	10,4	1 457	11,4	1 517	12,5	1 579	13,5	1 642	14,5	1 705
	3770	15,6	1 787	17,1	1 861	18,7	1 938	20,2	2 016	21,8	2 094
	4960	20,8	2 122	22,8	2 210	24,9	2 302	27,0	2 394	29,1	2 487
	6150	25,9	2 451	28,5	2 555	31,1	2 661	33,7	2 768	36,3	2 875
	7340	31,1	2 786	34,2	2 903	37,4	3 025	40,5	3 146	43,6	3 268
	8530	36,3	3 116	40,0	3 247	43,6	3 383	47,2	3 520	50,8	3 656
3555	1390	8,0	1 388	8,8	1 447	9,6	1 509	10,4	1 573	11,2	1 636
	2580	16,0	1 801	17,6	1 875	19,2	1 952	20,9	2 030	22,5	2 108
	3770	24,1	2 219	26,5	2 308	28,9	2 399	31,3	2 492	33,7	2 584
	4960	32,1	2 633	35,3	2 736	38,5	2 842	41,7	2 949	44,9	3 056
	6150	40,1	3 051	44,1	3 168	48,1	3 289	52,1	3 411	56,1	3 533
	7340	48,1	3 464	52,9	3 596	57,7	3 732	62,6	3 868	67,4	4 004
	8530	56,1	3 883	61,8	4 028	67,4	4 179	73,0	4 330	78,6	4 481
4740	1390	10,9	1 648	11,9	1 722	13,0	1 799	14,1	1 877	15,2	1 954
	2580	21,7	2 150	23,9	2 238	26,0	2 330	28,2	2 422	30,4	2 515
	3770	32,6	2 647	35,8	2 750	39,1	2 856	42,3	2 963	45,6	3 070
	4960	43,4	3 149	47,8	3 265	52,1	3 387	56,4	3 509	60,8	3 630
	6150	54,3	3 646	59,7	3 777	65,1	3 913	70,5	4 049	76,0	4 186
	7340	65,1	4 147	71,6	4 293	78,1	4 444	84,7	4 595	91,2	4 746
	8530	76,0	4 644	83,6	4 805	91,2	4 970	98,8	5 136	106,4	5 301
5925	1390	13,7	1 913	15,1	2 002	16,4	2 093	17,8	2 186	19,2	2 278
	2580	27,4	2 494	30,1	2 597	32,8	2 703	35,6	2 810	38,3	2 917
	3770	41,1	3 079	45,2	3 196	49,3	3 317	53,4	3 439	57,5	3 561
	4960	54,7	3 660	60,2	3 791	65,7	3 927	71,2	4 063	76,6	4 200
	6150	68,4	4 245	75,3	4 391	82,1	4 542	89,0	4 693	95,8	4 844
	7340	82,1	4 826	90,3	4 986	98,5	5 152	106,7	5 317	115,0	5 482
	8530	95,8	5 410	105,4	5 586	115,0	5 766	124,5	5 946	134,1	6 126
7110	1390	16,5	2 173	18,2	2 277	19,8	2 382	21,5	2 490	23,1	2 597
	2580	33,0	2 842	36,3	2 959	39,6	3 081	42,9	3 202	46,2	3 324
	3770	49,6	3 506	54,5	3 638	59,5	3 774	64,4	3 910	69,4	4 046
	4960	66,1	4 176	72,7	4 321	79,3	4 472	85,9	4 623	92,5	4 774
	6150	82,6	4 840	90,8	5 000	99,1	5 166	107,4	5 331	115,6	5 496
	7340	99,1	5 508	109,0	5 684	118,9	5 864	128,8	6 044	138,7	6 224
	8530	115,6	6 172	127,2	6 363	138,7	6 557	150,3	6 752	161,9	6 946
8295	1390	19,3	2 439	21,3	2 555	23,2	2 677	25,2	2 799	27,1	2 920
	2580	38,7	3 186	42,6	3 317	46,4	3 454	50,3	3 590	54,2	3 726
	3770	58,0	3 939	63,9	4 085	69,7	4 236	75,5	4 386	81,3	4 537
	4960	77,4	4 687	85,1	4 847	92,9	5 012	100,6	5 178	108,4	5 343
	6150	96,7	5 438	106,4	5 614	116,1	5 794	125,8	5 974	135,4	6 154
	7340	116,1	6 186	127,7	6 377	139,3	6 571	150,9	6 766	162,5	6 960
	8530	135,4	6 939	149,0	7 144	162,5	7 353	176,1	7 562	189,6	7 771

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,  
 Moscow region, 141100, Russia

+7 (495) 745-01-37  
 +7 (800) 700-01-37

[www.profhod.ru/en](http://www.profhod.ru/en)

**PUR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm**  
**Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800**

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1430	2,4	1 017	2,7	1 055	2,9	1 092	3,1	1 130
	2620	4,9	1 301	5,3	1 354	5,8	1 408	6,2	1 462
	3810	7,3	1 590	8,0	1 660	8,7	1 729	9,4	1 799
	5000	9,8	1 873	10,7	1 959	11,6	2 045	12,5	2 131
	6190	12,2	2 163	13,3	2 265	14,5	2 366	15,6	2 468
	7380	14,7	2 446	16,0	2 564	17,4	2 682	18,7	2 800
	8570	17,1	2 736	18,7	2 870	20,3	3 004	21,8	3 138
2380	1430	5,5	1 319	6,0	1 373	6,5	1 427	7,0	1 480
	2620	11,0	1 701	12,0	1 771	13,0	1 840	14,1	1 910
	3810	16,5	2 077	18,0	2 163	19,6	2 248	21,1	2 334
	5000	22,0	2 458	24,0	2 560	26,1	2 662	28,1	2 764
	6190	27,5	2 834	30,0	2 952	32,6	3 070	35,1	3 188
	7380	33,0	3 216	36,1	3 350	39,1	3 484	42,2	3 618
	8570	38,5	3 592	42,1	3 742	45,6	3 892	49,2	4 042
3570	1430	8,6	1 616	9,4	1 686	10,1	1 756	10,9	1 825
	2620	17,1	2 095	18,7	2 181	20,3	2 267	21,9	2 353
	3810	25,7	2 569	28,1	2 671	30,4	2 773	32,8	2 875
	5000	34,2	3 038	37,4	3 156	40,6	3 274	43,7	3 392
	6190	42,8	3 512	46,8	3 646	50,7	3 780	54,7	3 914
	7380	51,4	3 980	56,1	4 141	60,9	4 291	65,6	4 441
	8570	59,9	4 465	65,5	4 631	71,0	4 797	76,6	4 963
4760	1430	11,6	1 929	12,7	2 015	13,8	2 101	14,8	2 187
	2620	23,2	2 496	25,4	2 597	27,5	2 699	29,7	2 801
	3810	34,9	3 056	38,1	3 174	41,3	3 292	44,5	3 410
	5000	46,5	3 623	50,8	3 757	55,1	3 891	59,4	4 036
	6190	58,1	4 194	63,5	4 344	68,8	4 494	74,2	4 644
	7380	69,7	4 761	76,2	4 927	82,6	5 093	89,1	5 259
	8570	81,3	5 321	88,9	5 503	96,4	5 686	103,9	5 868
5950	1430	14,7	2 237	16,0	2 339	17,4	2 441	18,8	2 543
	2620	29,4	2 890	32,1	3 008	34,8	3 126	37,5	3 244
	3810	44,0	3 549	48,1	3 683	52,2	3 817	56,3	3 951
	5000	58,7	4 213	64,1	4 363	69,6	4 513	75,0	4 663
	6190	73,4	4 872	80,2	5 038	87,0	5 204	93,8	5 370
	7380	88,1	5 525	96,2	5 707	104,4	5 889	112,5	6 071
	8570	102,7	6 183	112,3	6 382	121,8	6 591	131,3	6 788
7140	1430	17,7	2 539	19,4	2 657	21,0	2 775	22,7	2 893
	2620	35,5	3 290	38,8	3 424	42,0	3 558	45,3	3 692
	3810	53,2	4 036	58,1	4 197	63,1	4 347	68,0	4 497
	5000	70,9	4 798	77,5	4 964	84,1	5 130	90,6	5 296
	6190	88,7	5 543	96,9	5 725	105,1	5 908	113,3	6 090
	7380	106,4	6 294	116,3	6 503	126,1	6 702	136,0	6 899
	8570	124,2	7 051	135,6	7 265	147,1	7 479	158,6	7 692
8330	1430	20,8	2 847	22,7	2 981	24,6	3 115	26,6	3 249
	2620	41,6	3 685	45,4	3 835	49,3	3 985	53,1	4 135
	3810	62,4	4 539	68,2	4 705	73,9	4 872	79,7	5 038
	5000	83,2	5 377	90,9	5 559	98,6	5 741	106,3	5 924
	6190	104,0	6 221	113,6	6 419	123,2	6 628	132,9	6 825
	7380	124,8	7 069	136,3	7 284	147,9	7 498	159,4	7 711
	8570	145,6	7 913	159,0	8 143	172,5	8 373	186,0	8 613

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,  
 Moscow region, 141101, Russia

+7 (495) 745-01-37  
 +7 (800) 700-01-37

[www.profhodol.ru/en](http://www.profhodol.ru/en)



**ProfHoloD Cold Rooms solution includes**

- **Wall insulated panels:**
  - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
  - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m<sup>3</sup>;
  - Core thermal conductivity coefficient  $k=0,022 \text{ W/(m}^2\text{K)}$ .
- **Ceiling panels:**
  - External surface: galvanized steel;
  - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
  - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

**Extras:**

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

**How to choose polyurethane insulated panel thickness depending on inside and outside temperature**

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,3	13,5	12,6	11,7	10,8	9
95° C	49,9	39,9	33,3	24,7	20,6	16,2	14,3	13,3	12,4	11,4	9,5



Agrohim territory, bld. 58, Schelkovo,  
Moscow region, 141100, Russia

+7 (495) 745-01-37

+7 (800) 700-01-37

[www.profholid.ru/en](http://www.profholid.ru/en)