



ProfHoloD Ltd.

Reg. no. 7705671650
 Agrohim territory, bld. 5B, Schelkovo, Moscow region, Russia, 141100
 info@profholod.com www.profholod.com tel./fax +7 (495) 745-0137

ProfHoloD Cold Rooms with PUR Classic Insulation updated on 29.12.2020

with insulated door and shaped elements for assembly

Retail Price List in US Dollars, VAT not included

PUR Insulated Panels for Cold Rooms. Panels' thickness 60 mm
Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
		2200		2400		2600		2800		3000	
Length, mm	Width, mm	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1305	2,6	795	2,9	820	3,1	850	3,4	880	3,6	910
	2490	5,3	1 013	5,8	1 052	6,3	1 094	6,8	1 137	7,3	1 179
	3675	7,9	1 238	8,6	1 289	9,4	1 344	10,1	1 399	10,9	1 454
	4860	10,5	1 457	11,5	1 521	12,5	1 589	13,5	1 656	14,5	1 723
	6045	13,1	1 682	14,4	1 759	15,6	1 838	16,9	1 918	18,2	1 998
	7230	15,8	1 902	17,3	1 991	18,8	2 083	20,3	2 175	21,8	2 267
	8415	18,4	2 122	20,1	2 223	21,9	2 328	23,7	2 432	25,4	2 535
2370	1305	5,5	1 020	6,1	1 059	6,6	1 102	7,1	1 144	7,7	1 186
	2490	11,1	1 317	12,2	1 368	13,2	1 423	14,3	1 478	15,4	1 532
	3675	16,6	1 608	18,2	1 672	19,8	1 739	21,4	1 807	23,0	1 874
	4860	22,2	1 904	24,3	1 981	26,4	2 061	28,6	2 140	30,7	2 220
	6045	27,7	2 196	30,4	2 285	33,1	2 377	35,7	2 469	38,4	2 562
	7230	33,3	2 487	36,5	2 589	39,7	2 693	42,9	2 798	46,1	2 901
	8415	38,8	2 784	42,6	2 898	46,3	3 015	50,0	3 132	53,8	3 248
3555	1305	8,5	1 252	9,3	1 304	10,1	1 359	10,9	1 414	11,7	1 468
	2490	16,9	1 616	18,6	1 679	20,2	1 747	21,8	1 814	23,4	1 881
	3675	25,4	1 985	27,8	2 061	30,3	2 141	32,7	2 220	35,2	2 300
	4860	33,9	2 348	37,1	2 436	40,4	2 529	43,6	2 621	46,9	2 713
	6045	42,3	2 712	46,4	2 813	50,5	2 918	54,5	3 022	58,6	3 125
	7230	50,8	3 080	55,7	3 193	60,6	3 311	65,5	3 428	70,3	3 543
	8415	59,3	3 444	65,0	3 570	70,7	3 700	76,4	3 829	82,1	3 957
4740	1305	11,4	1 479	12,5	1 543	13,6	1 610	14,7	1 678	15,8	1 745
	2490	22,8	1 919	25,0	1 995	27,2	2 075	29,3	2 155	31,5	2 235
	3675	34,2	2 355	37,4	2 444	40,7	2 536	44,0	2 628	47,3	2 721
	4860	45,5	2 790	49,9	2 891	54,3	2 996	58,7	3 100	63,1	3 204
	6045	56,9	3 231	62,4	3 344	67,9	3 462	73,4	3 579	78,8	3 694
	7230	68,3	3 665	74,9	3 792	81,5	3 921	88,0	4 051	94,6	4 179
	8415	79,7	4 106	87,4	4 245	95,0	4 387	102,7	4 528	110,4	4 670
5925	1305	14,3	1 711	15,7	1 788	17,1	1 867	18,4	1 947	19,8	2 027
	2490	28,6	2 218	31,4	2 307	34,1	2 399	36,9	2 491	39,6	2 584
	3675	42,9	2 726	47,1	2 828	51,2	2 932	55,3	3 037	59,4	3 140
	4860	57,2	3 238	62,7	3 352	68,2	3 469	73,7	3 586	79,2	3 702
	6045	71,5	3 746	78,4	3 872	85,3	4 002	92,2	4 132	99,1	4 260
	7230	85,8	4 258	94,1	4 396	102,4	4 539	110,6	4 679	118,9	4 821
	8415	100,2	4 766	109,8	4 917	119,4	5 072	129,0	5 225	138,7	5 379
7110	1305	17,2	1 938	18,9	2 027	20,5	2 119	22,2	2 211	23,9	2 304
	2490	34,5	2 516	37,8	2 618	41,1	2 722	44,4	2 827	47,7	2 930
	3675	51,7	3 102	56,7	3 215	61,6	3 333	66,6	3 450	71,6	3 565
	4860	68,9	3 680	75,5	3 806	82,2	3 936	88,8	4 065	95,4	4 193
	6045	86,1	4 265	94,4	4 404	102,7	4 546	111,0	4 686	119,3	4 828
	7230	103,4	4 843	113,3	4 994	123,3	5 149	133,2	5 302	143,1	5 457
	8415	120,6	5 428	132,2	5 592	143,8	5 759	155,4	5 925	167,0	6 092
8295	1305	20,1	2 165	22,1	2 266	24,0	2 371	26,0	2 476	27,9	2 579
	2490	40,3	2 821	44,2	2 934	48,0	3 051	51,9	3 169	55,8	3 284
	3675	60,4	3 473	66,3	3 599	72,1	3 729	77,9	3 858	83,7	3 986
	4860	80,6	4 128	88,3	4 267	96,1	4 409	103,8	4 549	111,6	4 691
	6045	100,7	4 780	110,4	4 932	120,1	5 086	129,8	5 239	139,5	5 394
	7230	120,9	5 436	132,5	5 599	144,1	5 766	155,8	5 932	167,4	6 099
	8415	141,0	6 088	154,6	6 264	168,2	6 442	181,7	6 622	195,3	6 801

You can order a cold room in custom size according to your specific needs

PUR Insulated Panels for Cold Rooms. Panels' thickness 80 mm
Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1345	2,5	830	2,7	859	3,0	892	3,2	924	3,4	957
	2530	5,0	1 066	5,4	1 108	5,9	1 154	6,4	1 200	6,9	1 245
	3715	7,4	1 307	8,2	1 363	8,9	1 423	9,6	1 483	10,3	1 541
	4900	9,9	1 543	10,9	1 612	11,9	1 685	12,8	1 759	13,8	1 831
	6085	12,4	1 784	13,6	1 867	14,8	1 954	16,0	2 039	17,2	2 126
	7270	14,9	2 020	16,3	2 116	17,8	2 217	19,2	2 316	20,7	2 416
	8455	17,3	2 262	19,0	2 371	20,7	2 484	22,4	2 598	24,1	2 712
2370	1345	5,3	1 076	5,9	1 119	6,4	1 165	6,9	1 211	7,4	1 256
	2530	10,7	1 396	11,7	1 451	12,8	1 511	13,8	1 571	14,9	1 629
	3715	16,0	1 710	17,6	1 779	19,2	1 852	20,7	1 926	22,3	1 997
	4900	21,4	2 029	23,5	2 112	25,6	2 199	27,7	2 284	29,8	2 371
	6085	26,7	2 343	29,3	2 439	31,9	2 540	34,6	2 639	37,2	2 739
	7270	32,1	2 662	35,2	2 772	38,3	2 884	41,5	2 998	44,6	3 112
	8455	37,4	2 976	41,1	3 100	44,7	3 226	48,4	3 353	52,1	3 481
3555	1345	8,2	1 329	9,0	1 384	9,8	1 444	10,6	1 504	11,4	1 562
	2530	16,4	1 720	18,0	1 790	19,6	1 863	21,2	1 936	22,9	2 008
	3715	24,6	2 119	27,0	2 201	29,4	2 288	31,9	2 374	34,3	2 460
	4900	32,8	2 511	36,0	2 607	39,3	2 707	42,5	2 806	45,7	2 906
	6085	41,0	2 909	45,1	3 019	49,1	3 131	53,1	3 245	57,1	3 359
	7270	49,2	3 301	54,1	3 424	58,9	3 550	63,7	3 677	68,6	3 805
	8455	57,4	3 699	63,1	3 836	68,7	3 976	74,3	4 117	80,0	4 258
4740	1345	11,1	1 575	12,2	1 644	13,2	1 717	14,3	1 790	15,4	1 862
	2530	22,1	2 050	24,3	2 133	26,5	2 220	28,7	2 305	30,8	2 392
	3715	33,2	2 521	36,5	2 617	39,7	2 718	43,0	2 817	46,2	2 917
	4900	44,3	2 997	48,6	3 106	53,0	3 219	57,3	3 333	61,7	3 447
	6085	55,4	3 468	60,8	3 591	66,2	3 717	71,6	3 844	77,1	3 972
	7270	66,4	3 943	72,9	4 080	79,5	4 219	86,0	4 360	92,5	4 501
	8455	77,5	4 414	85,1	4 563	92,7	4 717	100,3	4 872	107,9	5 026
5925	1345	13,9	1 827	15,3	1 910	16,7	1 996	18,0	2 082	19,4	2 168
	2530	27,9	2 375	30,6	2 471	33,3	2 571	36,1	2 670	38,8	2 771
	3715	41,8	2 930	45,9	3 040	50,0	3 152	54,1	3 266	58,2	3 380
	4900	55,7	3 478	61,2	3 602	66,7	3 727	72,1	3 855	77,6	3 982
	6085	69,7	4 034	76,5	4 170	83,3	4 310	90,2	4 451	97,0	4 592
	7270	83,6	4 582	91,8	4 730	100,0	4 885	108,2	5 039	116,4	5 194
	8455	97,6	5 131	107,1	5 294	116,7	5 462	126,2	5 630	135,8	5 798
7110	1345	16,8	2 073	18,4	2 169	20,1	2 270	21,7	2 368	23,4	2 469
	2530	33,6	2 704	36,9	2 814	40,2	2 927	43,5	3 041	46,8	3 155
	3715	50,4	3 332	55,3	3 456	60,3	3 582	65,2	3 709	70,2	3 837
	4900	67,2	3 964	73,8	4 101	80,4	4 241	87,0	4 382	93,6	4 523
	6085	84,0	4 592	92,2	4 741	100,5	4 896	108,7	5 050	116,9	5 205
	7270	100,8	5 218	110,7	5 381	120,6	5 549	130,5	5 717	140,3	5 885
	8455	117,6	5 852	129,1	6 028	140,7	6 209	152,2	6 391	163,7	6 573
8295	1345	19,7	2 325	21,6	2 435	23,5	2 547	25,4	2 661	27,4	2 775
	2530	39,3	3 029	43,2	3 153	47,0	3 279	50,9	3 406	54,8	3 533
	3715	59,0	3 741	64,8	3 878	70,6	4 018	76,3	4 159	82,1	4 300
	4900	78,7	4 446	86,4	4 595	94,1	4 749	101,8	4 904	109,5	5 058
	6085	98,3	5 153	108,0	5 315	117,6	5 483	127,2	5 651	136,9	5 819
	7270	118,0	5 862	129,6	6 038	141,1	6 220	152,7	6 402	164,3	6 583
	8455	137,7	6 567	151,2	6 759	164,7	6 954	178,1	7 149	191,6	7 344

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profholiday.ru/en

PUR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm
Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1385	2,3	887	2,6	918	2,8	954	3,0	988	3,3	1 023
	2570	4,7	1 139	5,1	1 185	5,6	1 233	6,1	1 283	6,5	1 334
	3755	7,0	1 398	7,7	1 458	8,4	1 521	9,1	1 586	9,8	1 650
	4940	9,3	1 649	10,3	1 724	11,2	1 802	12,1	1 881	13,1	1 961
	6125	11,7	1 908	12,8	1 995	14,0	2 090	15,2	2 184	16,3	2 278
	7310	14,0	2 159	15,4	2 262	16,8	2 371	18,2	2 479	19,6	2 588
	8495	16,3	2 416	18,0	2 535	19,6	2 658	21,2	2 782	22,9	2 905
2370	1385	5,1	1 154	5,7	1 199	6,2	1 248	6,7	1 298	7,2	1 348
	2570	10,3	1 496	11,3	1 556	12,3	1 619	13,4	1 684	14,4	1 749
	3755	15,4	1 833	17,0	1 908	18,5	1 986	20,1	2 065	21,6	2 144
	4940	20,6	2 175	22,6	2 263	24,7	2 357	26,7	2 451	28,8	2 545
	6125	25,7	2 512	28,3	2 615	30,9	2 723	33,4	2 832	36,0	2 941
	7310	30,9	2 853	33,9	2 972	37,0	3 095	40,1	3 219	43,2	3 342
	8495	36,0	3 190	39,6	3 323	43,2	3 461	46,8	3 599	50,4	3 737
3555	1385	8,0	1 426	8,7	1 486	9,5	1 550	10,3	1 614	11,1	1 679
	2570	15,9	1 847	17,5	1 922	19,1	2 000	20,7	2 079	22,3	2 159
	3755	23,9	2 276	26,2	2 364	28,6	2 458	31,0	2 552	33,4	2 646
	4940	31,8	2 697	35,0	2 799	38,2	2 908	41,3	3 017	44,5	3 125
	6125	39,8	3 124	43,7	3 242	47,7	3 366	51,7	3 489	55,7	3 612
	7310	47,7	3 545	52,5	3 678	57,2	3 816	62,0	3 954	66,8	4 092
	8495	55,7	3 973	61,2	4 121	66,8	4 274	72,4	4 426	77,9	4 579
4740	1385	10,8	1 692	11,8	1 767	12,9	1 845	14,0	1 924	15,1	2 004
	2570	21,5	2 204	23,7	2 292	25,8	2 386	28,0	2 480	30,1	2 574
	3755	32,3	2 711	35,5	2 814	38,7	2 922	42,0	3 031	45,2	3 140
	4940	43,0	3 221	47,3	3 340	51,6	3 463	56,0	3 587	60,3	3 710
	6125	53,8	3 728	59,2	3 862	64,6	4 000	69,9	4 137	75,3	4 275
	7310	64,6	4 240	71,0	4 388	77,5	4 541	83,9	4 693	90,4	4 846
	8495	75,3	4 747	82,9	4 910	90,4	5 077	97,9	5 244	105,4	5 411
5925	1385	13,6	1 965	14,9	2 053	16,3	2 147	17,6	2 241	19,0	2 335
	2570	27,1	2 555	29,9	2 658	32,6	2 766	35,3	2 875	38,0	2 984
	3755	40,7	3 152	44,8	3 271	48,8	3 394	52,9	3 518	57,0	3 641
	4940	54,3	3 742	59,7	3 876	65,1	4 014	70,6	4 152	76,0	4 290
	6125	67,8	4 341	74,6	4 489	81,4	4 641	88,2	4 794	95,0	4 947
	7310	81,4	4 931	89,6	5 094	97,7	5 261	105,8	5 428	114,0	5 596
	8495	95,0	5 530	104,5	5 707	114,0	5 889	123,5	6 071	133,0	6 253
7110	1385	16,4	2 231	18,0	2 333	19,7	2 442	21,3	2 551	22,9	2 660
	2570	32,8	2 910	36,0	3 029	39,3	3 152	42,6	3 276	45,9	3 399
	3755	49,1	3 588	54,0	3 721	59,0	3 859	63,9	3 997	68,8	4 135
	4940	65,5	4 269	72,1	4 417	78,6	4 569	85,2	4 722	91,7	4 874
	6125	81,9	4 945	90,1	5 108	98,3	5 275	106,4	5 443	114,6	5 610
	7310	98,3	5 626	108,1	5 804	117,9	5 986	127,7	6 168	137,6	6 349
	8495	114,6	6 304	126,1	6 496	137,6	6 692	149,0	6 889	160,5	7 085
8295	1385	19,2	2 502	21,1	2 621	23,0	2 744	24,9	2 867	26,9	2 991
	2570	38,4	3 262	42,2	3 395	46,0	3 533	49,9	3 671	53,7	3 809
	3755	57,6	4 030	63,3	4 178	69,1	4 331	74,8	4 484	80,6	4 636
	4940	76,7	4 790	84,4	4 953	92,1	5 120	99,8	5 287	107,4	5 454
	6125	95,9	5 558	105,5	5 736	115,1	5 917	124,7	6 099	134,3	6 281
	7310	115,1	6 318	126,6	6 510	138,1	6 706	149,6	6 903	161,2	7 099
	8495	134,3	7 080	147,7	7 287	161,2	7 498	174,6	7 709	188,0	7 919

You can order a cold room in custom size according to your specific needs



Agrohimprom territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profholiday.ru/en

PUR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm
Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1425	2,4	1 053	2,6	1 092	2,9	1 130	3,1	1 168
	2610	4,8	1 336	5,3	1 390	5,7	1 444	6,2	1 498
	3795	7,3	1 626	7,9	1 695	8,6	1 765	9,3	1 835
	4980	9,7	1 908	10,6	1 994	11,5	2 079	12,4	2 164
	6165	12,1	2 198	13,2	2 299	14,3	2 400	15,5	2 501
	7350	14,5	2 481	15,9	2 598	17,2	2 714	18,5	2 831
	8535	16,9	2 771	18,5	2 903	20,1	3 036	21,6	3 166
2370	1425	5,5	1 355	6,0	1 408	6,5	1 462	7,0	1 516
	2610	10,9	1 735	11,9	1 804	12,9	1 874	13,9	1 944
	3795	16,4	2 109	17,9	2 194	19,4	2 279	20,9	2 365
	4980	21,8	2 489	23,8	2 590	25,8	2 691	27,9	2 792
	6165	27,3	2 863	29,8	2 980	32,3	3 097	34,8	3 213
	7350	32,7	3 243	35,7	3 376	38,8	3 508	41,8	3 639
	8535	38,2	3 617	41,7	3 765	45,2	3 914	48,8	4 060
3555	1425	8,5	1 658	9,3	1 728	10,1	1 797	10,8	1 867
	2610	17,0	2 127	18,5	2 213	20,1	2 298	21,7	2 383
	3795	25,5	2 600	27,8	2 701	30,2	2 802	32,5	2 903
	4980	33,9	3 064	37,1	3 181	40,2	3 298	43,4	3 414
	6165	42,4	3 537	46,4	3 669	50,3	3 801	54,2	3 932
	7350	50,9	4 001	55,6	4 149	60,3	4 313	65,1	4 460
	8535	59,4	4 489	64,9	4 653	70,4	4 817	75,9	4 979
4740	1425	11,5	1 964	12,6	2 049	13,7	2 135	14,7	2 220
	2610	23,0	2 526	25,2	2 627	27,3	2 728	29,4	2 829
	3795	34,6	3 083	37,8	3 199	41,0	3 316	44,2	3 433
	4980	46,1	3 645	50,3	3 777	54,6	3 910	58,9	4 056
	6165	57,6	4 217	62,9	4 365	68,3	4 514	73,6	4 660
	7350	69,1	4 779	75,5	4 943	81,9	5 107	88,3	5 270
	8535	80,6	5 336	88,1	5 516	95,6	5 694	103,0	5 873
5925	1425	14,6	2 272	15,9	2 373	17,2	2 474	18,6	2 575
	2610	29,1	2 918	31,8	3 035	34,5	3 152	37,2	3 269
	3795	43,7	3 574	47,7	3 706	51,7	3 839	55,8	3 969
	4980	58,2	4 236	63,6	4 384	69,0	4 532	74,4	4 679
	6165	72,8	4 891	79,5	5 055	86,2	5 219	93,0	5 381
	7350	87,3	5 537	95,4	5 717	103,5	5 895	111,6	6 075
	8535	101,9	6 192	111,3	6 388	120,7	6 597	130,2	6 793
7110	1425	17,6	2 573	19,2	2 690	20,8	2 807	22,5	2 923
	2610	35,2	3 317	38,4	3 450	41,7	3 582	44,9	3 713
	3795	52,8	4 056	57,6	4 220	62,5	4 369	67,4	4 515
	4980	70,3	4 816	76,9	4 980	83,4	5 144	89,9	5 306
	6165	87,9	5 556	96,1	5 735	104,2	5 913	112,3	6 093
	7350	105,5	6 300	115,3	6 495	125,0	6 705	134,8	6 900
	8535	123,1	7 055	134,5	7 266	145,9	7 475	157,3	7 686
8295	1425	20,6	2 881	22,5	3 014	24,4	3 146	26,3	3 277
	2610	41,2	3 710	45,1	3 858	48,9	4 006	52,7	4 153
	3795	61,9	4 563	67,6	4 727	73,3	4 891	79,0	5 053
	4980	82,5	5 391	90,1	5 571	97,7	5 749	105,4	5 929
	6165	103,1	6 229	112,6	6 424	122,2	6 634	131,7	6 829
	7350	123,7	7 073	135,2	7 284	146,6	7 494	158,1	7 705
	8535	144,3	7 911	157,7	8 136	171,0	8 363	184,4	8 606


You can order a cold room in custom size according to your specific needs



Agrohimp territory, bld. 58, Schelkovo,
 Moscow region, 141101, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en



ProfHolod Cold Rooms solution includes

- **Wall insulated panels:**
 - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
 - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m³;
 - Core thermal conductivity coefficient $k=0,022 \text{ W/(m}^2\text{K)}$.
- **Ceiling panels:**
 - External surface: galvanized steel;
 - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
 - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

Extras:

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

How to choose polyurethane insulated panel thickness depending on inside and outside temperature

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,3	13,5	12,6	11,7	10,8	9
95° C	49,9	39,9	33,3	24,7	19,9	16,2	14,3	13,3	12,4	11,4	9,5



Agrohim territory, bld. 58, Schelkovo,
Moscow region, 141100, Russia

+7 (495) 745-01-37
+7 (800) 700-01-37

www.profhod.ru/en