


INDUSTRIAL SINGLE LEAF STEEL DOORS

ALL PRICES IN EURO, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(ISD)

26.01.2021

- Industrial steel doors with fully insulated foam core are custom-built for long-lasting and reliable performance. The doors are not intended for cold rooms. For air-tight doors look for hinged refrigerating doors.
- General purpose doors are installed at wide range of commercial and industrial facilities. Typical uses include manufacturing, warehouses, commercial buildings, retail, food stores, hospitals, hotels, etc.
- Insulation: rigid polyurethane foam. Thermal conductivity 0,022 W/m*K.
Foam density: up to 50 kg/m³ / 3,1 pcf.




ANGULAR FRAME

RAL 9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	235	240	245	269	280	293
	1900	240	244	250	275	285	299
	2000	244	249	255	280	291	304
	2100	249	253	259	285	296	310
	2200	253	258	264	290	301	316
	2300	266	271	278	305	317	332
	2400	270	276	282	310	322	337

AISI 304	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	385	402	420	456	478	503
	1900	397	414	432	469	492	518
	2000	408	426	445	483	507	533
	2100	419	438	457	496	521	548
	2200	431	449	470	509	535	563
	2300	451	470	491	533	559	588
	2400	462	482	503	546	573	603

AISI 430	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	326	338	351	383	401	421
	1900	334	347	360	393	411	433
	2000	343	356	370	403	422	444
	2100	352	365	379	413	433	455
	2200	360	374	389	424	444	467
	2300	378	392	407	443	464	488
	2400	386	401	417	454	475	500



OVERLAPPING FRAME

RAL 9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	278	284	291	320	333	349
	1900	284	290	297	327	340	357
	2000	291	296	304	334	348	364
	2100	297	303	310	341	355	372
	2200	303	309	317	348	362	380
	2300	318	324	332	365	380	398
	2400	324	330	339	372	387	406

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
AISI 304	1800	553	575	600	646	675	709
	1900	571	594	619	666	697	731
	2000	589	613	638	686	718	753
	2100	607	631	657	707	739	775
	2200	625	650	677	727	760	796
	2300	652	678	705	757	791	829
	2400	670	696	724	778	812	851

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
AISI 430	1800	440	456	474	513	536	563
	1900	453	470	488	528	552	579
	2000	467	484	502	543	568	595
	2100	480	497	516	558	583	612
	2200	493	511	530	573	599	628
	2300	515	533	553	598	625	655
	2400	528	547	567	613	640	671

OUR DOORS ARE AVAILABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION



INDUSTRIAL DOUBLE LEAF STEEL DOORS

ALL PRICES IN EURO, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(IDD)


26.01.2021

- Industrial double leaf steel doors are made to suit wide opening sizes and are installed in a diverse range of industrial, commercial and institutional applications.
- Door leafs with polyurethane insulation PUR Classic provide cost-effective solution to save your budget on air-conditioning or heating.
- Thermal conductivity: 0,022W/m*K. Foam density: up to 50 kg/m³ / 3,1 pcf.
- For durability door leaf and edges are made of 0,5 mm thick galvanized steel sheets. To ensure reliability during operation all industrial doors are made with German locks and handles.


ANGULAR FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
RAL 9003	1800	433	439	446	453	460	464
	1900	442	449	456	462	470	474
	2000	451	458	465	472	480	484
	2100	460	468	475	482	490	494
	2200	469	477	484	492	500	504
	2300	500	507	515	523	531	536
	2400	509	517	525	532	541	546

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 304	1800	667	698	728	759	791	809
	1900	686	718	750	782	815	834
	2000	706	739	772	805	839	858
	2100	725	759	793	827	862	883
	2200	745	780	815	850	886	907
	2300	785	821	858	894	931	953
	2400	805	842	879	917	955	978



	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 430	1800	576	597	619	641	663	676
	1900	591	614	636	659	682	696
	2000	607	630	653	677	701	715
	2100	622	646	671	695	720	734
	2200	638	663	688	713	738	753
	2300	675	700	726	752	778	794
	2400	690	717	743	769	797	813



OVERLAPPING FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
RAL 9003	1800	531	540	550	559	570	576
	1900	543	553	563	572	583	589
	2000	555	565	575	585	596	602
	2100	568	578	588	598	609	615
	2200	580	590	600	611	622	628
	2300	615	626	636	647	658	665
	2400	627	638	649	660	671	678

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 304	1800	925	968	1012	1055	1100	1126
	1900	952	997	1041	1086	1132	1159
	2000	980	1025	1071	1117	1164	1191
	2100	1007	1054	1101	1148	1196	1224
	2200	1034	1082	1130	1179	1228	1257
	2300	1085	1134	1183	1232	1283	1312
	2400	1112	1162	1213	1263	1315	1345

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 430	1800	766	796	826	856	888	906
	1900	787	818	849	880	912	931
	2000	808	840	872	904	937	956
	2100	830	863	895	928	962	981
	2200	851	885	918	952	986	1006
	2300	896	930	964	999	1034	1055
	2400	917	952	987	1022	1059	1080

OUR DOORS ARE AVAILABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION

DOOR CATALOGUE CODES


ISD INDUSTRIAL SINGLE LEAF STEEL DOOR
 IDD INDUSTRIAL DOUBLE LEAF STEEL DOOR
 RIGHT / LEFT HINGES ON THE RIGHT / HINGES ON THE LEFT

EXAMPLE OF DOOR CATALOGUE CODE: ISD 800 2000 40 RAL9003/RAL9003 60 ANG RIGHT

DOOR WIDTH	DOOR HEIGHT	DOOR LEAF THICKNESS	DOOR STEEL TYPE		THRESHOLD HEIGHT	FRAME TYPE	HINGES LOCATION
			EXTERIOR	INTERIOR			
800	2000	40	RAL9003	RAL9003	60	ANGULAR	RIGHT

ADDITIONAL OPTIONS FOR INDUSTRY STEEL DOORS

**DORMA LOCK,
GERMANY**



ITEMS	PRICE
DOOR CLOSER	35
DOOR BLADE MATERIAL: AISI 304, PRICE FOR 1 SQ M	23
DOOR BLADE MATERIAL: AISI 430, PRICE FOR 1 SQ M	15
ANGULAR FRAME AISI 304, PRICE FOR RUNNING METER	18
OVERLAPPING FRAME AISI 304, PRICE FOR RUNNING METER	43
ANGULAR FRAME AISI 430, PRICE FOR RUNNING METER	11
OVERLAPPING FRAME AISI 430, PRICE FOR RUNNING METER	25
STAINLESS STEEL METALWARE KIT, PRICE FOR 1 SQ. M	3
FRAME INSTALLATION HARDWARE FOR STEEL STUD CONSTRUCTION	3
IDD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH PANELS	15
ISD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH PANELS	11
IDD FRAME INSTALLATION HARDWARE TO A BRICK WALL	9
ISD FRAME INSTALLATION HARDWARE TO A BRICK WALL	5
HIDDEN INSTALLATION HARDWARE FOR ISD	40
HIDDEN INSTALLATION HARDWARE FOR IDD	45
HIDDEN INSTALLATION HARDWARE FOR ISD WITH AISI 304 FRAME	58
HIDDEN INSTALLATION HARDWARE FOR IDD WITH AISI 304 FRAME	66
HIDDEN INSTALLATION HARDWARE FOR ISD WITH AISI 430 FRAME	54
HIDDEN INSTALLATION HARDWARE FOR IDD WITH AISI 430 FRAME	61

FACTORY INSTALLED BUMPERS ON ISD

BUMPER MATERIAL	THICKNESS, PRICE FOR		PRICE FOR RUNNING METER	
	MM	SQ. M	BOTTOM	BOTTOM 0,5 M
AISI 304	1,5	52	13	26
AISI 430	1,5	37	9	18
CHECKER PLATE	1,5	37	9	19
LDPE PLASTIC	4,0	21	5	10

FACTORY INSTALLED BUMPERS ON IDD

BUMPER MATERIAL	THICKNESS, PRICE FOR		PRICE FOR RUNNING METER	
	MM	SQ. M	BOTTOM	BOTTOM 0,5 M
AISI 304	1,5	53	13	27
AISI 430	1,5	41	10	19
CHECKER PLATE	1,5	38	11	19
LDPE PLASTIC	4,0	28	7	14

PACKAGING

ITEM	
STRETCH-WRAP	INCLUDED IN DOOR PRICE
CARDBOARD PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER
WOODEN PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER

