


INDUSTRIAL SINGLE LEAF STEEL DOORS

ALL PRICES IN US DOLLARS, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(ISD)

26.01.2021

- Industrial steel doors with fully insulated foam core are custom-built for long-lasting and reliable performance. The doors are not intended for cold rooms. For air-tight doors look for hinged refrigerating doors.
- General purpose doors are installed at wide range of commercial and industrial facilities. Typical uses include manufacturing, warehouses, commercial buildings, retail, food stores, hospitals, hotels, etc.
- Insulation: rigid polyurethane foam. Thermal conductivity 0,022 W/m*K.
Foam density: up to 50 kg/m³ / 3,1 pcf.



ANGULAR FRAME


RAL 9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	284	289	296	325	338	353
	1900	289	294	301	331	344	360
	2000	294	300	307	337	350	367
	2100	300	305	313	343	357	374
	2200	305	311	318	350	363	381
	2300	321	327	335	367	382	400
	2400	326	332	340	374	388	407

AISI 304	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	465	484	506	549	576	607
	1900	478	499	521	566	594	625
	2000	492	513	536	582	611	643
	2100	506	527	551	598	628	661
	2200	519	542	566	614	645	679
	2300	543	567	592	642	674	709
	2400	557	581	607	658	691	727

AISI 430	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	393	407	423	461	483	508
	1900	403	418	434	473	496	522
	2000	414	429	446	486	509	535
	2100	424	440	457	498	522	549
	2200	434	451	469	511	535	563
	2300	455	472	491	535	560	589
	2400	466	483	502	547	573	602

OVERLAPPING FRAME

RAL 9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
	1800	335	342	351	386	401	421
	1900	343	350	358	394	410	430
	2000	350	357	366	403	419	439
	2100	358	365	374	411	428	449
	2200	365	372	382	420	437	458
	2300	383	391	400	440	458	480
	2400	391	398	408	449	467	489



	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
AISI 304	1800	666	694	723	778	814	854
	1900	688	716	746	803	840	881
	2000	710	739	769	827	865	907
	2100	732	761	792	852	891	934
	2200	753	784	816	876	916	960
	2300	786	817	850	913	954	999
	2400	808	839	873	937	979	1026

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
AISI 430	1800	531	550	571	618	647	679
	1900	547	566	588	637	665	698
	2000	563	583	605	655	684	718
	2100	579	599	622	673	703	737
	2200	594	616	639	691	722	757
	2300	621	643	667	721	753	789
	2400	637	660	684	739	772	809

OUR DOORS ARE AVAILABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION




INDUSTRIAL DOUBLE LEAF STEEL DOORS

ALL PRICES IN US DOLLARS, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(IDD)
28.01.2021

- Industrial double leaf steel doors are made to suit wide opening sizes and are installed in a diverse range of industrial, commercial and institutional applications.
- Door leafs with polyurethane insulation PUR Classic provide cost-effective solution to save your budget on air-conditioning or heating.
- Thermal conductivity: 0,022W/m*K. Foam density: up to 50 kg/m³ / 3,1 pcf.
- For durability door leaf and edges are made of 0,5 mm thick galvanized steel sheets. To ensure reliability during operation all industrial doors are made with German locks and handles.




ANGULAR FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
RAL 9003	1800	522	530	538	546	555	559
	1900	533	541	549	557	567	572
	2000	544	552	561	569	579	584
	2100	555	564	572	581	591	596
	2200	566	575	584	593	603	608
	2300	603	612	621	630	640	646
	2400	614	623	632	642	652	658

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 304	1800	804	841	878	915	953	975
	1900	827	866	904	943	982	1005
	2000	851	891	930	970	1011	1035
	2100	874	915	956	998	1040	1064
	2200	898	940	983	1025	1069	1094
	2300	946	990	1034	1078	1123	1149
	2400	970	1015	1060	1105	1152	1179

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 430	1800	694	720	746	773	800	815
	1900	713	740	767	794	822	838
	2000	732	760	788	816	845	862
	2100	750	779	808	837	867	885
	2200	769	799	829	859	890	908
	2300	813	844	875	906	938	957
	2400	832	864	896	928	961	980



OVERLAPPING FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
RAL 9003	1800	640	651	663	674	687	694
	1900	655	666	678	690	703	710
	2000	670	681	693	705	719	726
	2100	684	696	709	721	734	742
	2200	699	711	724	736	750	758
	2300	742	754	767	780	794	801
	2400	756	769	782	795	809	817

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 304	1800	1115	1167	1220	1272	1326	1357
	1900	1148	1202	1255	1309	1364	1397
	2000	1181	1236	1291	1346	1403	1436
	2100	1214	1270	1327	1384	1442	1475
	2200	1247	1305	1363	1421	1480	1515
	2300	1308	1367	1426	1486	1546	1582
	2400	1341	1401	1462	1523	1585	1621

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		1400	1600	1800	2000	2200	2320
AISI 430	1800	923	959	996	1032	1070	1092
	1900	949	986	1024	1061	1100	1122
	2000	975	1013	1051	1090	1130	1153
	2100	1000	1040	1079	1119	1159	1183
	2200	1026	1067	1107	1147	1189	1213
	2300	1080	1121	1162	1204	1247	1271
	2400	1106	1148	1190	1233	1276	1302

OUR DOORS ARE AVAILABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION

DOOR CATALOGUE CODES

ISD INDUSTRIAL SINGLE LEAF STEEL DOOR
 IDD INDUSTRIAL DOUBLE LEAF STEEL DOOR
 RIGHT / LEFT HINGES ON THE RIGHT / HINGES ON THE LEFT

EXAMPLE OF DOOR CATALOGUE CODE:
 ISD 800 2000 40 RAL9003/RAL9003 60 ANG RIGHT

DOOR WIDTH	DOOR HEIGHT	DOOR LEAF THICKNESS	DOOR STEEL TYPE		THRESHOLD HEIGHT	FRAME TYPE	HINGES LOCATION
			EXTERIOR	INTERIOR			
800	2000	40	RAL9003	RAL9003	60	ANGULAR	RIGHT

ADDITIONAL OPTIONS FOR INDUSTRY STEEL DOORS

**DORMA LOCK,
GERMANY**



ITEMS	PRICE
DOOR CLOSER	42
DOOR BLADE MATERIAL: AISI 304, PRICE FOR 1 SQ M	28
DOOR BLADE MATERIAL: AISI 430, PRICE FOR 1 SQ M	18
ANGULAR FRAME AISI 304, PRICE FOR RUNNING METER	22
OVERLAPPING FRAME AISI 304, PRICE FOR RUNNING METER	52
ANGULAR FRAME AISI 430, PRICE FOR RUNNING METER	13
OVERLAPPING FRAME AISI 430, PRICE FOR RUNNING METER	30
STAINLESS STEEL METALWARE KIT, PRICE FOR 1 SQ. M	4
FRAME INSTALLATION HARDWARE FOR STEEL STUD CONSTRUCTION	3
IDD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH PANELS	18
ISD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH PANELS	13
IDD FRAME INSTALLATION HARDWARE TO A BRICK WALL	11
ISD FRAME INSTALLATION HARDWARE TO A BRICK WALL	6
HIDDEN INSTALLATION HARDWARE FOR ISD	48
HIDDEN INSTALLATION HARDWARE FOR IDD	55
HIDDEN INSTALLATION HARDWARE FOR ISD WITH AISI 304 FRAME	70
HIDDEN INSTALLATION HARDWARE FOR IDD WITH AISI 304 FRAME	79
HIDDEN INSTALLATION HARDWARE FOR ISD WITH AISI 430 FRAME	65
HIDDEN INSTALLATION HARDWARE FOR IDD WITH AISI 430 FRAME	74

FACTORY INSTALLED BUMPERS ON ISD

BUMPER MATERIAL	THICKNESS, PRICE FOR		PRICE FOR RUNNING METER	
	MM	SQ. M	BOTTOM	BOTTOM 0,5 M
AISI 304	1,5	62	16	31
AISI 430	1,5	45	11	22
CHECKER PLATE	1,5	45	11	23
LDPE PLASTIC	4,0	25	6	13

FACTORY INSTALLED BUMPERS ON IDD

BUMPER MATERIAL	THICKNESS, PRICE FOR		PRICE FOR RUNNING METER	
	MM	SQ. M	BOTTOM	BOTTOM 0,5 M
AISI 304	1,5	64	16	32
AISI 430	1,5	49	12	23
CHECKER PLATE	1,5	46	14	23
LDPE PLASTIC	4,0	34	9	17

PACKAGING

ITEM	
STRETCH-WRAP	INCLUDED IN DOOR PRICE
CARDBOARD PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER
WOODEN PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER

