


TRAFFIC SWINGING SINGLE LEAF DOORS

ALL PRICES IN EURO, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(TSD)

26.01.2021


- PH Insulation's traffic swinging doors are designed to separate production and other premises in places with intensive traffic of personnel.
- The factory-made doors are ready for installation on technological, industrial premises, supermarkets, hospitals, food production facilities, cafes, restaurants, etc.
- Traffic doors are not meant to completely seal the opening due to technical clearance gaps along the perimeter between the frame and the door leaf.
- If you need the doors to remain open in 90-degree position, you can order traffic doors with fixating hinges.
- Traffic doors are available in custom sizes and are equipped with the European-made hardware: Italian, Spanish, — according to customer's request.



OVERHEAD FRAME

INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
	700	800	900	1000	1100	1200	1300
1800	279	305	306	308	310	312	350
1900	282	309	311	313	315	353	355
2000	285	314	316	318	320	358	360
2100	288	319	321	323	361	363	365
2200	292	323	325	327	366	368	370
2300	298	331	334	373	375	377	416
2400	304	339	342	381	384	386	425
2500	345	381	384	386	389	391	431
2600	350	388	391	393	396	435	438
2700	355	394	397	399	402	442	444
2800	359	400	403	405	445	448	451
2900	399	442	444	447	450	453	456
3000	404	448	450	453	456	459	462
3100	408	453	456	459	462	465	468
3200	413	459	462	466	469	472	475
3300	417	465	469	472	475	478	481


RAL 9003




ANGULAR FRAME

INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
	700	800	900	1000	1100	1200	1300
1800	296	323	325	327	329	332	371
1900	300	328	330	333	335	374	377
2000	304	333	336	338	340	380	382
2100	308	339	341	344	383	386	388
2200	311	344	346	349	389	391	394
2300	318	353	355	396	398	401	441
2400	325	362	364	405	408	410	451
2500	367	405	408	410	413	416	457
2600	373	413	415	418	421	462	465
2700	379	419	422	425	428	469	472
2800	384	426	429	432	473	476	479
2900	427	470	474	477	480	483	486
3000	432	477	480	483	487	490	493
3100	437	484	487	490	494	497	500
3200	442	490	494	497	500	504	507
3300	447	497	500	504	507	511	514

RAL 9003



OVERLAPPING FRAME



RAL 9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM					
		700	800	900	1000	1100	1200
1800	341	369	372	375	379	382	422
1900	347	376	380	383	386	427	430
2000	353	384	387	390	393	434	437
2100	359	391	394	397	438	442	445
2200	364	398	401	405	446	449	453
2300	374	409	413	454	458	461	503
2400	384	421	424	466	470	474	515
2500	427	466	470	474	478	481	523
2600	436	476	480	483	487	529	533
2700	443	484	488	492	496	538	542
2800	450	493	497	501	543	547	551
2900	494	538	542	546	551	555	559
3000	501	547	551	555	559	564	568
3100	508	555	560	564	568	573	577
3200	515	564	568	573	577	582	586
3300	522	573	577	582	586	591	595


OUR DOORS ARE AVAILABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION

TRAFFIC SWINGING DOUBLE LEAF DOORS

ALL PRICES IN EURO, DO NOT INCLUDE VAT. 2 MM THICK METAL DOOR FRAME INCLUDED

(TDD)

26.01.2021



OVERHEAD FRAME

RAL 9003	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM			
		1000	1100	1200	1300
1800	480	482	484	486	536
1900	485	488	489	491	545
2000	491	493	495	497	553
2100	496	498	501	503	562
2200	502	504	506	508	570
2300	512	515	517	519	584
2400	523	525	528	530	599
2500	603	606	609	611	683
2600	613	616	619	621	696
2700				630	707
2800				638	718
2900				720	802
3000				728	814
3100				736	825
3200				735	836
3300				753	847

OVERHEAD FRAME


	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1500	1600	1700	1800	1900
RAL 9003	1800	538	540	542	544	546
	1900	547	549	551	553	555
	2000	555	557	559	561	563
	2100	564	566	568	570	572
	2200	572	574	577	579	581
	2300	587	589	591	594	670
	2400	601	604	606	608	686
	2500	685	687	690	692	695
	2600	698	701	703	706	708
	2700	709	712	715	717	720
	2800	721	723	726	729	731
	2900	805	808	811	814	817
	3000	816	819	822	825	828
	3100	828	831	834	837	840
	3200	839	842	845	848	851
	3300	850	853	856	859	863

OVERHEAD FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		2000	2100	2200	2300	2400	2500	2600
RAL 9003	1800	548	550	551	553	555	631	633
	1900	557	559	560	636	638	640	642
	2000	565	568	570	645	647	649	651
	2100	574	650	652	654	656	659	661
	2200	583	659	661	663	666	668	670
	2300	673	675	677	680	682	759	761
	2400	688	691	693	696	698	776	778
	2500	698	700	703	705	707	785	788
	2600	711	714	716	794	796	799	802
	2700	723	725	728	806	808	811	814
	2800	734	812	815	818	820	823	826
	2900	820	822	825	828	831	834	837
	3000	831	834	837	840	843	846	849
	3100	843	846	849	852	855	858	861
	3200	854	857	860	864	867	870	873
	3300	866	869	872	875	879	882	885

ANGULAR FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1000	1100	1200	1300	1400
RAL 9003	1800	510	513	515	517	570
	1900	517	519	521	523	579
	2000	523	525	527	530	588
	2100	529	531	534	536	598
	2200	535	538	540	543	607
	2300	547	549	552	554	622
	2400	558	561	564	566	638
	2500	642	645	648	651	725
	2600	653	656	659	662	739
	2700				671	752
	2800				680	764
	2900				768	854
	3000				777	866
	3100				786	878
	3200				795	890
	3300				804	902



ANGULAR FRAME


	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1500	1600	1700	1800	1900
RAL 9003	1800	572	574	576	579	581
	1900	581	584	586	588	590
	2000	591	593	595	598	600
	2100	600	603	605	607	610
	2200	609	612	614	617	620
	2300	625	628	630	633	713
	2400	641	643	646	649	730
	2500	728	731	734	737	740
	2600	742	745	748	751	754
	2700	755	758	761	764	767
	2800	767	770	773	776	779
	2900	857	860	863	866	870
	3000	869	872	876	879	882
	3100	881	885	888	891	895
	3200	893	897	900	904	907
	3300	905	909	913	916	920

ANGULAR FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		2000	2100	2200	2300	2400	2500	2600
RAL 9003	1800	583	585	587	590	592	670	673
	1900	593	595	597	676	678	681	683
	2000	603	605	607	686	688	691	693
	2100	612	691	694	696	699	701	703
	2200	622	701	704	706	709	711	714
	2300	715	718	721	723	726	806	809
	2400	732	735	738	741	744	824	827
	2500	742	745	748	751	754	835	838
	2600	757	760	763	844	847	850	853
	2700	770	773	776	857	860	863	866
	2800	782	863	866	870	873	876	879
	2900	873	876	879	882	886	889	892
	3000	885	889	892	895	899	902	905
	3100	898	901	905	908	912	915	918
	3200	911	914	918	921	924	928	931
	3300	923	927	930	934	937	941	944

OVERLAPPING FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1000	1100	1200	1300	1400
RAL 9003	1800	547	550	553	556	609
	1900	555	558	561	564	620
	2000	563	566	569	573	631
	2100	571	574	577	581	642
	2200	579	582	586	589	653
	2300	593	596	600	603	671
	2400	607	610	614	618	689
	2500	691	695	698	702	776
	2600	703	707	711	715	792
	2700				726	805
	2800				737	819
	2900				822	908
	3000				833	921
	3100				844	935
	3200				855	949
	3300				866	963



OVERLAPPING FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM				
		1500	1600	1700	1800	1900
RAL 9003	1800	612	615	618	621	624
	1900	623	626	629	633	636
	2000	634	637	641	644	647
	2100	645	649	652	655	659
	2200	656	660	663	667	670
	2300	674	678	681	685	764
	2400	692	696	700	703	783
	2500	780	783	787	791	795
	2600	796	799	803	807	811
	2700	809	813	817	821	825
	2800	823	827	831	835	839
	2900	912	916	920	924	928
	3000	926	930	934	938	942
	3100	939	944	948	952	957
	3200	953	958	962	966	971
	3300	967	972	976	981	985

OVERLAPPING FRAME

	INSTALLATION OPENING, HEIGHT, MM	INSTALLATION OPENING, WIDTH, MM						
		2 000	2 100	2 200	2 300	2 400	2 500	2 600
RAL 9003	1800	628	631	634	637	640	718	721
	1900	639	642	646	723	727	730	733
	2000	651	654	657	735	738	742	745
	2100	662	740	744	747	750	754	757
	2200	674	752	755	759	762	766	769
	2300	768	771	775	778	782	865	868
	2400	787	791	794	798	802	882	885
	2500	799	802	806	810	814	894	898
	2600	815	819	823	903	907	911	914
	2700	829	833	837	917	921	925	929
	2800	844	924	928	932	936	940	944
	2900	933	937	941	945	949	953	957
	3000	947	951	955	959	964	968	972
	3100	961	965	970	974	978	983	987
	3200	975	980	984	988	993	997	1002
	3300	990	994	998	1003	1007	1012	1016

OUR DOORS ARE AVAILIABLE IN CUSTOM SIZES TO INSURE BEST COMMERCIAL APPLICATION

DOOR CATALOGUE CODES

TSD	SWINGING SINGLE LEAF DOORS
TDD	SWINGING DOUBLE LEAF DOORS
RIGHT / LEFT	HINGES ON THE RIGHT / HINGES ON THE LEFT

EXAMPLE OF DOOR CATALOGUE CODE: TSD 800 2000 40 RAL9003/RAL9003 ANG RIGHT

DOOR TYPE	DOORWAY WIDTH	DOORWAY HEIGHT	DOOR THICKNESS	COVERING MATERIAL		FRAME TYPE	HINGES LOCATION
				EXTERIOR METAL	INTERIOR METAL		
TSD	800	2000	40	RAL9003	RAL9003	ANGULAR	RIGHT

ADDITIONAL OPTIONS FOR TRAFFIC SWINGING DOORS

ITEM	PRICE
TDD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH PANELS	15
TSD FRAME INSTALLATION HARDWARE TO INSULATED SANDWICH	11
TDD FRAME INSTALLATION HARDWARE TO A BRICK WALL	9
TSD FRAME INSTALLATION HARDWARE TO A BRICK WALL	5
FRAME INSTALLATION HARDWARE FOR STEEL STUD CONSTRUCTION	3
DOOR BLADE MATERIAL: AISI 304, PRICE FOR 1 SQ. M	23
DOOR BLADE MATERIAL: AISI 430, PRICE FOR 1 SQ. M	15
OVERHEAD FRAME AISI 304, PRICE FOR RUNNING METER	10
ANGULAR FRAME AISI 304, PRICE FOR RUNNING METER	16
OVERLAPPING FRAME AISI 304, PRICE FOR RUNNING METER	43
OVERHEAD FRAME AISI 430, PRICE FOR RUNNING METER	5
ANGULAR FRAME AISI 430, PRICE FOR RUNNING METER	9
OVERLAPPING FRAME AISI 430, PRICE FOR RUNNING METER	25
HIDDEN INSTALLATION HARDWARE FOR TSD	45
HIDDEN INSTALLATION HARDWARE FOR TDD	53
HIDDEN INSTALLATION HARDWARE FOR TSD WITH AISI 304 FRAME	63
HIDDEN INSTALLATION HARDWARE FOR TDD WITH AISI 304 FRAME	74
HIDDEN INSTALLATION HARDWARE FOR TSD WITH AISI 430 FRAME	59
HIDDEN INSTALLATION HARDWARE FOR TDD WITH AISI 304 FRAME	70

FACTORY INSTALLED BUMPERS FOR TSD

BUMPER MATERIAL	THICKNESS, MM	PRICE FOR SQ. M	PRICE FOR RUNNING METER	
			BOTTOM 0,25 M	BOTTOM 0,5 M
AISI 304	1,5	52	13	26
AISI 430	1,5	37	9	18
ALUMINIUM CHECKER PLATE	1,5	37	9	19
FLAT HDP PLASTIC	4,0	21	5	10
CURVED HDP PLASTIC	6,0	29	7	15

FACTORY INSTALLED BUMPERS FOR TDD

BUMPER MATERIAL	THICKNESS, MM	PRICE FOR SQ. M	PRICE FOR RUNNING METER	
			BOTTOM 0,25 M	BOTTOM 0,5 M
AISI 304	1,5	53	13	27
AISI 430	1,5	38	10	19
ALUMINIUM CHECKER PLATE	1,5	38	9	19
FLAT HDP PLASTIC	4,0	28	7	14
CURVED HDP PLASTIC	4,0	28	7	14
CURVED HDP PLASTIC	6,0	32	8	16

PACKAGING

ITEM	PRICE
STRETCH-WRAP	INCLUDED IN DOOR PRICE
CARDBOARD PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER
WOODEN PACKAGING	CALCULATED INDIVIDUALLY FOR YOUR ORDER

