

Traffic Swinging Doors

Retail price list in US Dollars, VAT not included updated 20.08.2018

All prices include 2 mm thick metal door frame

Traffic Swinging Single Leaf Doors (TSD) with RAL 9003 metal

n-shaped frame		Installation opening, WIDTH, mm					
		800	900	1000	1100	1200	1300
Installation opening, HEIGHT, mm	1800	360	364	368	373	378	449
	1900	366	370	374	379	454	455
	2000	370	374	378	384	459	460
	2100	376	381	385	461	466	468
	2200	383	388	392	468	474	476
	2300	392	396	471	477	484	555
	2400	470	476	480	487	494	566

Angular frame		Installation opening, WIDTH, mm					
		800	900	1000	1100	1200	1300
Installation opening, HEIGHT, mm	1800	404	409	413	419	425	502
	1900	411	416	420	426	508	509
	2000	416	421	425	432	513	515
	2100	424	429	433	516	522	524
	2200	432	437	442	525	532	534
	2300	441	447	528	536	543	621
	2400	528	534	539	547	555	633

Overlapping frame		Installation opening, WIDTH, mm					
		800	900	1000	1100	1200	1300
Installation opening, HEIGHT, mm	1800	436	442	447	454	460	535
	1900	444	450	455	463	542	544
	2000	451	457	462	470	549	551
	2100	460	467	472	553	560	562
	2200	470	477	483	564	571	574
	2300	482	489	568	577	584	660
	2400	568	575	581	591	598	675

Factory installed bumpers for Traffic Swinging Single Leaf Doors

Bumper material type	Width, mm	Price for sq m	Price for running meter	
			Top 0,25 m	Bottom 0,5 m
AISI 304	1,5	76	19	38
AISI 430	1,5	54	14	27
Aluminium checker plate	1,5	55	14	27
Flat ABS plastic	4,0	31	8	15
Curved HDP plastic	6,0	43	11	22

Traffic Swinging Double Leaf Doors (TDD) with RAL 9003

n-shaped frame		Installation opening, WIDTH, mm													
		1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600
Installation opening, HEIGHT, mm	1800	586	642	645	652	655	658	661	665	668	668	676	678	687	830
	1900	594	652	655	662	665	668	671	676	679	679	687	831	839	842
	2000	602	662	665	673	675	679	682	687	689	689	699	842	851	854
	2100	610	672	675	683	686	689	693	698	841	841	851	854	863	866
	2200	621	685	688	696	699	702	706	711	856	856	866	869	879	882
	2300	634	700	703	712	715	718	864	870	873	873	883	886	897	1 042
	2400	767	841	844	854	857	860	864	870	873	873	884	887	899	1 042
	2500	775	850	854	864	867	871	875	881	884	884	896	899	911	1 054
	2600	781	859	862	872	876	880	884	890	893	893	905	909	921	1 065

Angular frame		Installation opening, WIDTH, mm													
		1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600
Installation opening, HEIGHT, mm	1800	653	715	718	727	730	733	737	742	745	745	754	757	767	923
	1900	663	727	730	739	742	745	749	755	758	758	767	925	934	937
	2000	672	738	741	751	754	757	761	767	770	770	780	938	948	951
	2100	681	750	753	762	766	770	774	779	937	937	948	951	962	965
	2200	693	764	768	777	781	785	789	795	953	953	964	968	979	983
	2300	708	781	785	795	798	802	962	969	972	972	984	987	1 000	1 158
	2400	854	935	939	950	954	958	963	970	973	973	985	989	1 002	1 159
	2500	863	947	951	962	966	970	975	982	986	986	998	1 002	1 015	1 173
	2600	871	956	960	972	976	981	985	992	996	996	1 009	1 013	1 027	1 185

Overlapping frame		Installation opening, WIDTH, mm													
		1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600
Installation opening, HEIGHT, mm	1800	673	735	739	749	752	757	761	768	772	772	781	785	795	945
	1900	684	748	752	762	766	770	775	782	785	785	796	946	956	960
	2000	694	761	765	775	779	784	789	795	799	799	810	961	971	975
	2100	705	774	778	788	793	797	802	809	960	960	971	975	986	991
	2200	716	787	791	802	806	811	816	823	974	974	986	990	1 002	1 006
	2300	728	801	805	816	820	825	977	984	989	989	1 001	1 005	1 018	1 168
	2400	875	957	961	974	978	983	989	997	1 001	1 001	1 014	1 018	1 031	1 182
	2500	886	970	974	987	991	997	1 002	1 010	1 015	1 015	1 028	1 033	1 046	1 197
	2600	895	981	986	998	1 003	1 009	1 014	1 022	1 027	1 027	1 041	1 045	1 059	1 210

Our doors are available in custom sizes to insure best commercial application

Example of door catalogue code: TSD 800 2000 40 Ral9003/Ral9003 Ang Right

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door steel type		Frame type	Hinges location
				Exterior metal	Interior mental		
Traffic Swinging Single Leaf	800	2000	40	RAL9003	RAL9003	Angular	R

Factory installed bumpers for Traffic Swinging Double Leaf Doors

Bumper material type	Width, mm	Price for sq m	Price for running meter	
			Top 0,25 m	Bottom 0,5 m
AISI 304	1,5	78	20	39
AISI 430	1,5	56	14	28
Aluminium checker plate	1,5	56	14	28
Flat ABS plastic	4,0	42	10	21
Curved HDP plastic	6,0	46	12	23

Additional Options for Traffic Swinging Doors

Item	Price, VAT not included
Plexiglas window rubber seal, oval shaped, size 300x580 mm, factory installed in standard Traffic Door, included in price	
TDD Frame installation hardware for insulated sandwich panels	22
TSD Frame installation hardware for insulated sandwich panels	16
TDD Frame installation hardware for brick wall	14
TSD Frame installation hardware for brick wall	7
Frame installation hardware for steel stud construction	4
TDD Hidden installation hardware	29
TSD Hidden installation hardware	33

Packaging

Item	Price
Stretch-wrap	included in door price
Cardboard packaging	calculated individually for your order
Wooden packaging	calculated individually for your order



Agrohim territory, bld. 58,
Shchelkovo, Moscow region,
Russia, 141101

+7 (925) 745-01-37



www.profolod.ru
www.propanel.ru