



Sliding Doors with Fermatic System (SD F)

Retail Price List in Euro, VAT not included updated on 09.07.2018

All prices include 2 mm thick metal door frame

Sliding Doors with Fermatic System

Door thickness, mm	Door height, mm	Door width, mm									
		1200	1400	1600	1800	2000	2200	2400	2600	2800	3000
80	2000	1 749	1 813	1 833	1 849	1 865	1 890	1 915	2 639	2 655	2 731
	2200	1 765	1 833	1 854	1 871	1 888	1 914	1 941	2 668	2 685	2 762
	2400	1 798	1 873	1 897	1 915	1 934	1 963	1 992	2 726	2 745	2 823
	2600	1 820	1 899	1 919	1 938	1 957	1 988	2 019	2 757	2 776	2 855
	2800	1 837	1 921	1 941	1 961	1 981	2 014	2 046	2 788	2 808	2 887
	3000	1 854	1 942	1 963	1 984	2 005	2 039	2 073	2 818	2 839	2 920
100	2000	1 764	1 833	1 856	1 874	1 893	1 920	1 948	2 674	2 693	2 771
	2200	1 781	1 854	1 878	1 898	1 917	1 947	1 976	2 706	2 726	2 805
	2400	1 816	1 897	1 924	1 945	1 967	1 999	2 032	2 769	2 790	2 871
	2600	1 839	1 925	1 947	1 970	1 993	2 027	2 061	2 802	2 825	2 907
	2800	1 858	1 948	1 971	1 995	2 018	2 055	2 091	2 836	2 860	2 943
	3000	1 876	1 970	1 995	2 020	2 044	2 082	2 666	2 869	2 894	2 978
120	2000	1 779	1 852	1 878	1 899	1 920	1 950	1 980	2 710	2 731	2 811
	2200	1 797	1 875	1 902	1 924	1 947	1 979	2 011	2 744	2 766	2 848
	2400	1 834	1 921	1 950	1 975	2 000	2 035	2 071	2 811	2 836	2 920
	2600	1 859	1 950	1 976	2 002	2 028	2 065	2 103	2 848	2 874	2 959
	2800	1 879	1 974	2 002	2 029	2 056	2 096	2 681	2 884	2 911	2 998
	3000	1 898	1 999	2 027	2 055	2 084	2 672	2 713	2 920	2 949	3 036
150	2000	1 801	1 882	1 911	1 936	1 961	1 995	2 029	2 762	2 787	2 872
	2200	1 822	1 907	1 938	1 964	1 991	2 027	2 063	2 801	2 827	2 913
	2400	1 862	1 956	1 991	2 020	2 049	2 090	2 676	2 875	2 905	2 993
	2600	1 888	1 988	2 019	2 050	2 080	2 669	2 712	2 916	2 947	3 037
	2800	1 910	2 015	2 047	2 079	2 112	2 703	2 748	2 956	2 989	3 080
	3000	1 932	2 041	2 075	2 109	2 143	2 737	2 784	2 997	3 031	3 124

Our doors are available in custom sizes to insure best commercial application

Please notice that the lock comes as a separate option, and it's price is calculated separately


- **Core:** rigid polyurethane foam by Dow Chemical Company
- **Foam Density:** up to 50 kg/m³
- **Thermal conductivity:** 0,022 W/(m*k)
- **Exterior and interior metal, including door shoulders:** 0,5 mm thick galvanised steel, in RAL colours of your choice
- **Packaging:** 50 micron thick plastic stretch-wrap
- **Door lock** comes with a key and emergency opener from inside
- **All doors are equipped with European-made rubber refrigerator gaskets for perfect tightness**
Doors for freezing rooms are equipped with double profile gaskets



Door catalogue codes

SD	Sliding door
L	Low temperature door for freezing rooms
M	Medium temperature door for cold rooms
Right/Left	Sliding to Right/Left
Fermatic	Fermatic System Doors

Fermod Electric Automatic Kit



Handle kit 3350 | 3530

For doors with height up to 3000 mm

Handle kit 4440

For doors with height starting at 4000
up to 4700 mm

Example of door catalogue code: SD 800 2000 100 RaI9003/RaI9003 80 L Right Fermatic

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door steel type		Threshold height	Temperature	Sliding direction	Automatic system
				Exterior	Interior				
Sliding Door	800	2000	100	RAL9003	RAL9003	80	L	Right	Fermatic


Additional options for SD

Item	Catalogue code	Price, VAT not included
Electro Automatic Kit	Jam-proof motordrive	EPR
	Electric lock	Electric lock
	Remote control unit	Remote unit
Frame heating cable with constant power, metal armor, 40 Wt/m, price for 1 running meter		5
Frame installation hardware for insulated sandwich panels with an opening	FI SD	51
Frame installation hardware for brick wall	FI B	12
Stainless steel for one side of the door	AISI 304	26
Price for 1 sq m of the door opening	AISI 430	14
Stainless steel frame	AISI 304	33
Price for 1 running meter	AISI 430	20
Customized frame and door for use with monorail		89
Additional cover, 1,5 mm checker aluminium plate		65
Fermod 57 lock, France		251
Rahrbach lock, Germany	Rahrbach	169
Protective cover RAL	Cover	21
Protective cover AISI 430	Cover	46
Protective cover AISI 304	Cover	63
Pressure Relief Valve	Valve	16
Plexiglass window, size 400X400 mm		39
Plexiglass window, size 400X600 mm		51
Set of stainless steel metalware 1 sq m		4
Hidden installation hardware		33
Hidden frame installation hardware AISI 304		90
Hidden frame installation hardware AISI 430		75

Door ramps

		Door ramp width, mm													
		1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500
Door ramp height, mm	50	84	87	89	91	93	96	98	100	103	105	107	109	112	114
	60	92	94	96	98	101	103	105	107	110	112	114	116	119	121
	80	99	102	104	106	109	111	113	115	118	120	122	124	127	129
	100	107	109	111	114	116	118	121	123	125	127	130	132	134	136
	120	114	116	119	121	123	125	128	130	132	134	137	139	141	144
	150	121	124	126	128	131	133	135	137	140	142	144	146	149	151
	200	129	132	134	136	138	141	143	145	148	150	152	154	157	159

- **Standard ramp height:** 1000 mm
- **Ramp base material:** painted steel 2 mm thick
- **Ramp surface material:** checker plate metal



Agrohim territory, bld. 58,
Shchelkovo, Moscow region,
Russia, 141100




 +7 (925) 745-01-37

www.profholod.com