



Sliding Doors with Fermatic System (SD F)

Retail Price List in US Dollars, VAT not included updated on 09.07.2018

All prices include 2 mm thick metal door frame

Sliding Doors with Fermatic System

Door thickness, mm	Door height, mm	Door width, mm									
		1200	1400	1600	1800	2000	2200	2400	2600	2800	3000
80	2000	2 041	2 115	2 139	2 158	2 176	2 205	2 234	3 079	3 098	3 186
	2200	2 060	2 138	2 164	2 183	2 203	2 233	2 264	3 113	3 133	3 222
	2400	2 098	2 185	2 213	2 234	2 256	2 290	2 324	3 181	3 202	3 293
	2600	2 123	2 216	2 239	2 261	2 284	2 320	2 356	3 217	3 239	3 331
	2800	2 143	2 241	2 264	2 288	2 311	2 349	2 387	3 252	3 276	3 369
	3000	2 163	2 266	2 290	2 315	2 339	2 379	2 419	3 288	3 313	3 406
100	2000	2 058	2 138	2 165	2 187	2 208	2 240	2 272	3 120	3 142	3 233
	2200	2 078	2 163	2 191	2 214	2 237	2 271	2 305	3 157	3 180	3 272
	2400	2 119	2 213	2 244	2 269	2 294	2 332	2 370	3 230	3 256	3 350
	2600	2 146	2 246	2 272	2 298	2 325	2 365	2 405	3 269	3 296	3 391
	2800	2 167	2 272	2 300	2 327	2 355	2 397	2 439	3 309	3 336	3 433
	3000	2 189	2 299	2 328	2 356	2 385	2 429	3 111	3 348	3 376	3 474
120	2000	2 075	2 161	2 191	2 215	2 240	2 275	2 310	3 161	3 186	3 280
	2200	2 097	2 188	2 219	2 245	2 271	2 309	2 346	3 202	3 228	3 323
	2400	2 140	2 241	2 276	2 304	2 333	2 375	2 416	3 280	3 309	3 407
	2600	2 169	2 275	2 305	2 335	2 366	2 410	2 454	3 322	3 353	3 452
	2800	2 192	2 304	2 335	2 367	2 398	2 445	3 128	3 365	3 396	3 497
	3000	2 215	2 332	2 365	2 398	2 431	3 117	3 166	3 407	3 440	3 542
150	2000	2 101	2 196	2 230	2 259	2 288	2 327	2 367	3 223	3 252	3 350
	2200	2 125	2 225	2 261	2 292	2 322	2 365	2 407	3 268	3 299	3 399
	2400	2 172	2 282	2 322	2 357	2 391	2 438	3 122	3 355	3 389	3 492
	2600	2 203	2 320	2 355	2 391	2 427	3 114	3 164	3 402	3 438	3 543
	2800	2 228	2 351	2 388	2 426	2 464	3 153	3 206	3 449	3 487	3 594
	3000	2 254	2 382	2 421	2 461	2 500	3 193	3 248	3 496	3 536	3 645

Our doors are available in custom sizes to insure best commercial application

Please notice that the lock comes as a separate option, and it's price is calculated separately


- **Core:** rigid polyurethane foam by Dow Chemical Company
- **Foam Density:** up to 50 kg/m³
- **Thermal conductivity:** 0,022 W/(m*k)
- **Exterior and interior metal, including door shoulders:** 0,5 mm thick galvanised steel, in RAL colours of your choice
- **Packaging:** 50 micron thick plastic stretch-wrap
- **Door lock** comes with a key and emergency opener from inside
- **All doors are equipped with European-made rubber refrigerator gaskets for perfect tightness**
 Doors for freezing rooms are equipped with double profile gaskets



Door catalogue codes

SD	Sliding door
L	Low temperature door for freezing rooms
M	Medium temperature door for cold rooms
Right/Left	Sliding to Right/Left
Fermatic	Fermatic System Doors

Fermod Electric Automatic Kit



Handle kit 3350 | 3530

For doors with height up to 3000 mm

Handle kit 4440

For doors with height starting at 4000 up to 4700 mm

Example of door catalogue code: SD 800 2000 100 RaI9003/RaI9003 80 L Right Fermatic

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door steel type		Threshold height	Temperature	Sliding direction	Automatic system
				Exterior	Interior				
Sliding Door	800	2000	100	RAL9003	RAL9003	80	L	Right	Fermatic

Additional options for SD

Item	Catalogue code	Price, VAT not included
Electro Automatic Kit	Jam-proof motordrive	EPR
	Electric lock	Electric lock
	Remote control unit	Remote unit
Frame heating cable with constant power, metal armor, 40 Wt/m, price for 1 running meter		6
Frame installation hardware for insulated sandwich panels with an opening	FI SD	60
Frame installation hardware for brick wall	FI B	14
Stainless steel for one side of the door	AISI 304	Stainl 304
Price for 1 sq m of the door opening	AISI 430	Stainl 430
Stainless steel frame	AISI 304	39
Price for 1 running meter	AISI 430	23
Customized frame and door for use with monorail		104
Additional cover, 1,5 mm checker aluminium plate		76
Fermod 57 lock, France		293
Rahrbach lock, Germany	Rahrbach	197
Protective cover RAL	Cover	25
Protective cover AISI 430	Cover	54
Protective cover AISI 304	Cover	74
Pressure Relief Valve	Valve	19
Plexiglass window, size 400X400 mm		46
Plexiglass window, size 400X600 mm		60
Set of stainless steel metalware 1 sq m		5
Hidden installation hardware		39
Hidden frame installation hardware AISI 304		106
Hidden frame installation hardware AISI 430		88

Door ramps

		Door ramp width, mm													
		1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500
Door ramp height, mm	50	98	101	104	106	109	112	114	117	120	122	125	128	130	133
	60	107	109	112	115	117	120	123	125	128	131	133	136	139	141
	80	116	119	121	124	127	129	132	135	137	140	143	145	148	150
	100	125	127	130	133	135	138	141	143	146	149	151	154	156	159
	120	133	136	138	141	144	146	149	152	154	157	160	162	165	167
	150	142	144	147	150	152	155	158	160	163	166	168	171	173	176
	200	151	154	156	159	162	164	167	170	172	175	177	180	183	185

- **Standard ramp height:** 1000 mm
- **Ramp base material:** painted steel 2 mm thick
- **Ramp surface material:** checker plate metal



Agrohim territory, bld. 58,
Shchelkovo, Moscow region,
Russia, 141100




 +7 (925) 745-01-37

www.profholod.com