


WALL, ROOF PIR PREMIER, PUR CLASSIC INSULATED PANELS

ALL PRICES IN US DOLLARS, VAT NOT INCLUDED

28.12.2020

WALL PANELS



PIR PREMIER INSULATED PANELS

| EXTERIOR COATING | | PANELS' THICKNESS, MM / TYPE OF STUD-SPLINE JOINT | | | | | | | |
|-----------------------|--------------|---|-------|-------|-----------|-------|-------|-------|-----------|
| | | 1X-SPLINE | | | 2X-SPLINE | | | | 3X-SPLINE |
| SIDE A | SIDE B | 40 | 50 | 60 | 80 | 100 | 120 | 150 | 200 |
| FIRE RESISTANCE CLASS | | EI 15 | | | EI 30 | | | | EI 45 |
| RAL | RAL | 24,14 | 25,21 | 26,30 | 28,56 | 30,89 | 33,14 | 37,02 | 44,01 |
| | ZN | 23,69 | 24,75 | 25,84 | 28,11 | 30,43 | 32,68 | 36,56 | 43,55 |
| | AISI 304 | 38,76 | 39,82 | 40,91 | 43,17 | 45,50 | 47,75 | 51,63 | 58,62 |
| | AISI 430 | 32,13 | 33,20 | 34,29 | 36,55 | 38,88 | 41,13 | 45,01 | 52,00 |
| | PVDF | 27,45 | 28,52 | 29,61 | 31,87 | 34,20 | 36,45 | 40,33 | 47,32 |
| | PURAL FARM | 28,94 | 30,00 | 31,10 | 33,36 | 35,68 | 37,93 | 41,82 | 48,80 |
| | GRANITE FARM | 28,48 | 29,54 | 30,64 | 32,90 | 35,23 | 37,48 | 41,36 | 48,34 |
| | FOOD SAFE | 29,17 | 30,23 | 31,32 | 33,58 | 35,91 | 38,16 | 42,04 | 49,03 |
| ZN | RAL | 23,69 | 24,75 | 25,84 | 28,11 | 30,43 | 32,68 | 36,56 | 43,55 |
| | ZN | 23,23 | 24,29 | 25,39 | 27,65 | 29,98 | 32,23 | 36,11 | 43,09 |
| | AISI 304 | 38,30 | 39,36 | 40,46 | 42,72 | 45,05 | 47,29 | 51,18 | 58,16 |
| | AISI 430 | 31,68 | 32,74 | 33,84 | 36,10 | 38,42 | 40,67 | 44,55 | 51,54 |
| | PVDF | 27,00 | 28,06 | 29,16 | 31,42 | 33,74 | 35,99 | 39,87 | 46,86 |
| | PURAL FARM | 28,48 | 29,54 | 30,64 | 32,90 | 35,23 | 37,48 | 41,36 | 48,34 |
| | GRANITE FARM | 28,03 | 29,09 | 30,18 | 32,44 | 34,77 | 37,02 | 40,90 | 47,89 |
| | FOOD SAFE | 28,71 | 29,77 | 30,87 | 33,13 | 35,46 | 37,71 | 41,59 | 48,57 |
| AISI 304 | RAL | 38,76 | 39,82 | 40,91 | 43,17 | 45,50 | 47,75 | 51,63 | 58,62 |
| | ZN | 38,30 | 39,36 | 40,46 | 42,72 | 45,05 | 47,29 | 51,18 | 58,16 |
| | AISI 304 | 53,37 | 54,43 | 55,53 | 57,79 | 60,11 | 62,36 | 66,24 | 73,23 |
| | AISI 430 | 46,75 | 47,81 | 48,90 | 51,16 | 53,49 | 55,74 | 59,62 | 66,61 |
| | PVDF | 42,07 | 43,13 | 44,22 | 46,48 | 48,81 | 51,06 | 54,94 | 61,93 |
| | PURAL FARM | 43,55 | 44,61 | 45,71 | 47,97 | 50,30 | 52,55 | 56,43 | 63,41 |
| | GRANITE FARM | 43,09 | 44,16 | 45,25 | 47,51 | 49,84 | 52,09 | 55,97 | 62,96 |
| | FOOD SAFE | 43,78 | 44,84 | 45,94 | 48,20 | 50,53 | 52,77 | 56,66 | 63,64 |
| AISI 430 | RAL | 32,13 | 33,20 | 34,29 | 36,55 | 38,88 | 41,13 | 45,01 | 52,00 |
| | ZN | 31,68 | 32,74 | 33,84 | 36,10 | 38,42 | 40,67 | 44,55 | 51,54 |
| | AISI 304 | 46,75 | 47,81 | 48,90 | 51,16 | 53,49 | 55,74 | 59,62 | 66,61 |
| | AISI 430 | 40,13 | 41,19 | 42,28 | 44,54 | 46,87 | 49,12 | 53,00 | 59,99 |
| | PVDF | 35,45 | 36,51 | 37,60 | 39,86 | 42,19 | 44,44 | 48,32 | 55,31 |
| | PURAL FARM | 36,93 | 37,99 | 39,09 | 41,35 | 43,68 | 45,92 | 49,81 | 56,79 |
| | GRANITE FARM | 36,47 | 37,53 | 38,63 | 40,89 | 43,22 | 45,47 | 49,35 | 56,34 |
| | FOOD SAFE | 37,16 | 38,22 | 39,32 | 41,58 | 43,90 | 46,15 | 50,03 | 57,02 |


| | | | | | | | | | | |
|-------------------|---------------------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|
| | RAL | 27,45 | 28,52 | 29,61 | 31,87 | 34,20 | 36,45 | 40,33 | 47,32 | |
| | ZN | 27,00 | 28,06 | 29,16 | 31,42 | 33,74 | 35,99 | 39,87 | 46,86 | |
| | AISI 304 | 42,07 | 43,13 | 44,22 | 46,48 | 48,81 | 51,06 | 54,94 | 61,93 | |
| PVDF | AISI 430 | 35,45 | 36,51 | 37,60 | 39,86 | 42,19 | 44,44 | 48,32 | 55,31 | |
| | PVDF | 30,76 | 31,83 | 32,92 | 35,18 | 37,51 | 39,76 | 43,64 | 50,63 | |
| | PURAL FARM | 32,25 | 33,31 | 34,41 | 36,67 | 39,00 | 41,24 | 45,13 | 52,11 | |
| | GRANITE FARM | 31,79 | 32,85 | 33,95 | 36,21 | 38,54 | 40,79 | 44,67 | 51,66 | |
| | FOOD SAFE | 32,48 | 33,54 | 34,63 | 36,89 | 39,22 | 41,47 | 45,35 | 52,34 | |
| | | RAL | 28,94 | 30,00 | 31,10 | 33,36 | 35,68 | 37,93 | 41,82 | 48,80 |
| | | ZN | 28,48 | 29,54 | 30,64 | 32,90 | 35,23 | 37,48 | 41,36 | 48,34 |
| PURAL FARM | AISI 304 | 43,55 | 44,61 | 45,71 | 47,97 | 50,30 | 52,55 | 56,43 | 63,41 | |
| | AISI 430 | 36,93 | 37,99 | 39,09 | 41,35 | 43,68 | 45,92 | 49,81 | 56,79 | |
| | PVDF | 32,25 | 33,31 | 34,41 | 36,67 | 39,00 | 41,24 | 45,13 | 52,11 | |
| | PURAL FARM | 33,73 | 34,79 | 35,89 | 38,15 | 40,48 | 42,73 | 46,61 | 53,60 | |
| | GRANITE FARM | 33,28 | 34,34 | 35,43 | 37,69 | 40,02 | 42,27 | 46,15 | 53,14 | |
| | FOOD SAFE | 33,96 | 35,02 | 36,12 | 38,38 | 40,71 | 42,96 | 46,84 | 53,82 | |
| | GRANITE FARM | GRANITE FARM | 32,82 | 33,88 | 34,98 | 37,24 | 39,57 | 41,82 | 45,70 | 52,68 |
| FOOD SAFE | FOOD SAFE | 34,19 | 35,25 | 36,35 | 38,61 | 40,94 | 43,18 | 47,07 | 54,05 | |
| PAPER | PAPER | 7,02 | 8,71 | 10,40 | 13,79 | 17,17 | 20,55 | 25,63 | 34,10 | |
| FILM | FILM | 7,36 | 9,05 | 10,74 | 14,13 | 17,51 | 20,89 | 25,97 | 34,44 | |
| FOIL | FOIL | 8,97 | 10,66 | 12,35 | 15,74 | 19,12 | 22,50 | 27,58 | 36,05 | |

PUR CLASSIC INSULATED PANELS

| EXTERIOR COATING | | PANELS' THICKNESS, MM / TYPE OF STUD-SPLINE JOINT | | | | | | | | | | |
|-----------------------|--------------|---|-------|-------|-----------|-------|-------|-------|-------|-----------|-------|-------|
| | | 1X-SPLINE | | | 2X-SPLINE | | | | | 3X-SPLINE | | |
| SIDE A | SIDE B | 40 | 50 | 60 | 80 | 100 | 120 | 140 | 150 | 160 | 180 | 200 |
| FIRE RESISTANCE CLASS | | EI 15 | | | | | | | | | | |
| RAL | RAL | 24,14 | 25,21 | 26,30 | 28,56 | 30,89 | 33,14 | 35,73 | 37,02 | 39,35 | 41,68 | 44,01 |
| | ZN | 23,69 | 24,75 | 25,84 | 28,11 | 30,43 | 32,68 | 35,27 | 36,56 | 38,89 | 41,22 | 43,55 |
| | AISI 304 | 38,76 | 39,82 | 40,91 | 43,17 | 45,50 | 47,75 | 50,34 | 51,63 | 53,96 | 56,29 | 58,62 |
| | AISI 430 | 32,13 | 33,20 | 34,29 | 36,55 | 38,88 | 41,13 | 43,72 | 45,01 | 47,34 | 49,67 | 52,00 |
| | PVDF | 27,45 | 28,52 | 29,61 | 31,87 | 34,20 | 36,45 | 39,04 | 40,33 | 42,66 | 44,99 | 47,32 |
| | PURAL FARM | 28,94 | 30,00 | 31,10 | 33,36 | 35,68 | 37,93 | 40,53 | 41,82 | 44,14 | 46,47 | 48,80 |
| | GRANITE FARM | 28,48 | 29,54 | 30,64 | 32,90 | 35,23 | 37,48 | 40,07 | 41,36 | 43,69 | 46,02 | 48,34 |
| | FOOD SAFE | 29,17 | 30,23 | 31,32 | 33,58 | 35,91 | 38,16 | 40,75 | 42,04 | 44,37 | 46,70 | 49,03 |
| ZN | RAL | 23,69 | 24,75 | 25,84 | 28,11 | 30,43 | 32,68 | 35,27 | 36,56 | 38,89 | 41,22 | 43,55 |
| | ZN | 23,23 | 24,29 | 25,39 | 27,65 | 29,98 | 32,23 | 34,82 | 36,11 | 38,44 | 40,76 | 43,09 |
| | AISI 304 | 38,30 | 39,36 | 40,46 | 42,72 | 45,05 | 47,29 | 49,89 | 51,18 | 53,50 | 55,83 | 58,16 |
| | AISI 430 | 31,68 | 32,74 | 33,84 | 36,10 | 38,42 | 40,67 | 43,26 | 44,55 | 46,88 | 49,21 | 51,54 |
| | PVDF | 27,00 | 28,06 | 29,16 | 31,42 | 33,74 | 35,99 | 38,58 | 39,87 | 42,20 | 44,53 | 46,86 |
| | PURAL FARM | 28,48 | 29,54 | 30,64 | 32,90 | 35,23 | 37,48 | 40,07 | 41,36 | 43,69 | 46,02 | 48,34 |
| | GRANITE FARM | 28,03 | 29,09 | 30,18 | 32,44 | 34,77 | 37,02 | 39,61 | 40,90 | 43,23 | 45,56 | 47,89 |
| | FOOD SAFE | 28,71 | 29,77 | 30,87 | 33,13 | 35,46 | 37,71 | 40,30 | 41,59 | 43,92 | 46,24 | 48,57 |
| AISI 304 | RAL | 38,76 | 39,82 | 40,91 | 43,17 | 45,50 | 47,75 | 50,34 | 51,63 | 53,96 | 56,29 | 58,62 |
| | ZN | 38,30 | 39,36 | 40,46 | 42,72 | 45,05 | 47,29 | 49,89 | 51,18 | 53,50 | 55,83 | 58,16 |
| | AISI 304 | 53,37 | 54,43 | 55,53 | 57,79 | 60,11 | 62,36 | 64,95 | 66,24 | 68,57 | 70,90 | 73,23 |
| | AISI 430 | 46,75 | 47,81 | 48,90 | 51,16 | 53,49 | 55,74 | 58,33 | 59,62 | 61,95 | 64,28 | 66,61 |
| | PVDF | 42,07 | 43,13 | 44,22 | 46,48 | 48,81 | 51,06 | 53,65 | 54,94 | 57,27 | 59,60 | 61,93 |
| | PURAL FARM | 43,55 | 44,61 | 45,71 | 47,97 | 50,30 | 52,55 | 55,14 | 56,43 | 58,76 | 61,08 | 63,41 |
| | GRANITE FARM | 43,09 | 44,16 | 45,25 | 47,51 | 49,84 | 52,09 | 54,68 | 55,97 | 58,30 | 60,63 | 62,96 |
| | FOOD SAFE | 43,78 | 44,84 | 45,94 | 48,20 | 50,53 | 52,77 | 55,37 | 56,66 | 58,98 | 61,31 | 63,64 |
| AISI 430 | RAL | 32,13 | 33,20 | 34,29 | 36,55 | 38,88 | 41,13 | 43,72 | 45,01 | 47,34 | 49,67 | 52,00 |
| | ZN | 31,68 | 32,74 | 33,84 | 36,10 | 38,42 | 40,67 | 43,26 | 44,55 | 46,88 | 49,21 | 51,54 |
| | AISI 304 | 46,75 | 47,81 | 48,90 | 51,16 | 53,49 | 55,74 | 58,33 | 59,62 | 61,95 | 64,28 | 66,61 |
| | AISI 430 | 40,13 | 41,19 | 42,28 | 44,54 | 46,87 | 49,12 | 51,71 | 53,00 | 55,33 | 57,66 | 59,99 |
| | PVDF | 35,45 | 36,51 | 37,60 | 39,86 | 42,19 | 44,44 | 47,03 | 48,32 | 50,65 | 52,98 | 55,31 |
| | PURAL FARM | 36,93 | 37,99 | 39,09 | 41,35 | 43,68 | 45,92 | 48,52 | 49,81 | 52,13 | 54,46 | 56,79 |
| | GRANITE FARM | 36,47 | 37,53 | 38,63 | 40,89 | 43,22 | 45,47 | 48,06 | 49,35 | 51,68 | 54,01 | 56,34 |
| | FOOD SAFE | 37,16 | 38,22 | 39,32 | 41,58 | 43,90 | 46,15 | 48,74 | 50,03 | 52,36 | 54,69 | 57,02 |

| | | | | | | | | | | | | |
|---------------------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | RAL | 27,45 | 28,52 | 29,61 | 31,87 | 34,20 | 36,45 | 39,04 | 40,33 | 42,66 | 44,99 | 47,32 |
| | ZN | 27,00 | 28,06 | 29,16 | 31,42 | 33,74 | 35,99 | 38,58 | 39,87 | 42,20 | 44,53 | 46,86 |
| | AISI 304 | 42,07 | 43,13 | 44,22 | 46,48 | 48,81 | 51,06 | 53,65 | 54,94 | 57,27 | 59,60 | 61,93 |
| PVDF | AISI 430 | 35,45 | 36,51 | 37,60 | 39,86 | 42,19 | 44,44 | 47,03 | 48,32 | 50,65 | 52,98 | 55,31 |
| | PVDF | 30,76 | 31,83 | 32,92 | 35,18 | 37,51 | 39,76 | 42,35 | 43,64 | 45,97 | 48,30 | 50,63 |
| | PURAL FARM | 32,25 | 33,31 | 34,41 | 36,67 | 39,00 | 41,24 | 43,84 | 45,13 | 47,45 | 49,78 | 52,11 |
| | GRANITE FARM | 31,79 | 32,85 | 33,95 | 36,21 | 38,54 | 40,79 | 43,38 | 44,67 | 47,00 | 49,33 | 51,66 |
| | FOOD SAFE | 32,48 | 33,54 | 34,63 | 36,89 | 39,22 | 41,47 | 44,06 | 45,35 | 47,68 | 50,01 | 52,34 |
| | RAL | 28,94 | 30,00 | 31,10 | 33,36 | 35,68 | 37,93 | 40,53 | 41,82 | 44,14 | 46,47 | 48,80 |
| | ZN | 28,48 | 29,54 | 30,64 | 32,90 | 35,23 | 37,48 | 40,07 | 41,36 | 43,69 | 46,02 | 48,34 |
| | AISI 304 | 43,55 | 44,61 | 45,71 | 47,97 | 50,30 | 52,55 | 55,14 | 56,43 | 58,76 | 61,08 | 63,41 |
| PURAL FARM | AISI 430 | 36,93 | 37,99 | 39,09 | 41,35 | 43,68 | 45,92 | 48,52 | 49,81 | 52,13 | 54,46 | 56,79 |
| | PVDF | 32,25 | 33,31 | 34,41 | 36,67 | 39,00 | 41,24 | 43,84 | 45,13 | 47,45 | 49,78 | 52,11 |
| | PURAL FARM | 33,73 | 34,79 | 35,89 | 38,15 | 40,48 | 42,73 | 45,32 | 46,61 | 48,94 | 51,27 | 53,60 |
| | GRANITE FARM | 33,28 | 34,34 | 35,43 | 37,69 | 40,02 | 42,27 | 44,86 | 46,15 | 48,48 | 50,81 | 53,14 |
| | FOOD SAFE | 33,96 | 35,02 | 36,12 | 38,38 | 40,71 | 42,96 | 45,55 | 46,84 | 49,17 | 51,50 | 53,82 |
| GRANITE FARM | GRANITE FARM | 32,82 | 33,88 | 34,98 | 37,24 | 39,57 | 41,82 | 44,41 | 45,70 | 48,03 | 50,35 | 52,68 |
| FOOD SAFE | FOOD SAFE | 34,19 | 35,25 | 36,35 | 38,61 | 40,94 | 43,18 | 45,78 | 47,07 | 49,39 | 51,72 | 54,05 |
| PAPER | PAPER | 8,40 | 10,26 | 12,12 | 15,18 | 18,73 | 22,29 | 25,81 | 27,63 | 29,43 | 32,95 | 36,53 |
| FILM | FILM | 8,74 | 10,61 | 12,47 | 15,53 | 19,08 | 22,64 | 26,15 | 27,97 | 29,77 | 33,29 | 36,87 |
| FOIL | FOIL | 10,35 | 12,21 | 14,08 | 17,13 | 20,68 | 24,25 | 27,76 | 29,58 | 31,38 | 34,90 | 38,48 |

ROOF PANELS



PIR PREMIER INSULATED PANELS



| EXTERIOR COATING | | PANELS' THICKNESS (WITHOUT RIB HEIGHT), MM | | | | | | | | |
|-----------------------|--------------|--|-------|-------|-------|-------|-------|-------|-------|--|
| SIDE A | SIDE B | 30 | 40 | 50 | 60 | 80 | 100 | 120 | 150 | |
| FIRE RESISTANCE CLASS | | RE 15 | | | RE 30 | | | RE 45 | | |
| RAL | RAL | 25,78 | 26,92 | 28,11 | 29,35 | 31,34 | 33,50 | 35,79 | 39,68 | |
| | ZN | 25,24 | 26,38 | 27,57 | 28,81 | 30,80 | 32,97 | 35,25 | 39,14 | |
| | AISI 304 | 42,84 | 43,98 | 45,17 | 46,42 | 48,40 | 50,57 | 52,85 | 56,75 | |
| | AISI 430 | 35,11 | 36,26 | 37,44 | 38,69 | 40,67 | 42,84 | 45,13 | 49,02 | |
| | PVDF | 29,65 | 30,79 | 31,97 | 33,22 | 35,21 | 37,37 | 39,66 | 43,55 | |
| | PURAL FARM | 31,38 | 32,52 | 33,71 | 34,95 | 36,94 | 39,11 | 41,39 | 45,29 | |
| | GRANITE FARM | 30,84 | 31,99 | 33,17 | 34,42 | 36,40 | 38,57 | 40,86 | 44,75 | |
| | FOOD SAFE | 31,64 | 32,79 | 33,97 | 35,22 | 37,20 | 39,37 | 41,66 | 45,55 | |
| ZN | RAL | 25,24 | 26,38 | 27,57 | 28,81 | 30,80 | 32,97 | 35,25 | 39,14 | |
| | ZN | 24,70 | 25,84 | 27,03 | 28,28 | 30,26 | 32,43 | 34,71 | 38,61 | |
| | AISI 304 | 42,31 | 43,45 | 44,63 | 45,88 | 47,87 | 50,03 | 52,32 | 56,21 | |
| | AISI 430 | 34,58 | 35,72 | 36,91 | 38,15 | 40,14 | 42,31 | 44,59 | 48,48 | |
| | PVDF | 29,11 | 30,25 | 31,44 | 32,68 | 34,67 | 36,84 | 39,12 | 43,01 | |
| | PURAL FARM | 30,84 | 31,99 | 33,17 | 34,42 | 36,40 | 38,57 | 40,86 | 44,75 | |
| | GRANITE FARM | 30,31 | 31,45 | 32,64 | 33,88 | 35,87 | 38,04 | 40,32 | 44,21 | |
| | FOOD SAFE | 31,11 | 32,25 | 33,44 | 34,68 | 36,67 | 38,84 | 41,12 | 45,01 | |
| AISI 304 | RAL | 42,84 | 43,98 | 45,17 | 46,42 | 48,40 | 50,57 | 52,85 | 56,75 | |
| | ZN | 42,31 | 43,45 | 44,63 | 45,88 | 47,87 | 50,03 | 52,32 | 56,21 | |
| | AISI 304 | 59,91 | 61,05 | 62,24 | 63,48 | 65,47 | 67,64 | 69,92 | 73,81 | |
| | AISI 430 | 52,18 | 53,32 | 54,51 | 55,75 | 57,74 | 59,91 | 62,19 | 66,08 | |
| | PVDF | 46,71 | 47,85 | 49,04 | 50,29 | 52,27 | 54,44 | 56,72 | 60,62 | |
| | PURAL FARM | 48,45 | 49,59 | 50,78 | 52,02 | 54,01 | 56,18 | 58,46 | 62,35 | |
| | GRANITE FARM | 47,91 | 49,05 | 50,24 | 51,48 | 53,47 | 55,64 | 57,92 | 61,82 | |
| | FOOD SAFE | 48,71 | 49,85 | 51,04 | 52,28 | 54,27 | 56,44 | 58,72 | 62,61 | |
| AISI 430 | RAL | 35,11 | 36,26 | 37,44 | 38,69 | 40,67 | 42,84 | 45,13 | 49,02 | |
| | ZN | 34,58 | 35,72 | 36,91 | 38,15 | 40,14 | 42,31 | 44,59 | 48,48 | |
| | AISI 304 | 52,18 | 53,32 | 54,51 | 55,75 | 57,74 | 59,91 | 62,19 | 66,08 | |
| | AISI 430 | 44,45 | 45,59 | 46,78 | 48,03 | 50,01 | 52,18 | 54,46 | 58,36 | |
| | PVDF | 38,98 | 40,13 | 41,31 | 42,56 | 44,54 | 46,71 | 49,00 | 52,89 | |
| | PURAL FARM | 40,72 | 41,86 | 43,05 | 44,29 | 46,28 | 48,45 | 50,73 | 54,62 | |
| | GRANITE FARM | 40,18 | 41,32 | 42,51 | 43,76 | 45,74 | 47,91 | 50,19 | 54,09 | |
| | FOOD SAFE | 40,98 | 42,12 | 43,31 | 44,55 | 46,54 | 48,71 | 50,99 | 54,89 | |
| PVDF | RAL | 29,65 | 30,79 | 31,97 | 33,22 | 35,21 | 37,37 | 39,66 | 43,55 | |
| | ZN | 29,11 | 30,25 | 31,44 | 32,68 | 34,67 | 36,84 | 39,12 | 43,01 | |
| | AISI 304 | 46,71 | 47,85 | 49,04 | 50,29 | 52,27 | 54,44 | 56,72 | 60,62 | |
| | AISI 430 | 38,98 | 40,13 | 41,31 | 42,56 | 44,54 | 46,71 | 49,00 | 52,89 | |
| | PVDF | 33,52 | 34,66 | 35,84 | 37,09 | 39,08 | 41,24 | 43,53 | 47,42 | |
| | PURAL FARM | 35,25 | 36,39 | 37,58 | 38,82 | 40,81 | 42,98 | 45,26 | 49,16 | |
| | GRANITE FARM | 34,71 | 35,86 | 37,04 | 38,29 | 40,27 | 42,44 | 44,73 | 48,62 | |
| | FOOD SAFE | 35,51 | 36,66 | 37,84 | 39,09 | 41,07 | 43,24 | 45,53 | 49,42 | |
| PURAL FARM | RAL | 31,38 | 32,52 | 33,71 | 34,95 | 36,94 | 39,11 | 41,39 | 45,29 | |
| | ZN | 30,84 | 31,99 | 33,17 | 34,42 | 36,40 | 38,57 | 40,86 | 44,75 | |
| | AISI 304 | 48,45 | 49,59 | 50,78 | 52,02 | 54,01 | 56,18 | 58,46 | 62,35 | |
| | AISI 430 | 40,72 | 41,86 | 43,05 | 44,29 | 46,28 | 48,45 | 50,73 | 54,62 | |
| | PVDF | 35,25 | 36,39 | 37,58 | 38,82 | 40,81 | 42,98 | 45,26 | 49,16 | |
| | PURAL FARM | 36,99 | 38,13 | 39,32 | 40,56 | 42,55 | 44,71 | 47,00 | 50,89 | |
| | GRANITE FARM | 36,45 | 37,59 | 38,78 | 40,02 | 42,01 | 44,18 | 46,46 | 50,35 | |
| | FOOD SAFE | 37,25 | 38,39 | 39,58 | 40,82 | 42,81 | 44,98 | 47,26 | 51,15 | |

| | | | | | | | | | |
|--------------|--------------|-------|-------|-------|-------|-------|-------|-------|-------|
| GRANITE FARM | GRANITE FARM | 35,91 | 37,05 | 38,24 | 39,49 | 41,47 | 43,64 | 45,92 | 49,82 |
| FOOD SAFE | FOOD SAFE | 37,51 | 38,65 | 39,84 | 41,08 | 43,07 | 45,24 | 47,52 | 51,42 |

EXPERIENCE OVERVIEW



16+ YEARS IN BUSINESS



17 EXPORT DESTINATIONS



3,0+ MILLION SQ. M OF INSULATED PANELS WITH PIR PREMIER AND PUR CLASSIC CORE PRODUCED ANNUALLY

PROFHOLOD INSULATED PANELS



ARE CERTIFIED ACCORDING TO THE EUROPEAN STANDARD EN 14509, CE MARKED SINCE 2017



MANUFACTURED WITH CUSTOMIZED PIR PREMIER BLEND EMPOWERED BY THE RUSSIAN SCIENCE



DELIVER THERMAL CONDUCTIVITY OF UP TO 0,0194 W/(M*K)

- **Fire rating** B-s2-d0.
- **Panels' length** – up to 16 meters. All panels are produced in custom sizes according to your
- **Panels' skin:** 0.4-0.7 mm metal produced by the top Russian and world suppliers: Arcelor, Ruukki, Lampre. You can order insulated panels with food grade or standard stainless steel, Granite Farm, Food Safe Laminate, PVDF and other special facings.
- **Colors:** you can choose any color from the RAL chart.
- **Profiling:** flat or with ribs.



+7 [495] 240-83-14

WWW.PROFHOLOD.COM