



ProfHolod Ltd.

Reg. no. 7705671650  
 Agrohim territory, bld. 58, Schelkovo, Moscow region, Russia, 141100  
 info@profholod.com www.profholod.com tel/fax +7 (495) 745-0137

**ProfHolod Cold Rooms with Fireproof PIR Premier** updated on 24.01.2020  
 with insulated door and shaped elements for assembly  
 Retail Price List in Euro, VAT not included

PIR Insulated Panels for Cold Rooms. Panels' thickness 60 mm  
 Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1305	2,6	603	2,9	623	3,1	643	3,4	663	3,6	681
	2490	5,3	757	5,8	785	6,3	814	6,8	843	7,3	870
	3675	7,9	907	8,6	945	9,4	982	10,1	1 020	10,9	1 055
	4860	10,5	1 061	11,5	1 107	12,5	1 153	13,5	1 199	14,5	1 243
	6045	13,1	1 212	14,4	1 267	15,6	1 321	16,9	1 376	18,2	1 429
	7230	15,8	1 363	17,3	1 425	18,8	1 489	20,3	1 553	21,8	1 614
	8415	18,4	1 516	20,1	1 588	21,9	1 660	23,7	1 733	25,4	1 802
2370	1305	5,5	762	6,1	790	6,6	819	7,1	848	7,7	875
	2490	11,1	961	12,2	999	13,2	1 037	14,3	1 074	15,4	1 109
	3675	16,6	1 165	18,2	1 212	19,8	1 258	21,4	1 303	23,0	1 348
	4860	22,2	1 366	24,3	1 421	26,4	1 475	28,6	1 530	30,7	1 583
	6045	27,7	1 567	30,4	1 629	33,1	1 693	35,7	1 757	38,4	1 818
	7230	33,3	1 769	36,5	1 841	39,7	1 914	42,9	1 986	46,1	2 055
	8415	38,8	1 970	42,6	2 051	46,3	2 132	50,0	2 212	53,8	2 291
3555	1305	8,5	917	9,3	955	10,1	992	10,9	1 030	11,7	1 065
	2490	16,9	1 170	18,6	1 217	20,2	1 263	21,8	1 308	23,4	1 353
	3675	25,4	1 421	27,8	1 476	30,3	1 530	32,7	1 585	35,2	1 638
	4860	33,9	1 671	37,1	1 734	40,4	1 798	43,6	1 862	46,9	1 923
	6045	42,3	1 924	46,4	1 997	50,5	2 069	54,5	2 141	58,6	2 211
	7230	50,8	2 175	55,7	2 256	60,6	2 337	65,5	2 417	70,3	2 496
	8415	59,3	2 426	65,0	2 515	70,7	2 604	76,4	2 694	82,1	2 781
4740	1305	11,4	1 076	12,5	1 122	13,6	1 169	14,7	1 214	15,8	1 258
	2490	22,8	1 376	25,0	1 431	27,2	1 485	29,3	1 540	31,5	1 593
	3675	34,2	1 677	37,4	1 739	40,7	1 803	44,0	1 867	47,3	1 928
	4860	45,5	1 979	49,9	2 051	54,3	2 123	58,7	2 196	63,1	2 265
	6045	56,9	2 279	62,4	2 360	67,9	2 441	73,4	2 521	78,8	2 600
	7230	68,3	2 579	74,9	2 669	81,5	2 758	88,0	2 847	94,6	2 935
	8415	79,7	2 882	87,4	2 980	95,0	3 079	102,7	3 177	110,4	3 273
5925	1305	14,3	1 232	15,7	1 287	17,1	1 341	18,4	1 396	19,8	1 449
	2490	28,6	1 582	31,4	1 644	34,1	1 708	36,9	1 772	39,6	1 833
	3675	42,9	1 935	47,1	2 007	51,2	2 079	55,3	2 152	59,4	2 221
	4860	57,2	2 284	62,7	2 365	68,2	2 446	73,7	2 526	79,2	2 605
	6045	71,5	2 635	78,4	2 725	85,3	2 813	92,2	2 903	99,1	2 991
	7230	85,8	2 987	94,1	3 085	102,4	3 184	110,6	3 282	118,9	3 378
	8415	100,2	3 338	109,8	3 445	119,4	3 552	129,0	3 659	138,7	3 763
7110	1305	17,2	1 388	18,9	1 451	20,5	1 514	22,2	1 578	23,9	1 639
	2490	34,5	1 789	37,8	1 862	41,1	1 934	44,4	2 006	47,7	2 076
	3675	51,7	2 190	56,7	2 271	61,6	2 352	66,6	2 432	71,6	2 511
	4860	68,9	2 589	75,5	2 679	82,2	2 768	88,8	2 857	95,4	2 945
	6045	86,1	2 992	94,4	3 090	102,7	3 189	111,0	3 287	119,3	3 383
	7230	103,4	3 391	113,3	3 498	123,3	3 605	133,2	3 712	143,1	3 816
	8415	120,6	3 795	132,2	3 911	143,8	4 026	155,4	4 141	167,0	4 255
8295	1305	20,1	1 546	22,1	1 618	24,0	1 691	26,0	1 763	27,9	1 832
	2490	40,3	1 995	44,2	2 076	48,0	2 157	51,9	2 237	55,8	2 316
	3675	60,4	2 446	66,3	2 536	72,1	2 624	77,9	2 714	83,7	2 802
	4860	80,6	2 897	88,3	2 995	96,1	3 094	103,8	3 192	111,6	3 288
	6045	100,7	3 348	110,4	3 455	120,1	3 562	129,8	3 669	139,5	3 773
	7230	120,9	3 800	132,5	3 916	144,1	4 031	155,8	4 146	167,4	4 260
	8415	141,0	4 251	154,6	4 374	168,2	4 498	181,7	4 623	195,3	4 745

You can order a cold room in custom size according to your specific needs

**PIR Insulated Panels for Cold Rooms. Panels' thickness: 80 mm**  
**Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800**

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1345	2,5	634	2,7	656	3,0	679	3,2	701	3,4	721
	2530	5,0	798	5,4	830	5,9	863	6,4	895	6,9	923
	3715	7,4	963	8,2	1 005	8,9	1 046	9,6	1 087	10,3	1 126
	4900	9,9	1 131	10,9	1 182	11,9	1 233	12,8	1 284	13,8	1 333
	6085	12,4	1 295	13,6	1 356	14,8	1 417	16,0	1 477	17,2	1 536
	7270	14,9	1 459	16,3	1 530	17,8	1 600	19,2	1 671	20,7	1 738
	8455	17,3	1 628	19,0	1 708	20,7	1 788	22,4	1 867	24,1	1 944
2370	1345	5,3	806	5,9	838	6,4	870	6,9	902	7,4	931
	2530	10,7	1 025	11,7	1 067	12,8	1 109	13,8	1 149	14,9	1 189
	3715	16,0	1 249	17,6	1 300	19,2	1 350	20,7	1 402	22,3	1 450
	4900	21,4	1 467	23,5	1 528	25,6	1 589	27,7	1 650	29,8	1 708
	6085	26,7	1 687	29,3	1 758	31,9	1 828	34,6	1 899	37,2	1 966
	7270	32,1	1 910	35,2	1 990	38,3	2 070	41,5	2 149	44,6	2 227
	8455	37,4	2 130	41,1	2 219	44,7	2 309	48,4	2 398	52,1	2 485
3555	1345	8,2	978	9,0	1 020	9,8	1 061	10,6	1 102	11,4	1 141
	2530	16,4	1 256	18,0	1 307	19,6	1 358	21,2	1 409	22,9	1 458
	3715	24,6	1 531	27,0	1 592	29,4	1 652	31,9	1 713	34,3	1 772
	4900	32,8	1 806	36,0	1 876	39,3	1 946	42,5	2 017	45,7	2 084
	6085	41,0	2 084	45,1	2 164	49,1	2 244	53,1	2 323	57,1	2 401
	7270	49,2	2 359	54,1	2 448	58,9	2 537	63,7	2 627	68,6	2 714
	8455	57,4	2 637	63,1	2 736	68,7	2 835	74,3	2 935	80,0	3 031
4740	1345	11,1	1 153	12,2	1 205	13,2	1 255	14,3	1 306	15,4	1 355
	2530	22,1	1 482	24,3	1 543	26,5	1 604	28,7	1 665	30,8	1 723
	3715	33,2	1 813	36,5	1 883	39,7	1 954	43,0	2 024	46,2	2 091
	4900	44,3	2 146	48,6	2 226	53,0	2 306	57,3	2 385	61,7	2 463
	6085	55,4	2 477	60,8	2 566	66,2	2 655	71,6	2 745	77,1	2 832
	7270	66,4	2 809	72,9	2 908	79,5	3 007	86,0	3 107	92,5	3 203
	8455	77,5	3 140	85,1	3 248	92,7	3 357	100,3	3 466	107,9	3 571
5925	1345	13,9	1 325	15,3	1 386	16,7	1 446	18,0	1 507	19,4	1 566
	2530	27,9	1 710	30,6	1 780	33,3	1 851	36,1	1 921	38,8	1 988
	3715	41,8	2 099	45,9	2 179	50,0	2 259	54,1	2 338	58,2	2 416
	4900	55,7	2 484	61,2	2 573	66,7	2 663	72,1	2 752	77,6	2 839
	6085	69,7	2 873	76,5	2 972	83,3	3 071	90,2	3 170	97,0	3 267
	7270	83,6	3 258	91,8	3 367	100,0	3 475	108,2	3 584	116,4	3 690
	8455	97,6	3 644	107,1	3 762	116,7	3 880	126,2	3 998	135,8	4 114
7110	1345	16,8	1 497	18,4	1 567	20,1	1 638	21,7	1 708	23,4	1 775
	2530	33,6	1 940	36,9	2 020	40,2	2 100	43,5	2 179	46,8	2 257
	3715	50,4	2 382	55,3	2 470	60,3	2 560	65,2	2 649	70,2	2 737
	4900	67,2	2 824	73,8	2 923	80,4	3 022	87,0	3 122	93,6	3 218
	6085	84,0	3 265	92,2	3 374	100,5	3 483	108,7	3 592	116,9	3 697
	7270	100,8	3 705	110,7	3 824	120,6	3 941	130,5	4 060	140,3	4 176
	8455	117,6	4 150	129,1	4 277	140,7	4 405	152,2	4 533	163,7	4 659
8295	1345	19,7	1 672	21,6	1 752	23,5	1 832	25,4	1 911	27,4	1 989
	2530	39,3	2 168	43,2	2 256	47,0	2 346	50,9	2 435	54,8	2 523
	3715	59,0	2 667	64,8	2 766	70,6	2 865	76,3	2 964	82,1	3 061
	4900	78,7	3 162	86,4	3 271	94,1	3 380	101,8	3 489	109,5	3 594
	6085	98,3	3 659	108,0	3 777	117,6	3 895	127,2	4 013	136,9	4 129
	7270	118,0	4 158	129,6	4 285	141,1	4 413	152,7	4 541	164,3	4 666
	8455	137,7	4 654	151,2	4 791	164,7	4 929	178,1	5 066	191,6	5 201

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,  
 Moscow region, 141100, Russia

+7 (495) 745-01-37  
 +7 (800) 700-01-37

[www.profhod.ru/en](http://www.profhod.ru/en)  
[www.profpanel.ru/en](http://www.profpanel.ru/en)

**PIR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm**  
**Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800**

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1385	2,3	681	2,6	706	2,8	731	3,0	755	3,3	776
	2570	4,7	859	5,1	895	5,6	930	6,1	964	6,5	997
	3755	7,0	1 038	7,7	1 083	8,4	1 128	9,1	1 174	9,8	1 217
	4940	9,3	1 219	10,3	1 275	11,2	1 331	12,1	1 388	13,1	1 441
	6125	11,7	1 397	12,8	1 464	14,0	1 531	15,2	1 598	16,3	1 661
	7310	14,0	1 576	15,4	1 653	16,8	1 729	18,2	1 807	19,6	1 881
2370	8495	16,3	1 758	18,0	1 845	19,6	1 933	21,2	2 020	22,9	2 105
	1385	5,1	870	5,7	905	6,2	940	6,7	974	7,2	1 007
	2570	10,3	1 108	11,3	1 153	12,3	1 199	13,4	1 245	14,4	1 288
	3755	15,4	1 350	17,0	1 407	18,5	1 463	20,1	1 519	21,6	1 573
	4940	20,6	1 589	22,6	1 656	24,7	1 723	26,7	1 789	28,8	1 852
	6125	25,7	1 828	28,3	1 906	30,9	1 982	33,4	2 059	36,0	2 134
3555	7310	30,9	2 071	33,9	2 158	37,0	2 245	40,1	2 333	43,2	2 418
	8495	36,0	2 309	39,6	2 407	43,2	2 506	46,8	2 604	50,4	2 700
	1385	8,0	1 058	8,7	1 103	9,5	1 149	10,3	1 195	11,1	1 238
	2570	15,9	1 361	17,5	1 417	19,1	1 473	20,7	1 529	22,3	1 583
	3755	23,9	1 661	26,2	1 728	28,6	1 794	31,0	1 861	33,4	1 924
	4940	31,8	1 960	35,0	2 038	38,2	2 114	41,3	2 191	44,5	2 266
4740	6125	39,8	2 264	43,7	2 351	47,7	2 439	51,7	2 527	55,7	2 612
	7310	47,7	2 563	52,5	2 661	57,2	2 760	62,0	2 858	66,8	2 953
	8495	55,7	2 867	61,2	2 976	66,8	3 085	72,4	3 193	77,9	3 299
	1385	10,8	1 250	11,8	1 306	12,9	1 362	14,0	1 418	15,1	1 472
	2570	21,5	1 610	23,7	1 676	25,8	1 743	28,0	1 810	30,1	1 873
	3755	32,3	1 971	35,5	2 048	38,7	2 124	42,0	2 202	45,2	2 276
5925	4940	43,0	2 334	47,3	2 421	51,6	2 509	56,0	2 597	60,3	2 682
	6125	53,8	2 694	59,2	2 793	64,6	2 891	69,9	2 989	75,3	3 085
	7310	64,6	3 058	71,0	3 167	77,5	3 276	83,9	3 384	90,4	3 490
	8495	75,3	3 419	82,9	3 538	90,4	3 657	97,9	3 776	105,4	3 893
	1385	13,6	1 438	14,9	1 505	16,3	1 572	17,6	1 639	19,0	1 702
	2570	27,1	1 859	29,9	1 936	32,6	2 013	35,3	2 090	38,0	2 164
7110	3755	40,7	2 285	44,8	2 372	48,8	2 460	52,9	2 547	57,0	2 632
	4940	54,3	2 705	59,7	2 803	65,1	2 901	70,6	3 000	76,0	3 095
	6125	67,8	3 130	74,6	3 239	81,4	3 348	88,2	3 456	95,0	3 562
	7310	81,4	3 551	89,6	3 670	97,7	3 789	105,8	3 908	114,0	4 025
	8495	95,0	3 973	104,5	4 102	114,0	4 232	123,5	4 362	133,0	4 489
	1385	16,4	1 627	18,0	1 704	19,7	1 780	21,3	1 858	22,9	1 932
8295	2570	32,8	2 112	36,0	2 199	39,3	2 286	42,6	2 374	45,9	2 459
	3755	49,1	2 594	54,0	2 692	59,0	2 790	63,9	2 889	68,8	2 984
	4940	65,5	3 079	72,1	3 187	78,6	3 296	85,2	3 404	91,7	3 510
	6125	81,9	3 561	90,1	3 681	98,3	3 799	106,4	3 918	114,6	4 035
	7310	98,3	4 042	108,1	4 171	117,9	4 301	127,7	4 431	137,6	4 558
	8495	114,6	4 528	126,1	4 668	137,6	4 809	149,0	4 949	160,5	5 087
8295	1385	19,2	1 819	21,1	1 906	23,0	1 994	24,9	2 082	26,9	2 167
	2570	38,4	2 360	42,2	2 459	46,0	2 557	49,9	2 655	53,7	2 751
	3755	57,6	2 908	63,3	3 017	69,1	3 126	74,8	3 234	80,6	3 340
	4940	76,7	3 450	84,4	3 569	92,1	3 688	99,8	3 807	107,4	3 924
	6125	95,9	3 994	105,5	4 123	115,1	4 252	124,7	4 382	134,3	4 509
	7310	115,1	4 538	126,6	4 679	138,1	4 819	149,6	4 959	161,2	5 097
8495	134,3	5 082	147,7	5 233	161,2	5 384	174,6	5 534	188,0	5 682	

You can order a cold room in custom size according to your specific needs



Agrohimprom territory, bld. 58, Schelkovo,  
 Moscow region, 141100, Russia

+7 (495) 745-01-37  
 +7 (800) 700-01-37

[www.profhod.ru/en](http://www.profhod.ru/en)  
[www.profpnl.ru/en](http://www.profpnl.ru/en)

**PIR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm**  
**Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800**

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1425	2,4	833	2,6	859	2,9	886	3,1	910
	2610	4,8	1 035	5,3	1 073	5,7	1 111	6,2	1 146
	3795	7,3	1 237	7,9	1 287	8,6	1 336	9,3	1 383
	4980	9,7	1 443	10,6	1 504	11,5	1 564	12,4	1 622
	6165	12,1	1 646	13,2	1 717	14,3	1 790	15,5	1 859
	7350	14,5	1 851	15,9	1 935	17,2	2 019	18,5	2 099
	8535	16,9	2 054	18,5	2 149	20,1	2 244	21,6	2 335
2370	1425	5,5	1 048	6,0	1 086	6,5	1 124	7,0	1 160
	2610	10,9	1 316	11,9	1 365	12,9	1 415	13,9	1 462
	3795	16,4	1 588	17,9	1 649	19,4	1 709	20,9	1 767
	4980	21,8	1 856	23,8	1 928	25,8	2 000	27,9	2 069
	6165	27,3	2 128	29,8	2 212	32,3	2 295	34,8	2 376
	7350	32,7	2 396	35,7	2 491	38,8	2 586	41,8	2 677
	8535	38,2	2 664	41,7	2 771	45,2	2 876	48,8	2 980
3555	1425	8,5	1 263	9,3	1 312	10,1	1 362	10,8	1 408
	2610	17,0	1 602	18,5	1 663	20,1	1 723	21,7	1 781
	3795	25,5	1 936	27,8	2 008	30,2	2 080	32,5	2 150
	4980	33,9	2 273	37,1	2 357	40,2	2 441	43,4	2 522
	6165	42,4	2 608	46,4	2 703	50,3	2 799	54,2	2 890
	7350	50,9	2 942	55,6	3 049	60,3	3 171	65,1	3 274
	8535	59,4	3 297	64,9	3 414	70,4	3 533	75,9	3 647
4740	1425	11,5	1 483	12,6	1 544	13,7	1 605	14,7	1 662
	2610	23,0	1 883	25,2	1 954	27,3	2 027	29,4	2 096
	3795	34,6	2 287	37,8	2 371	41,0	2 454	44,2	2 535
	4980	46,1	2 686	50,3	2 782	54,6	2 877	58,9	2 985
	6165	57,6	3 104	62,9	3 210	68,3	3 316	73,6	3 419
	7350	69,1	3 507	75,5	3 625	81,9	3 743	88,3	3 857
	8535	80,6	3 907	88,1	4 037	95,6	4 166	103,0	4 292
5925	1425	14,6	1 699	15,9	1 771	17,2	1 843	18,6	1 912
	2610	29,1	2 168	31,8	2 252	34,5	2 336	37,2	2 416
	3795	43,7	2 635	47,7	2 730	51,7	2 825	55,8	2 916
	4980	58,2	3 117	63,6	3 224	69,0	3 329	74,4	3 433
	6165	72,8	3 588	79,5	3 705	86,2	3 823	93,0	3 938
	7350	87,3	4 053	95,4	4 182	103,5	4 312	111,6	4 438
	8535	101,9	4 520	111,3	4 660	120,7	4 818	130,2	4 955
7110	1425	17,6	1 918	19,2	2 002	20,8	2 086	22,5	2 166
	2610	35,2	2 449	38,4	2 544	41,7	2 640	44,9	2 731
	3795	52,8	2 982	57,6	3 105	62,5	3 211	67,4	3 315
	4980	70,3	3 534	76,9	3 651	83,4	3 769	89,9	3 884
	6165	87,9	4 066	96,1	4 195	104,2	4 325	112,3	4 451
	7350	105,5	4 597	115,3	4 738	125,0	4 896	134,8	5 032
	8535	123,1	5 151	134,5	5 303	145,9	5 454	157,3	5 604
8295	1425	20,6	2 134	22,5	2 229	24,4	2 324	26,3	2 415
	2610	41,2	2 731	45,1	2 838	48,9	2 943	52,7	3 047
	3795	61,9	3 351	67,6	3 468	73,3	3 586	79,0	3 701
	4980	82,5	3 947	90,1	4 076	97,7	4 206	105,4	4 332
	6165	103,1	4 546	112,6	4 687	122,2	4 845	131,7	4 981
	7350	123,7	5 164	135,2	5 317	146,6	5 468	158,1	5 617
	8535	144,3	5 763	157,7	5 926	171,0	6 090	184,4	6 267


You can order a cold room in custom size according to your specific needs



Agrohimp territory, bld. 58, Schelkovo,  
 Moscow region, 141101, Russia

+7 (495) 745-01-37  
 +7 (800) 700-01-37

[www.profholid.ru/en](http://www.profholid.ru/en)  
[www.profpnl.ru/en](http://www.profpnl.ru/en)



### ProfHolod Cold Rooms solution includes

- **Wall insulated panels:**
  - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
  - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m<sup>3</sup>;
  - Core thermal conductivity coefficient  $k=0,022 \text{ W/(m}^2\text{K)}$ .
- **Ceiling panels:**
  - External surface: galvanized steel;
  - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
  - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

### Extras:

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

### How to choose polyurethane insulated panel thickness depending on inside and outside temperature

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,3	13,5	12,6	11,7	10,8	9
95° C	49,9	39,9	33,3	24,7	19,9	16,2	14,3	13,3	12,4	11,4	9,5



Agrohim territory, bld. 58, Schelkovo,  
Moscow region, 141100, Russia

+7 (495) 745-01-37  
+7 (800) 700-01-37

[www.profholod.ru/en](http://www.profholod.ru/en)  
[www.profpanel.ru/en](http://www.profpanel.ru/en)