



ProfHOLD Ltd.

Reg. no. 7705671850
 Agrohimp territory, bld. 58, Schelkovo, Moscow region, Russia, 141100
 info@profhold.com www.profhold.com tel/fax +7 (495) 745-0137

ProfHOLD Cold Rooms with PUR Classic Insulation updated on 24.01.2020

with insulated door and shaped elements for assembly

Retail Price List in US Dollars, VAT not included

PUR Insulated Panels for Cold Rooms. Panels' thickness 60 mm
 Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1305	2,6	660	2,9	683	3,1	704	3,4	726	3,6	746
	2490	5,3	828	5,8	859	6,3	890	6,8	922	7,3	952
	3675	7,9	992	8,6	1 033	9,4	1 074	10,1	1 115	10,9	1 153
	4860	10,5	1 160	11,5	1 210	12,5	1 261	13,5	1 311	14,5	1 359
	6045	13,1	1 325	14,4	1 385	15,6	1 444	16,9	1 504	18,2	1 561
	7230	15,8	1 489	17,3	1 558	18,8	1 627	20,3	1 697	21,8	1 764
	8415	18,4	1 656	20,1	1 735	21,9	1 814	23,7	1 893	25,4	1 969
2370	1305	5,5	834	6,1	864	6,6	896	7,1	928	7,7	957
	2490	11,1	1 051	12,2	1 092	13,2	1 134	14,3	1 175	15,4	1 213
	3675	16,6	1 274	18,2	1 324	19,8	1 375	21,4	1 425	23,0	1 473
	4860	22,2	1 492	24,3	1 553	26,4	1 612	28,6	1 672	30,7	1 729
	6045	27,7	1 712	30,4	1 780	33,1	1 850	35,7	1 919	38,4	1 986
	7230	33,3	1 933	36,5	2 012	39,7	2 091	42,9	2 169	46,1	2 245
	8415	38,8	2 152	42,6	2 240	46,3	2 329	50,0	2 416	53,8	2 502
3555	1305	8,5	1 003	9,3	1 044	10,1	1 085	10,9	1 126	11,7	1 164
	2490	16,9	1 279	18,6	1 330	20,2	1 380	21,8	1 430	23,4	1 478
	3675	25,4	1 553	27,8	1 613	30,3	1 672	32,7	1 732	35,2	1 790
	4860	33,9	1 826	37,1	1 895	40,4	1 964	43,6	2 034	46,9	2 101
	6045	42,3	2 102	46,4	2 181	50,5	2 260	54,5	2 339	58,6	2 415
	7230	50,8	2 375	55,7	2 464	60,6	2 552	65,5	2 639	70,3	2 726
	8415	59,3	2 649	65,0	2 747	70,7	2 844	76,4	2 941	82,1	3 037
4740	1305	11,4	1 176	12,5	1 227	13,6	1 277	14,7	1 327	15,8	1 375
	2490	22,8	1 504	25,0	1 564	27,2	1 623	29,3	1 683	31,5	1 740
	3675	34,2	1 832	37,4	1 900	40,7	1 970	44,0	2 039	47,3	2 106
	4860	45,5	2 161	49,9	2 240	54,3	2 319	58,7	2 398	63,1	2 474
	6045	56,9	2 489	62,4	2 578	67,9	2 666	73,4	2 753	78,8	2 840
	7230	68,3	2 816	74,9	2 914	81,5	3 011	88,0	3 109	94,6	3 205
	8415	79,7	3 147	87,4	3 254	95,0	3 361	102,7	3 469	110,4	3 574
5925	1305	14,3	1 347	15,7	1 407	17,1	1 466	18,4	1 526	19,8	1 583
	2490	28,6	1 728	31,4	1 797	34,1	1 866	36,9	1 936	39,6	2 003
	3675	42,9	2 113	47,1	2 192	51,2	2 271	55,3	2 350	59,4	2 426
	4860	57,2	2 495	62,7	2 583	68,2	2 671	73,7	2 759	79,2	2 845
	6045	71,5	2 877	78,4	2 975	85,3	3 072	92,2	3 170	99,1	3 266
	7230	85,8	3 261	94,1	3 369	102,4	3 476	110,6	3 583	118,9	3 688
	8415	100,2	3 644	109,8	3 761	119,4	3 877	129,0	3 994	138,7	4 108
7110	1305	17,2	1 517	18,9	1 585	20,5	1 655	22,2	1 724	23,9	1 791
	2490	34,5	1 955	37,8	2 034	41,1	2 113	44,4	2 192	47,7	2 267
	3675	51,7	2 392	56,7	2 480	61,6	2 569	66,6	2 656	71,6	2 742
	4860	68,9	2 827	75,5	2 925	82,2	3 022	88,8	3 120	95,4	3 216
	6045	86,1	3 267	94,4	3 374	102,7	3 481	111,0	3 589	119,3	3 694
	7230	103,4	3 702	113,3	3 819	123,3	3 936	133,2	4 053	143,1	4 166
	8415	120,6	4 143	132,2	4 269	143,8	4 395	155,4	4 520	167,0	4 644
8295	1305	20,1	1 689	22,1	1 768	24,0	1 847	26,0	1 926	27,9	2 002
	2490	40,3	2 179	44,2	2 268	48,0	2 356	51,9	2 444	55,8	2 530
	3675	60,4	2 671	66,3	2 769	72,1	2 866	77,9	2 964	83,7	3 059
	4860	80,6	3 163	88,3	3 271	96,1	3 378	103,8	3 485	111,6	3 590
	6045	100,7	3 655	110,4	3 772	120,1	3 888	129,8	4 005	139,5	4 119
	7230	120,9	4 148	132,5	4 274	144,1	4 401	155,8	4 526	167,4	4 650
	8415	141,0	4 640	154,6	4 774	168,2	4 910	181,7	5 046	195,3	5 179

You can order a cold room in custom size according to your specific needs

PUR Insulated Panels for Cold Rooms. Panels' thickness 80 mm
Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1345	2,5	694	2,7	719	3,0	743	3,2	768	3,4	790
	2530	5,0	874	5,4	909	5,9	944	6,4	979	6,9	1 010
	3715	7,4	1 054	8,2	1 099	8,9	1 145	9,6	1 189	10,3	1 232
	4900	9,9	1 237	10,9	1 293	11,9	1 348	12,8	1 404	13,8	1 457
	6085	12,4	1 416	13,6	1 482	14,8	1 549	16,0	1 615	17,2	1 679
	7270	14,9	1 595	16,3	1 672	17,8	1 749	19,2	1 826	20,7	1 899
	8455	17,3	1 779	19,0	1 866	20,7	1 954	22,4	2 040	24,1	2 125
2370	1345	5,3	882	5,9	917	6,4	952	6,9	987	7,4	1 018
	2530	10,7	1 121	11,7	1 167	12,8	1 213	13,8	1 257	14,9	1 300
	3715	16,0	1 365	17,6	1 421	19,2	1 476	20,7	1 532	22,3	1 586
	4900	21,4	1 604	23,5	1 670	25,6	1 737	27,7	1 803	29,8	1 867
	6085	26,7	1 844	29,3	1 921	31,9	1 998	34,6	2 075	37,2	2 148
	7270	32,1	2 088	35,2	2 175	38,3	2 262	41,5	2 349	44,6	2 433
	8455	37,4	2 328	41,1	2 425	44,7	2 522	48,4	2 620	52,1	2 715
3555	1345	8,2	1 070	9,0	1 115	9,8	1 161	10,6	1 205	11,4	1 248
	2530	16,4	1 373	18,0	1 429	19,6	1 484	21,2	1 540	22,9	1 594
	3715	24,6	1 673	27,0	1 740	29,4	1 806	31,9	1 873	34,3	1 936
	4900	32,8	1 973	36,0	2 050	39,3	2 127	42,5	2 204	45,7	2 277
	6085	41,0	2 278	45,1	2 365	49,1	2 452	53,1	2 539	57,1	2 623
	7270	49,2	2 577	54,1	2 674	58,9	2 772	63,7	2 870	68,6	2 965
	8455	57,4	2 881	63,1	2 989	68,7	3 097	74,3	3 206	80,0	3 311
4740	1345	11,1	1 261	12,2	1 317	13,2	1 372	14,3	1 428	15,4	1 482
	2530	22,1	1 620	24,3	1 687	26,5	1 753	28,7	1 820	30,8	1 883
	3715	33,2	1 981	36,5	2 058	39,7	2 135	43,0	2 212	46,2	2 285
	4900	44,3	2 345	48,6	2 432	53,0	2 520	57,3	2 606	61,7	2 691
	6085	55,4	2 706	60,8	2 803	66,2	2 901	71,6	2 998	77,1	3 094
	7270	66,4	3 069	72,9	3 177	79,5	3 285	86,0	3 393	92,5	3 499
	8455	77,5	3 430	85,1	3 548	92,7	3 667	100,3	3 786	107,9	3 901
5925	1345	13,9	1 448	15,3	1 515	16,7	1 581	18,0	1 648	19,4	1 711
	2530	27,9	1 869	30,6	1 945	33,3	2 022	36,1	2 099	38,8	2 173
	3715	41,8	2 294	45,9	2 381	50,0	2 468	54,1	2 555	58,2	2 640
	4900	55,7	2 714	61,2	2 811	66,7	2 909	72,1	3 007	77,6	3 102
	6085	69,7	3 138	76,5	3 247	83,3	3 355	90,2	3 463	97,0	3 569
	7270	83,6	3 558	91,8	3 677	100,0	3 796	108,2	3 915	116,4	4 030
	8455	97,6	3 980	107,1	4 109	116,7	4 237	126,2	4 367	135,8	4 493
7110	1345	16,8	1 636	18,4	1 713	20,1	1 790	21,7	1 867	23,4	1 940
	2530	33,6	2 120	36,9	2 207	40,2	2 295	43,5	2 381	46,8	2 466
	3715	50,4	2 602	55,3	2 699	60,3	2 797	65,2	2 894	70,2	2 990
	4900	67,2	3 085	73,8	3 193	80,4	3 302	87,0	3 410	93,6	3 515
	6085	84,0	3 567	92,2	3 685	100,5	3 804	108,7	3 923	116,9	4 038
	7270	100,8	4 047	110,7	4 176	120,6	4 304	130,5	4 434	140,3	4 560
	8455	117,6	4 532	129,1	4 671	140,7	4 811	152,2	4 950	163,7	5 088
8295	1345	19,7	1 828	21,6	1 915	23,5	2 003	25,4	2 089	27,4	2 174
	2530	39,3	2 368	43,2	2 465	47,0	2 563	50,9	2 661	54,8	2 756
	3715	59,0	2 913	64,8	3 022	70,6	3 130	76,3	3 238	82,1	3 344
	4900	78,7	3 454	86,4	3 573	94,1	3 692	101,8	3 810	109,5	3 925
	6085	98,3	3 996	108,0	4 126	117,6	4 254	127,2	4 383	136,9	4 510
	7270	118,0	4 541	129,6	4 679	141,1	4 819	152,7	4 959	164,3	5 096
	8455	137,7	5 082	151,2	5 232	164,7	5 382	178,1	5 532	191,6	5 680

You can order a cold room in custom size according to your specific needs



Agrohimprom territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en
www.prohpanel.ru/en

PUR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm
Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1385	2,3	746	2,6	773	2,8	800	3,0	827	3,3	850
	2570	4,7	940	5,1	979	5,6	1 017	6,1	1 055	6,5	1 090
	3755	7,0	1 135	7,7	1 184	8,4	1 234	9,1	1 284	9,8	1 331
	4940	9,3	1 333	10,3	1 394	11,2	1 456	12,1	1 517	13,1	1 576
	6125	11,7	1 528	12,8	1 601	14,0	1 674	15,2	1 746	16,3	1 815
	7310	14,0	1 722	15,4	1 807	16,8	1 890	18,2	1 974	19,6	2 056
	8495	16,3	1 921	18,0	2 016	19,6	2 112	21,2	2 208	22,9	2 301
2370	1385	5,1	951	5,7	990	6,2	1 028	6,7	1 066	7,2	1 101
	2570	10,3	1 212	11,3	1 261	12,3	1 311	13,4	1 361	14,4	1 408
	3755	15,4	1 476	17,0	1 538	18,5	1 599	20,1	1 661	21,6	1 719
	4940	20,6	1 737	22,6	1 810	24,7	1 883	26,7	1 956	28,8	2 024
	6125	25,7	1 998	28,3	2 082	30,9	2 166	33,4	2 250	36,0	2 332
	7310	30,9	2 263	33,9	2 357	37,0	2 453	40,1	2 549	43,2	2 642
	8495	36,0	2 523	39,6	2 630	43,2	2 737	46,8	2 845	50,4	2 949
3555	1385	8,0	1 158	8,7	1 206	9,5	1 256	10,3	1 306	11,1	1 353
	2570	15,9	1 487	17,5	1 549	19,1	1 610	20,7	1 672	22,3	1 730
	3755	23,9	1 815	26,2	1 888	28,6	1 961	31,0	2 034	33,4	2 103
	4940	31,8	2 142	35,0	2 227	38,2	2 310	41,3	2 394	44,5	2 476
	6125	39,8	2 474	43,7	2 569	47,7	2 665	51,7	2 761	55,7	2 853
	7310	47,7	2 800	52,5	2 907	57,2	3 014	62,0	3 122	66,8	3 226
	8495	55,7	3 132	61,2	3 250	66,8	3 369	72,4	3 487	77,9	3 603
4740	1385	10,8	1 366	11,8	1 428	12,9	1 489	14,0	1 551	15,1	1 609
	2570	21,5	1 759	23,7	1 832	25,8	1 905	28,0	1 978	30,1	2 047
	3755	32,3	2 153	35,5	2 238	38,7	2 321	42,0	2 405	45,2	2 487
	4940	43,0	2 550	47,3	2 645	51,6	2 741	56,0	2 837	60,3	2 930
	6125	53,8	2 943	59,2	3 051	64,6	3 158	69,9	3 265	75,3	3 370
	7310	64,6	3 340	71,0	3 459	77,5	3 578	83,9	3 696	90,4	3 811
	8495	75,3	3 734	82,9	3 865	90,4	3 994	97,9	4 124	105,4	4 251
5925	1385	13,6	1 572	14,9	1 645	16,3	1 718	17,6	1 791	19,0	1 860
	2570	27,1	2 032	29,9	2 116	32,6	2 199	35,3	2 284	38,0	2 365
	3755	40,7	2 496	44,8	2 591	48,8	2 687	52,9	2 783	57,0	2 876
	4940	54,3	2 954	59,7	3 062	65,1	3 169	70,6	3 276	76,0	3 381
	6125	67,8	3 419	74,6	3 538	81,4	3 657	88,2	3 775	95,0	3 890
	7310	81,4	3 878	89,6	4 008	97,7	4 138	105,8	4 268	114,0	4 395
	8495	95,0	4 339	104,5	4 480	114,0	4 621	123,5	4 763	133,0	4 902
7110	1385	16,4	1 778	18,0	1 863	19,7	1 946	21,3	2 030	22,9	2 112
	2570	32,8	2 307	36,0	2 402	39,3	2 498	42,6	2 594	45,9	2 687
	3755	49,1	2 833	54,0	2 941	59,0	3 048	63,9	3 155	68,8	3 260
	4940	65,5	3 363	72,1	3 481	78,6	3 600	85,2	3 718	91,7	3 834
	6125	81,9	3 889	90,1	4 020	98,3	4 149	106,4	4 279	114,6	4 406
	7310	98,3	4 414	108,1	4 555	117,9	4 697	127,7	4 839	137,6	4 977
	8495	114,6	4 945	126,1	5 098	137,6	5 251	149,0	5 404	160,5	5 554
8295	1385	19,2	1 988	21,1	2 083	23,0	2 179	24,9	2 275	26,9	2 368
	2570	38,4	2 579	42,2	2 686	46,0	2 793	49,9	2 901	53,7	3 005
	3755	57,6	3 176	63,3	3 295	69,1	3 414	74,8	3 532	80,6	3 648
	4940	76,7	3 768	84,4	3 898	92,1	4 027	99,8	4 158	107,4	4 285
	6125	95,9	4 361	105,5	4 502	115,1	4 644	124,7	4 786	134,3	4 924
	7310	115,1	4 956	126,6	5 109	138,1	5 262	149,6	5 415	161,2	5 566
	8495	134,3	5 549	147,7	5 714	161,2	5 879	174,6	6 042	188,0	6 204

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en
www.profpanel.ru/en

PUR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm
Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1185	1425	2,4	912	2,6	941	2,9	970	3,1	996
	2610	4,8	1 132	5,3	1 174	5,7	1 216	6,2	1 254
	3795	7,3	1 353	7,9	1 407	8,6	1 462	9,3	1 512
	4980	9,7	1 578	10,6	1 645	11,5	1 711	12,4	1 774
	6165	12,1	1 799	13,2	1 877	14,3	1 956	15,5	2 032
	7350	14,5	2 023	15,9	2 115	17,2	2 207	18,5	2 295
	8535	16,9	2 244	18,5	2 348	20,1	2 452	21,6	2 552
2370	1425	5,5	1 147	6,0	1 188	6,5	1 230	7,0	1 269
	2610	10,9	1 439	11,9	1 493	12,9	1 548	13,9	1 598
	3795	16,4	1 737	17,9	1 803	19,4	1 869	20,9	1 932
	4980	21,8	2 029	23,8	2 107	25,8	2 186	27,9	2 262
	6165	27,3	2 325	29,8	2 417	32,3	2 508	34,8	2 596
	7350	32,7	2 618	35,7	2 722	38,8	2 826	41,8	2 925
	8535	38,2	2 911	41,7	3 027	45,2	3 142	48,8	3 255
3555	1425	8,5	1 381	9,3	1 435	10,1	1 490	10,8	1 540
	2610	17,0	1 751	18,5	1 818	20,1	1 883	21,7	1 947
	3795	25,5	2 116	27,8	2 194	30,2	2 274	32,5	2 349
	4980	33,9	2 484	37,1	2 576	40,2	2 667	43,4	2 755
	6165	42,4	2 849	46,4	2 953	50,3	3 057	54,2	3 157
	7350	50,9	3 214	55,6	3 330	60,3	3 464	65,1	3 577
	8535	59,4	3 602	64,9	3 730	70,4	3 858	75,9	3 984
4740	1425	11,5	1 622	12,6	1 689	13,7	1 754	14,7	1 818
	2610	23,0	2 058	25,2	2 136	27,3	2 215	29,4	2 291
	3795	34,6	2 499	37,8	2 590	41,0	2 682	44,2	2 770
	4980	46,1	2 935	50,3	3 039	54,6	3 143	58,9	3 261
	6165	57,6	3 390	62,9	3 507	68,3	3 622	73,6	3 735
	7350	69,1	3 831	75,5	3 959	81,9	4 088	88,3	4 213
	8535	80,6	4 267	88,1	4 408	95,6	4 550	103,0	4 688
5925	1425	14,6	1 858	15,9	1 936	17,2	2 015	18,6	2 090
	2610	29,1	2 369	31,8	2 461	34,5	2 552	37,2	2 640
	3795	43,7	2 879	47,7	2 983	51,7	3 087	55,8	3 186
	4980	58,2	3 405	63,6	3 521	69,0	3 637	74,4	3 750
	6165	72,8	3 919	79,5	4 047	86,2	4 176	93,0	4 301
	7350	87,3	4 426	95,4	4 567	103,5	4 709	111,6	4 846
	8535	101,9	4 936	111,3	5 089	120,7	5 261	130,2	5 410
7110	1425	17,6	2 096	19,2	2 188	20,8	2 279	22,5	2 368
	2610	35,2	2 676	38,4	2 780	41,7	2 884	44,9	2 983
	3795	52,8	3 258	57,6	3 392	62,5	3 508	67,4	3 621
	4980	70,3	3 860	76,9	3 988	83,4	4 117	89,9	4 242
	6165	87,9	4 440	96,1	4 582	104,2	4 723	112,3	4 861
	7350	105,5	5 020	115,3	5 174	125,0	5 346	134,8	5 495
	8535	123,1	5 625	134,5	5 791	145,9	5 956	157,3	6 119
8295	1425	20,6	2 332	22,5	2 436	24,4	2 540	26,3	2 639
	2610	41,2	2 984	45,1	3 100	48,9	3 215	52,7	3 328
	3795	61,9	3 660	67,6	3 788	73,3	3 917	79,0	4 042
	4980	82,5	4 311	90,1	4 452	97,7	4 593	105,4	4 731
	6165	103,1	4 965	112,6	5 118	122,2	5 290	131,7	5 439
	7350	123,7	5 639	135,2	5 805	146,6	5 970	158,1	6 133
	8535	144,3	6 293	157,7	6 470	171,0	6 649	184,4	6 842


You can order a cold room in custom size according to your specific needs



Agrohimp territory, bld. 58, Schelkovo,
 Moscow region, 141101, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en
www.profpnl.ru/en



ProfHoloD Cold Rooms solution includes

- **Wall insulated panels:**
 - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
 - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m³;
 - Core thermal conductivity coefficient k=0,022 W/(m*K).
- **Ceiling panels:**
 - External surface: galvanized steel;
 - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
 - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

Extras:

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

How to choose polyurethane insulated panel thickness depending on inside and outside temperature

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,3	13,5	12,6	11,7	10,8	9
95° C	49,9	39,9	33,3	24,7	19,9	16,2	14,3	13,3	12,4	11,4	9,5



Agrohim territory, bld. 58, Schelkovo,
Moscow region, 141100, Russia

+7 (495) 745-01-37
+7 (800) 700-01-37

www.profhod.ru/en
www.profpnl.ru/en