

Hinged Single Leaf Doors, Including Half-Hidden (HSLD H)

Retail Price List in Euro, VAT not included updated on 09.07.2018

All prices include 2 mm thick metal door frame

Photo of French Fermo and Italian MTH hardware



Door thickness, mm	Installation opening, HEIGHT, mm	Installation opening, WIDTH, mm						
		800	900	1000	1100	1200	1300	1400
80	1800	252	260	275	285	299	350	357
	1900	258	266	281	291	316	359	375
	2000	264	271	288	298	323	367	383
	2100	269	277	294	314	330	385	392
	2200	281	289	308	328	346	403	411
	2300	344	354	377	391	414	467	476
	2400	351	361	385	400	423	477	486
100	1800	270	279	296	307	324	378	386
	1900	277	286	303	315	341	388	405
	2000	283	292	311	323	350	398	415
	2100	289	299	318	340	358	416	425
	2200	302	312	333	355	375	436	445
	2300	356	368	393	409	433	487	515
	2400	364	376	402	418	443	498	527
120	1800	279	289	306	319	336	392	401
	1900	286	296	314	327	354	403	421
	2000	292	303	322	336	363	413	432
	2100	299	310	330	353	373	433	442
	2200	312	324	346	369	390	453	464
	2300	369	383	408	426	451	507	537
	2400	377	391	418	436	462	519	550
150	1800	293	304	323	347	356	414	425
	1900	300	312	332	357	376	426	446
	2000	307	320	341	367	386	437	457
	2100	315	327	349	385	396	450	469
	2200	329	343	366	404	415	481	493
	2300	389	405	433	468	481	557	572
	2400	398	414	443	479	493	571	586

Photo of German Rahrbach hardware



Door thickness, mm	Installation opening, HEIGHT, mm	Installation opening, WIDTH, mm						
		800	900	1000	1100	1200	1300	1400
80	1800	449	455	472	482	498	575	582
	1900	455	461	478	489	538	584	591
	2000	461	468	485	497	546	593	601
	2100	467	474	492	536	554	603	611
	2200	474	480	499	543	562	612	620
	2300	511	518	538	550	570	621	630
	2400	594	601	622	634	654	708	716
	2500	601	609	630	643	664	718	759
	2600	608	615	637	650	672	728	768
	2700	614	621	644	658	680	769	778
	2800	622	630	653	668	690	781	790
	2900	660	668	692	707	730	790	800
	3000	666	674	699	714	738	800	809
	3100	674	682	708	723	748	811	821
	3200	680	688	715	730	756	820	830
	3300	686	695	722	738	764	830	840
	3400	692	701	729	745	772	839	849
3500	739	748	777	793	821	889	932	
3600	745	755	784	801	829	899	941	
3700	753	762	792	809	839	941	952	
3800	759	769	799	817	847	951	962	

100	Installation opening, HEIGHT, mm	1800	464	471	489	501	519	600	608
		1900	470	478	497	510	560	610	619
		2000	477	485	505	518	569	621	630
		2100	484	492	513	558	578	631	641
		2200	491	499	521	566	587	642	651
		2300	530	538	560	575	596	652	662
		2400	613	622	645	660	682	740	750
		2500	621	630	654	669	693	752	794
		2600	628	637	662	678	702	762	805
		2700	635	644	670	686	711	805	816
		2800	644	654	680	697	723	818	830
		2900	683	693	720	737	764	829	841
		3000	690	700	728	746	773	840	852
		3100	698	709	738	756	784	852	864
		3200	705	716	745	764	793	863	875
		3300	712	723	753	772	802	873	886
		3400	719	730	761	781	811	884	897
		3500	767	778	810	830	861	935	980
		3600	774	786	818	838	870	946	991
		3700	782	794	828	848	881	990	1 004
		3800	789	801	835	857	890	1 001	1 015
		3900	796	809	843	865	899	1 011	1 026
		4000	803	816	851	873	908	1 022	1 037
		4100	842	855	891	914	949	1 033	1 047
		4200	848	862	899	922	959	1 043	1 058
4300	857	870	908	932	969	1 056	1 071		
4400	864	878	916	940	978	1 066	1 082		
4500	871	885	924	948	988	1 077	1 093		
4600	877	892	932	957	997	1 087	1 104		
4700	884	899	940	965	1 006	1 098	1 114		
4800	891	906	948	974	1 015	1 109	1 125		
4900	898	913	956	982	1 024	1 119	1 136		
5000	906	922	965	992	1 035	1 132	1 149		
120	Installation opening, HEIGHT, mm	1800	477	485	505	518	537	619	629
		1900	484	493	513	527	579	631	640
		2000	492	501	522	536	588	642	652
		2100	499	508	530	577	598	653	664
		2200	506	516	538	586	608	664	675
		2300	546	555	579	595	618	676	687
		2400	629	639	664	680	704	764	775
		2500	638	649	674	691	715	777	820
		2600	645	656	682	700	725	788	832
		2700	653	664	691	709	735	831	844
		2800	663	674	702	720	748	846	858
		2900	702	714	742	761	789	857	870
		3000	709	721	751	770	799	868	882
		3100	718	730	761	781	811	881	895
		3200	725	738	769	790	820	893	907
		3300	733	746	778	799	830	904	919
		3400	740	753	786	808	840	915	930
		3500	788	802	836	858	891	968	1 015
		3600	796	810	844	867	901	979	1 027
		3700	805	819	854	877	912	1 024	1 040
		3800	812	826	863	886	922	1 035	1 052
		3900	819	834	871	895	932	1 047	1 063
		4000	827	842	880	904	942	1 058	1 075
		4100	866	881	920	945	983	1 070	1 087
		4200	873	889	928	954	993	1 081	1 098
4300	882	898	938	964	1 005	1 094	1 112		
4400	889	906	947	973	1 014	1 105	1 123		
4500	897	913	955	982	1 024	1 117	1 135		
4600	904	921	964	991	1 034	1 128	1 147		
4700	912	929	972	1 000	1 044	1 140	1 159		
4800	919	936	981	1 009	1 054	1 151	1 170		
4900	926	944	989	1 018	1 064	1 162	1 182		
5000	935	953	999	1 029	1 075	1 175	1 195		

Our doors are available in custom sizes to insure best commercial application

- **Core:** rigid polyurethane foam by Dow Chemical
- **Foam Density:** up to 50 kg/m³
- **Thermal conductivity exterior metal, in:** 0,022 W/(m*k)
- **Packaging:** 50 micron thick plastic stretch-wrap
- All door locks feature locking mechanisms operated from the outside by a key and from the inside by an emergency opener, knob or lever
- All doors are equipped with European-made rubber refrigerator gaskets for perfect tightness
Doors for freezing rooms are equipped with double profile gaskets

Door catalogue codes



- HSLD Hinged Single Leaf Door
- HSLD H Hinged Single Leaf Door Half-hidden
- HSLD H R Hinged Single Leaf Door R Series
- L Low range temperature door дверь для морозильных камер
- M Medium range temperature door

Right/Left Hinges location: Right/Left

Example of door catalogue code: HSLD H 800 2000 100 Ral9003/Ral9003 80 L Right

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door Steel Type		Threshold height	Temperature	Hinges location
				Exterior metal	Interior metal			
Hinged Single Leaf Door Half-hidden	800	2000	100	RAL9003	RAL9003	80	L	Right

Additional options for HSLD

Item	Catalogue code	Price, VAT not included
Frame heating cable for low-temperature cold rooms below 0°C. Price for running meter	L	5
Frame installation hardware for insulated sandwich panels	FI HSLD	14
Frame installation hardware for brick wall	FI B	6
Hardware kit for a door opening in sandwich panel wall	HKDO	4
Stainless steel on one side AISI 304	AISI 304	56
Price for 1 sq m of door opening AISI 430	AISI 430	26
Stainless steel frame AISI 304		14
Price for 1 running meter AISI 430		33
Customized frame for monorail		20
Fermod 921 door handle with lock and mating component		36
Plexiglass window, size 400X400 mm		119
Plexiglass window, size 400X600 mm		39
Threshold with heating cable AISI 430. Price for 1 running meter		51
Threshold with heating cable AISI 304. Price for 1 running meter		36
Threshold with heating cable for doors without threshold. Price for 1 running meter		42
Set of stainless steel hardware 1 sq m		23
Frame installation hardware for steel stud construction		4
Hidden frame installation hardware		24
Hidden frame installation hardware AISI 304		52
Hidden frame installation hardware AISI 430		48

Bumper material	Thickness, mm	Price for sq m	Price for running meter	
			Bottom 0,25 m	Bottom 0,5 m
AISI 304	1,5	65	16	33
AISI 430	1,5	46	12	23
Checker plate	1,5	47	12	24
Flat ABS plastic	4,0	26	7	13




Packaging

Item	Price, VAT not included
Stretch-wrap	included in door price
Cardboard packaging	calculated individually for your order
Wooden packaging	calculated individually for your order

Door ramps

		Door ramp width, mm												
		800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000
Door ramp height, mm	50	75	78	80	82	84	87	89	91	93	96	98	100	103
	60	82	85	87	89	92	94	96	98	101	103	105	107	110
	80	90	93	95	97	99	102	104	106	109	111	113	115	118
	100	98	100	102	105	107	109	111	114	116	118	121	123	125
	120	105	107	109	112	114	116	119	121	123	125	128	130	132
	150	112	115	117	119	121	124	126	128	131	133	135	137	140
	200	120	123	125	127	129	132	134	136	138	141	143	145	148

- **Standard ramp height:** 1000 mm
- **Ramp base material:** painted steel 2 mm
- **Ramp surface material:** checker plate metal



Agrohim territory, bld. 58,
Shchelkovo, Moscow region,
Russia, 141100



+7 (925) 745-01-37

www.profhod.com