



ProfHoloD Ltd.

Reg. no. 7705671650
 Agrohim territory, bld. 5B, Schelkovo, Moscow region, Russia, 141100
 info@profholod.com www.profholod.com tel/fax +7 (495) 745-0137

ProfHoloD Cold Rooms with Fireproof PIR Premier updated on 28.09.2023
 with insulated door and shaped elements for assembly
 Retail Price List in Euro, VAT not included

PIR Insulated Panels for Cold Rooms. Panels' thickness 60 mm
 Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1310	2,6	723	2,9	745	3,2	771	3,4	796	3,7	822
	2500	5,3	905	5,8	937	6,3	973	6,8	1 009	7,3	1 046
	3690	7,9	1 090	8,7	1 133	9,5	1 180	10,2	1 227	11,0	1 273
	4880	10,6	1 272	11,6	1 326	12,6	1 383	13,6	1 440	14,7	1 497
	6070	13,2	1 458	14,5	1 522	15,8	1 590	17,1	1 657	18,3	1 724
	7260	15,9	1 639	17,4	1 715	18,9	1 792	20,5	1 870	22,0	1 948
	8450	18,5	1 825	20,3	1 911	22,1	1 999	23,9	2 087	25,7	2 176
2330	1310	5,6	911	6,1	943	6,7	979	7,2	1 015	7,7	1 051
	2500	11,2	1 154	12,3	1 198	13,3	1 245	14,4	1 291	15,5	1 338
	3690	16,8	1 395	18,4	1 449	20,0	1 506	21,6	1 563	23,2	1 620
	4880	22,4	1 640	24,5	1 705	26,7	1 772	28,8	1 839	31,0	1 907
	6070	28,0	1 881	30,7	1 956	33,3	2 034	36,0	2 112	38,7	2 189
	7260	33,6	2 126	36,8	2 211	40,0	2 299	43,2	2 388	46,5	2 476
	8450	39,2	2 366	42,9	2 462	46,7	2 561	50,5	2 660	54,2	2 758
3570	1310	8,5	1 102	9,4	1 145	10,2	1 192	11,0	1 239	11,8	1 285
	2500	17,1	1 401	18,7	1 455	20,4	1 512	22,0	1 569	23,6	1 626
	3690	25,6	1 705	28,1	1 770	30,5	1 837	33,0	1 904	35,5	1 972
	4880	34,2	2 005	37,4	2 080	40,7	2 157	44,0	2 235	47,3	2 313
	6070	42,7	2 308	46,8	2 394	50,9	2 482	55,0	2 570	59,1	2 658
	7260	51,2	2 608	56,2	2 704	61,1	2 802	66,0	2 901	70,9	3 000
	8450	59,8	2 912	65,5	3 018	71,3	3 127	77,0	3 236	82,8	3 345
4760	1310	11,5	1 289	12,6	1 344	13,7	1 401	14,8	1 458	15,9	1 515
	2500	23,0	1 652	25,2	1 717	27,4	1 784	29,6	1 851	31,8	1 919
	3690	34,5	2 010	37,8	2 085	41,1	2 163	44,4	2 241	47,7	2 319
	4880	45,9	2 373	50,4	2 458	54,8	2 547	59,2	2 635	63,6	2 723
	6070	57,4	2 731	62,9	2 827	68,5	2 926	74,0	3 025	79,5	3 123
	7260	68,9	3 094	75,5	3 200	82,2	3 309	88,8	3 418	95,4	3 528
	8450	80,4	3 452	88,1	3 569	95,9	3 689	103,6	3 808	111,3	3 928
5950	1310	14,4	1 481	15,8	1 546	17,2	1 613	18,6	1 681	20,0	1 748
	2500	28,9	1 899	31,6	1 974	34,4	2 052	37,2	2 129	40,0	2 207
	3690	43,3	2 320	47,5	2 406	51,6	2 494	55,8	2 582	59,9	2 670
	4880	57,7	2 737	63,3	2 833	68,8	2 932	74,4	3 031	79,9	3 129
	6070	72,2	3 159	79,1	3 265	86,0	3 374	93,0	3 483	99,9	3 592
	7260	86,6	3 576	94,9	3 693	103,2	3 812	111,6	3 932	119,9	4 051
	8450	101,0	3 993	110,7	4 121	120,4	4 251	130,2	4 380	139,9	4 509
7140	1310	17,4	1 669	19,0	1 744	20,7	1 822	22,4	1 900	24,1	1 978
	2500	34,8	2 149	38,1	2 235	41,4	2 323	44,8	2 411	48,1	2 500
	3690	52,1	2 626	57,1	2 721	62,2	2 820	67,2	2 919	72,2	3 017
	4880	69,5	3 106	76,2	3 212	82,9	3 321	89,6	3 430	96,2	3 539
	6070	86,9	3 582	95,2	3 699	103,6	3 818	111,9	3 938	120,3	4 057
	7260	104,3	4 058	114,3	4 185	124,3	4 315	134,3	4 445	144,4	4 574
	8450	121,6	4 538	133,3	4 676	145,0	4 816	156,7	4 957	168,4	5 096
8330	1310	20,3	1 861	22,3	1 947	24,2	2 035	26,2	2 123	28,1	2 211
	2500	40,6	2 396	44,6	2 492	48,5	2 591	52,4	2 689	56,3	2 788
	3690	61,0	2 935	66,8	3 041	72,7	3 151	78,5	3 260	84,4	3 369
	4880	81,3	3 470	89,1	3 587	96,9	3 706	104,7	3 826	112,5	3 945
	6070	101,6	4 005	111,4	4 132	121,1	4 262	130,9	4 392	140,7	4 521
	7260	121,9	4 544	133,7	4 682	145,4	4 822	157,1	4 963	168,8	5 102
	8450	142,2	5 079	155,9	5 227	169,6	5 378	183,3	5 529	197,0	5 678

You can order a cold room in custom size according to your specific needs

PIR Insulated Panels for Cold Rooms. Panels' thickness: 80 mm
Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1350	2,5	757	2,7	782	3,0	811	3,2	839	3,5	867
	2540	5,0	955	5,5	991	6,0	1 031	6,5	1 071	7,0	1 111
	3730	7,5	1 157	8,2	1 205	9,0	1 257	9,7	1 308	10,4	1 358
	4920	10,0	1 355	11,0	1 414	12,0	1 477	12,9	1 540	13,9	1 602
	6110	12,5	1 557	13,7	1 628	15,0	1 703	16,2	1 777	17,4	1 850
	7300	15,0	1 755	16,5	1 838	17,9	1 923	19,4	2 009	20,9	2 093
	8490	17,5	1 957	19,2	2 051	20,9	2 149	22,7	2 245	24,4	2 342
2380	1350	5,4	964	5,9	1 000	6,4	1 040	7,0	1 080	7,5	1 120
	2540	10,8	1 231	11,8	1 279	12,9	1 330	13,9	1 382	15,0	1 432
	3730	16,2	1 494	17,8	1 553	19,3	1 616	20,9	1 679	22,5	1 740
	4920	21,6	1 761	23,7	1 832	25,8	1 907	27,9	1 981	30,0	2 054
	6110	26,9	2 024	29,6	2 107	32,2	2 192	34,9	2 278	37,5	2 362
	7300	32,3	2 292	35,5	2 385	38,7	2 483	41,8	2 579	45,0	2 676
	8490	37,7	2 554	41,4	2 660	45,1	2 768	48,8	2 876	52,5	2 985
3570	1350	8,3	1 175	9,1	1 223	9,9	1 274	10,7	1 325	11,5	1 375
	2540	16,6	1 503	18,2	1 562	19,8	1 625	21,4	1 688	23,0	1 749
	3730	24,8	1 835	27,3	1 906	29,7	1 980	32,1	2 055	34,6	2 128
	4920	33,1	2 163	36,4	2 245	39,6	2 331	42,9	2 417	46,1	2 501
	6110	41,4	2 495	45,4	2 589	49,5	2 687	53,6	2 783	57,6	2 880
	7300	49,7	2 823	54,5	2 929	59,4	3 037	64,3	3 145	69,1	3 254
	8490	57,9	3 156	63,6	3 273	69,3	3 393	75,0	3 512	80,7	3 632
4760	1350	11,2	1 381	12,3	1 441	13,4	1 504	14,5	1 566	15,5	1 628
	2540	22,3	1 779	24,5	1 850	26,7	1 924	28,9	1 998	31,1	2 071
	3730	33,5	2 172	36,8	2 254	40,1	2 340	43,4	2 426	46,6	2 510
	4920	44,7	2 569	49,0	2 663	53,4	2 760	57,8	2 856	62,2	2 954
	6110	55,8	2 962	61,3	3 068	66,8	3 176	72,3	3 284	77,7	3 392
	7300	67,0	3 360	73,6	3 477	80,1	3 597	86,7	3 716	93,3	3 836
	8490	78,2	3 753	85,8	3 881	93,5	4 013	101,2	4 143	108,8	4 275
5950	1350	14,1	1 592	15,4	1 663	16,8	1 738	18,2	1 812	19,6	1 885
	2540	28,1	2 050	30,9	2 133	33,6	2 219	36,4	2 304	39,1	2 389
	3730	42,2	2 513	46,3	2 607	50,4	2 704	54,6	2 800	58,7	2 897
	4920	56,2	2 971	61,7	3 076	67,2	3 185	72,8	3 292	78,3	3 401
	6110	70,3	3 434	77,2	3 550	84,1	3 671	90,9	3 789	97,8	3 910
	7300	84,3	3 892	92,6	4 020	100,9	4 152	109,1	4 282	117,4	4 414
	8490	98,4	4 354	108,0	4 494	117,7	4 636	127,3	4 779	137,0	4 922
7140	1350	16,9	1 799	18,6	1 881	20,3	1 967	21,9	2 053	23,6	2 137
	2540	33,9	2 327	37,2	2 420	40,5	2 518	43,9	2 614	47,2	2 711
	3730	50,8	2 850	55,8	2 955	60,8	3 064	65,8	3 171	70,8	3 280
	4920	67,8	3 377	74,4	3 494	81,1	3 614	87,7	3 733	94,4	3 853
	6110	84,7	3 900	93,0	4 029	101,3	4 160	109,6	4 291	117,9	4 422
	7300	101,7	4 428	111,6	4 568	121,6	4 710	131,6	4 853	141,5	4 996
	8490	118,6	4 951	130,2	5 102	141,9	5 256	153,5	5 410	165,1	5 565
8330	1350	19,8	2 010	21,8	2 104	23,7	2 201	25,7	2 297	27,6	2 394
	2540	39,7	2 598	43,6	2 704	47,4	2 812	51,3	2 920	55,2	3 028
	3730	59,5	3 191	65,3	3 308	71,2	3 428	77,0	3 547	82,8	3 667
	4920	79,3	3 779	87,1	3 907	94,9	4 039	102,7	4 169	110,4	4 301
	6110	99,2	4 372	108,9	4 512	118,6	4 653	128,3	4 796	138,1	4 940
	7300	119,0	4 960	130,7	5 111	142,3	5 264	154,0	5 419	165,7	5 574
	8490	138,8	5 553	152,4	5 715	166,1	5 880	179,7	6 046	193,3	6 212

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PIR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm
Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1390	2,4	819	2,6	846	2,8	877	3,1	907	3,3	938
	2580	4,7	1 033	5,2	1 073	5,7	1 117	6,1	1 159	6,6	1 203
	3770	7,1	1 252	7,8	1 305	8,5	1 360	9,2	1 416	9,9	1 473
	4960	9,4	1 466	10,4	1 532	11,3	1 599	12,3	1 668	13,2	1 737
	6150	11,8	1 686	13,0	1 764	14,1	1 844	15,3	1 925	16,5	2 007
	7340	14,1	1 900	15,6	1 990	17,0	2 083	18,4	2 177	19,8	2 271
	8530	16,5	2 119	18,1	2 221	19,8	2 328	21,4	2 434	23,1	2 541
2380	1390	5,2	1 045	5,7	1 085	6,2	1 129	6,7	1 171	7,3	1 215
	2580	10,4	1 336	11,4	1 388	12,5	1 444	13,5	1 500	14,5	1 556
	3770	15,6	1 622	17,1	1 687	18,7	1 755	20,2	1 824	21,8	1 893
	4960	20,8	1 913	22,8	1 991	24,9	2 071	27,0	2 152	29,1	2 234
	6150	25,9	2 199	28,5	2 289	31,1	2 382	33,7	2 476	36,3	2 570
	7340	31,1	2 490	34,2	2 591	37,4	2 698	40,5	2 805	43,6	2 911
	8530	36,3	2 776	40,0	2 890	43,6	3 009	47,2	3 128	50,8	3 248
3570	1390	8,0	1 276	8,8	1 329	9,6	1 384	10,4	1 440	11,2	1 497
	2580	16,0	1 634	17,6	1 699	19,2	1 767	20,9	1 836	22,5	1 905
	3770	24,1	1 997	26,5	2 074	28,9	2 155	31,3	2 236	33,7	2 318
	4960	32,1	2 354	35,3	2 444	38,5	2 537	41,7	2 631	44,9	2 726
	6150	40,1	2 717	44,1	2 819	48,1	2 925	52,1	3 032	56,1	3 139
	7340	48,1	3 075	52,9	3 189	57,7	3 308	62,6	3 427	67,4	3 546
	8530	56,1	3 437	61,8	3 564	67,4	3 696	73,0	3 828	78,6	3 959
4760	1390	10,9	1 503	11,9	1 568	13,0	1 635	14,1	1 704	15,2	1 773
	2580	21,7	1 937	23,9	2 015	26,0	2 095	28,2	2 176	30,4	2 258
	3770	32,6	2 366	35,8	2 457	39,1	2 549	42,3	2 643	45,6	2 738
	4960	43,4	2 801	47,8	2 902	52,1	3 009	56,4	3 116	60,8	3 222
	6150	54,3	3 230	59,7	3 344	65,1	3 463	70,5	3 583	76,0	3 702
	7340	65,1	3 664	71,6	3 791	78,1	3 923	84,7	4 055	91,2	4 187
	8530	76,0	4 094	83,6	4 233	91,2	4 377	98,8	4 522	106,4	4 666
5950	1390	13,7	1 734	15,1	1 812	16,4	1 892	17,8	1 974	19,2	2 055
	2580	27,4	2 235	30,1	2 325	32,8	2 418	35,6	2 512	38,3	2 606
	3770	41,1	2 741	45,2	2 843	49,3	2 949	53,4	3 056	57,5	3 163
	4960	54,7	3 242	60,2	3 356	65,7	3 475	71,2	3 595	76,6	3 714
	6150	68,4	3 748	75,3	3 875	82,1	4 007	89,0	4 139	95,8	4 270
	7340	82,1	4 249	90,3	4 388	98,5	4 533	106,7	4 677	115,0	4 822
	8530	95,8	4 754	105,4	4 907	115,0	5 064	124,5	5 221	134,1	5 378
7140	1390	16,5	1 960	18,2	2 051	19,8	2 143	21,5	2 238	23,1	2 332
	2580	33,0	2 538	36,3	2 640	39,6	2 746	42,9	2 853	46,2	2 960
	3770	49,6	3 111	54,5	3 225	59,5	3 344	64,4	3 463	69,4	3 583
	4960	66,1	3 688	72,7	3 815	79,3	3 947	85,9	4 079	92,5	4 211
	6150	82,6	4 261	90,8	4 401	99,1	4 545	107,4	4 689	115,6	4 834
	7340	99,1	4 838	109,0	4 991	118,9	5 148	128,8	5 305	138,7	5 462
	8530	115,6	5 410	127,2	5 576	138,7	5 746	150,3	5 915	161,9	6 085
8330	1390	19,3	2 192	21,3	2 293	23,2	2 400	25,2	2 507	27,1	2 613
	2580	38,7	2 836	42,6	2 950	46,4	3 069	50,3	3 189	54,2	3 308
	3770	58,0	3 485	63,9	3 612	69,7	3 744	75,5	3 876	81,3	4 008
	4960	77,4	4 130	85,1	4 269	92,9	4 413	100,6	4 558	108,4	4 702
	6150	96,7	4 778	106,4	4 931	116,1	5 088	125,8	5 245	135,4	5 402
	7340	116,1	5 422	127,7	5 588	139,3	5 758	150,9	5 927	162,5	6 097
	8530	135,4	6 072	149,0	6 250	162,5	6 432	176,1	6 614	189,6	6 797

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PIR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm
Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1430	2,4	966	2,7	1 000	2,9	1 035	3,1	1 069
	2620	4,9	1 213	5,3	1 261	5,8	1 309	6,2	1 357
	3810	7,3	1 465	8,0	1 527	8,7	1 589	9,4	1 651
	5000	9,8	1 712	10,7	1 788	11,6	1 864	12,5	1 940
	6190	12,2	1 964	13,3	2 054	14,5	2 144	15,6	2 233
	7380	14,7	2 211	16,0	2 315	17,4	2 418	18,7	2 522
	8570	17,1	2 463	18,7	2 581	20,3	2 698	21,8	2 816
2380	1430	5,5	1 229	6,0	1 277	6,5	1 325	7,0	1 373
	2620	11,0	1 560	12,0	1 622	13,0	1 685	14,1	1 747
	3810	16,5	1 886	18,0	1 962	19,6	2 038	21,1	2 114
	5000	22,0	2 218	24,0	2 308	26,1	2 397	28,1	2 487
	6190	27,5	2 544	30,0	2 647	32,6	2 751	35,1	2 855
	7380	33,0	2 875	36,1	2 993	39,1	3 110	42,2	3 228
	8570	38,5	3 201	42,1	3 333	45,6	3 464	49,2	3 595
3570	1430	8,6	1 486	9,4	1 548	10,1	1 610	10,9	1 672
	2620	17,1	1 902	18,7	1 978	20,3	2 054	21,9	2 130
	3810	25,7	2 313	28,1	2 403	30,4	2 493	32,8	2 582
	5000	34,2	2 718	37,4	2 822	40,6	2 926	43,7	3 029
	6190	42,8	3 129	46,8	3 247	50,7	3 364	54,7	3 482
	7380	51,4	3 534	56,1	3 677	60,9	3 808	65,6	3 939
	8570	59,9	3 956	65,5	4 101	71,0	4 246	76,6	4 392
4760	1430	11,6	1 760	12,7	1 836	13,8	1 912	14,8	1 988
	2620	23,2	2 250	25,4	2 340	27,5	2 429	29,7	2 519
	3810	34,9	2 734	38,1	2 838	41,3	2 942	44,5	3 045
	5000	46,5	3 224	50,8	3 342	55,1	3 459	59,4	3 588
	6190	58,1	3 720	63,5	3 851	68,8	3 982	74,2	4 114
	7380	69,7	4 210	76,2	4 355	82,6	4 500	89,1	4 645
	8570	81,3	4 694	88,9	4 853	96,4	5 012	103,9	5 171
5950	1430	14,7	2 028	16,0	2 118	17,4	2 208	18,8	2 297
	2620	29,4	2 592	32,1	2 695	34,8	2 799	37,5	2 903
	3810	44,0	3 161	48,1	3 279	52,2	3 396	56,3	3 514
	5000	58,7	3 736	64,1	3 867	69,6	3 998	75,0	4 130
	6190	73,4	4 305	80,2	4 450	87,0	4 595	93,8	4 741
	7380	88,1	4 869	96,2	5 028	104,4	5 187	112,5	5 346
	8570	102,7	5 438	112,3	5 611	121,8	5 795	131,3	5 966
7140	1430	17,7	2 291	19,4	2 394	21,0	2 498	22,7	2 602
	2620	35,5	2 939	38,8	3 057	42,0	3 174	45,3	3 292
	3810	53,2	3 582	58,1	3 725	63,1	3 856	68,0	3 987
	5000	70,9	4 242	77,5	4 387	84,1	4 532	90,6	4 677
	6190	88,7	4 885	96,9	5 044	105,1	5 203	113,3	5 362
	7380	106,4	5 533	116,3	5 717	126,1	5 890	136,0	6 062
	8570	124,2	6 187	135,6	6 374	147,1	6 561	158,6	6 746
8330	1430	20,8	2 559	22,7	2 677	24,6	2 794	26,6	2 912
	2620	41,6	3 281	45,4	3 413	49,3	3 544	53,1	3 675
	3810	62,4	4 020	68,2	4 165	73,9	4 310	79,7	4 456
	5000	83,2	4 742	90,9	4 901	98,6	5 060	106,3	5 219
	6190	104,0	5 470	113,6	5 643	123,2	5 827	132,9	5 998
	7380	124,8	6 203	136,3	6 390	147,9	6 577	159,4	6 762
	8570	145,6	6 931	159,0	7 131	172,5	7 332	186,0	7 542


You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141101, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhodol.ru/en



ProfHoloD Cold Rooms solution includes

- **Wall insulated panels:**
 - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
 - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m³;
 - Core thermal conductivity coefficient $k=0,022 \text{ W/(m}^2\text{K)}$.
- **Ceiling panels:**
 - External surface: galvanized steel;
 - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
 - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

Extras:

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

How to choose polyurethane insulated panel thickness depending on inside and outside temperature

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,7	13,7	12,8	11,9	11,1	9,5
95° C	49,9	39,9	33,3	24,7	20,6	17,1	15,1	14,3	13,5	12,7	11,1



Agrohim territory, bld. 58, Schelkovo,
Moscow region, 141100, Russia

+7 (495) 745-01-37

+7 (800) 700-01-37

www.profholid.ru/en